

Contents

1	The evolutionary record and methods of reconstruction	1
1.1	Introduction	1
1.2	The geological timescale	3
1.3	Methods of reconstruction	3
1.4	Phylogenetic trees	20
1.5	Dating methods	20
	Summary	25
2	Earliest forms of plant life	27
2.1	The earliest environments	27
2.2	Accumulation of organic material and formation of the first cell	31
2.3	The first prokaryotes: the geological evidence	33
2.4	Evolution of photosynthesis	39
2.5	Evolution of the eukaryotes	41
2.6	Possible triggering mechanisms of eukaryotic evolution	50
	Summary	53
3	The colonization of land	55
3.1	Environmental changes during the Cambrian and Ordovician (541–443 Ma)	55
3.2	Fossil evidence for plant terrestrialization	61
3.3	Examples of earliest land plants in the fossil record	72
3.4	Evolutionary trends: green algae to land plants	77
3.5	Evolutionary trends in land plants: non-vascular to vascular	83
3.6	Biogeographical distribution of the earliest land plants in the late Silurian and early Devonian (~430–390 Ma)	86
3.7	The influence of land-dwelling plants on the Earth system	87
	Summary	90
4	The first forests	92
4.1	Environmental changes spanning the mid Devonian to end Carboniferous (~394–299 Ma)	92
4.2	Major changes and innovations in the plant fossil record during the mid Devonian to end Carboniferous (~394–299 Ma)	98
4.3	Evidence of further plant adaptations to land dwelling between mid Devonian and end Carboniferous (~394–299 Ma)	99
4.4	Further adaptations to the plant life cycle	104

4.5	Earliest trees in the fossil record	113
4.6	Biogeographical distribution of global vegetation during the early (~359–342 Ma) and late Carboniferous (~318–299 Ma)	135
	Summary	144
5	Major emergence of the seed plants	146
5.1	Environmental changes during the Permian (299–252 Ma)	146
5.2	Evolution of cycads, bennettites, ginkgos, glossopterids, and gnetales	149
5.3	Biogeographical distribution of global vegetation during the middle Permian (270–260 Ma)	164
5.4	Major radiation of the conifers and other seed plant lineages	167
5.5	Biogeographical distribution of global vegetation during the early Jurassic (201–182 Ma)	173
	Summary	176
6	Flowering plant origins	179
6.1	Evidence for the first angiosperms	179
6.2	Nature and distribution of the earliest angiosperms	196
6.3	Why so late?	202
6.4	Evolutionary trends: gymnosperms to angiosperms	214
6.5	Biogeographical distribution of global vegetation during the late Cretaceous (~100–66 Ma)	217
	Summary	223
7	The past 66 million years	225
7.1	Environmental changes over the past 66 million years (Cenozoic)	225
7.2	Biogeographical distribution of global vegetation between ~60 and 50 Ma (late Palaeocene to early Eocene)	231
7.3	The evolution of grasses	239
7.4	Decline of the forests and spread of aridland vegetation	243
7.5	Biogeographical distribution of global vegetation between 34–23 Ma (Oligocene)	246
7.6	The evolution of plants using the C4 and CAM photosynthetic pathways	251
7.7	Biogeographical distribution of global vegetation by 11.6–5.3 Ma (late Miocene)	254
	Summary	263
8	Mass extinctions and persistent populations	265
8.1	Definition of mass extinction	265
8.2	Evidence in the geological record: plants versus animals	266
8.3	Why no mass extinction in the plant fossil record?	287
8.4	Evidence for persistence in the plant fossil record	288
8.5	Adaptations of plants for persistence through intervals of environmental change	290
	Summary	296

9 Evolutionary theories and the plant fossil record	298
9.1 Evolutionary theories	298
9.2 Patterns of evolutionary change in the plant fossil record	301
9.3 The mechanisms driving evolutionary change	307
Conclusions	331
Bibliography	333
Glossary	378
Index	385