Contents

Part 1 Structures and biosynthesis of glycans 1

1 Concepts of glycobiology 3

1.1 The field of glycobiology encompasses the multiple functions of sugars attached to proteins and lipids 3
1.2 There are three major classes of glycoconjugates 4
1.3 Glycans are composed of monosaccharides with related chemical structures 5
1.4 Glycosidic linkages between monosaccharides exist in multiple configurations 9
1.5 Formation of glycosidic linkages requires energy and is catalysed by specific enzymes 10
1.6 Understanding structure–function relationships for glycans can be more difficult than for other classes of biopolymers 13
1.7 Glycan structures are encoded indirectly in the genome 14
Summary 15
Key references 16
Questions 16

2 N-Linked glycosylation 17

2.1 Diverse N-linked glycans have a common core structure 17
2.2 Assembly of N-linked glycans occurs in three major stages 17
2.3 The precursor oligosaccharide for N-linked glycans is assembled on the lipid dolichol 18
2.4 The dolichol-linked precursor oligosaccharide is transferred to asparagine residues of polypeptides 21
2.5 The core oligosaccharide structure is modified by glycosidases and glycosyltransferases 23
2.6 Hybrid structures and polylactosamine sequences are common extensions of the core oligosaccharide 25
2.7 ABO blood groups are determined by the presence of different terminal sugars on glycans of red blood cells 26
2.8 The N-linked glycans of an individual glycoprotein are usually heterogeneous 28

2.9 The nature of N-linked glycans attached to an individual glycoprotein is determined by the protein and the cell in which it is expressed 29
2.10 High mannose structures are present in lower eukaryotes, but the glycosylation machinery has evolved to produce complex glycans in higher organisms 29
Summary 30
Key references 30
Questions 31

3 O-Linked glycosylation 33
3.1 Mucins are large, heavily O-glycosylated proteins that hold water 33
3.2 Some cell surface proteins have mucin-like domains 35
3.3 Many soluble and cell surface glycoproteins contain small clusters of O-linked sugars 37
3.4 Biosynthesis of mucin-type sugars occurs by sequential addition of monosaccharides to proteins in the Golgi apparatus 37
3.5 Proteoglycans are heavily O-glycosylated proteins that give strength to the extracellular matrix 39
3.6 Biosynthesis of proteoglycans requires several modifying enzymes in addition to glycosyltransferases 42
3.7 Unusual types of O-linked glycosylation are found on some proteins 43
3.8 Cytoplasmic and nuclear proteins can be modified by addition of O-linked *N*-acetylglucosamine 45
3.9 O-linked *N*-acetylglucosamine is part of a metabolic sensor system that is affected in diabetes 47
Summary 48
Key references 49
Questions 50

4 Glycolipids and membrane protein glycosylation 51
4.1 Most integral membrane proteins are glycosylated 51
4.2 Membranes contain glycolipids as well as glycoproteins 52
4.3 Glycosphingolipid biosynthesis occurs in the Golgi apparatus 54
4.4 Glycosphingolipids can generate distinct domains in the plasma membrane 55
4.5 Defects in glycolipid breakdown cause disease 56
4.6 Some proteins are attached to membranes through glycolipid anchors 57
Box 4.1 Glycotherapeutics: Enzyme replacement, molecular chaperones, and inhibitors of glycolipid synthesis can be used to treat storage diseases 58
4.7 Glycolipid anchors are added to proteins in the endoplasmic reticulum 60
4.8 Proteins attached to glycolipid anchors are localized to the plasma membrane 62
Box 4.2 Glycotherapeutics: Selective inhibition of glycolipid anchor biosynthesis may provide a way to treat African sleeping sickness 64
4.9 The disease paroxysmal nocturnal haemoglobinuria is caused by a glycolipid anchor deficiency 66

Summary 66
Key references 66
Questions 67

5 Enzymology and cell biology of glycosylation 69

5.1 Only a few eukaryotic glycosyltransferases are sufficiently abundant to be isolated biochemically 69
5.2 Novel molecular biology methods are needed to clone additional glycosyltransferases 71
5.3 Structurally diverse glycosyltransferases share key common features 73
5.4 Genomics can be used to define the repertoire of glycosyltransferases 74
5.5 Special transporters are required to provide access of donor substrates to glycosyltransferases 75
Box 5.1 Glycobiology of disease: Transporter deficiency can result in aberrant glycosylation 76
5.6 Complex cellular machinery is required for spatial and temporal organization of glycan biosynthesis pathways 77
5.7 Mutant cell lines serve as tools for studying glycosylation and illustrate the importance of N-linked glycosylation 80
5.8 Knockout mice provide much of the evidence for the roles of glycosylation in the biology of mammals 81
Summary 83
Key references 83
Questions 84

6 Glycomics and analysis of glycan structures 86

6.1 NMR provides definitive information on oligosaccharide structures 87
6.2 Glycosidases can be used to analyse structures of glycans 87
6.3 Mass spectrometry is particularly useful for analysis of complex mixtures containing small amounts of glycans 90
6.4 Glycomics provides a description of the glycans present in cells and tissues and is used to study receptors that bind glycans 91
6.5 Glycomic and genomic analysis provide some indication of the total size of the glycome in mammals 93
6.6 Systems glycobiology aims to link glycogene expression with glycosylation phenotypes 94
6.7 Glycan arrays can be used to define target ligands for glycan-binding proteins 94
6.8 Databases for glycobiology are being developed 95
6.9 Glycoconjugates in cells and tissues can be analysed using lectins 97
6.10 Small oligosaccharides can be synthesized using chemical methods 98
6.11 Enzymes provide an alternative method for the synthesis of oligosaccharides 99
Box 6.1 Glycotherapeutics: Synthetic heparin oligosaccharides are used to control blood clotting 100
6.12 Neoglycoconjugates can be created by chemically linking sugars to proteins or lipids 102
Summary 102

Key references 103
Questions 104

7 Conformations of oligosaccharides 105

7.1 Three-dimensional structures of oligosaccharides are called conformations 105
7.2 Monosaccharides assume a limited number of conformations 106
7.3 Torsion angles are used to describe conformations of glycans 107
7.4 Local steric and electronic interactions limit the possible conformations of glycosidic linkages 108
7.5 The conformation of an oligosaccharide is influenced by interactions between hexoses distant from each other in the covalent structure 112
7.6 Co-operative interactions determine the overall folds of oligosaccharides 113
7.7 Oligosaccharide conformations are dynamic 114
7.8 Short- and long-range interactions also determine the conformations of polysaccharides 115
7.9 Conformations of polysaccharides define properties of cell walls 115
7.10 The conformations of a small number of oligosaccharides have been analysed by X-ray crystallography and nuclear magnetic resonance 118
Summary 119
Key references 120
Questions 120

Part 2 Glycans in biology 123

8 Effects of glycosylation on protein structure and function 125

8.1 Various approaches can be used to study the effects of glycosylation 125
8.2 Sugars stabilize the structure of the cell adhesion molecule CD2 127
8.3 An oligosaccharide replaces an α-helix in some variant surface glycoproteins of trypanosomes 129
8.4 Attachment of a monosaccharide can affect protein dynamics 131
8.5 Glycosylation affects the ability of immunoglobulins to fix complement and bind to receptors 132
8.6 Protein–protein interactions can be modulated by oligosaccharides 134
8.7 Oligosaccharides covering surfaces of proteins can protect against proteolysis 135
Summary 137
Key references 137
Questions 138

9 Carbohydrate recognition in cell adhesion and signalling 139

9.1 Animal lectins can be classified based on their structures 139
9.2 Mannose-binding protein is a host defence molecule that initiates the lectin pathway of complement activation 140

9.3 Pathogen recognition by mannose-binding protein results from both monosaccharide-binding specificity and oligomer geometry 142
9.4 The mannose receptor helps macrophages to internalize pathogens 146
9.5 The selectins are cell adhesion molecules for white blood cells 147
9.6 Specific carbohydrate ligands for the selectins interact through extended binding sites on the C-type CRDs 150
9.7 C-type lectins participate in the process of antigen presentation 153
9.8 DC-SIGN enhances HIV infection of T cells 155
9.9 I-type lectins are composed of immunoglobulin-like domains 156
Box 9.1 Glycotherapeutics: Drugs and antibodies that prevent HIV infection mimic recognition by DC-SIGN 157
9.10 Siglecs are adhesion and signalling receptors on cells in the immune system 159
9.11 Extracellular galectins have roles in cell adhesion and cell signalling 162
9.12 Galectins modulate activation of T cells and control cell survival by triggering or inhibiting apoptosis 164
Summary 167
Key references 167
Questions 169

10 Glycoprotein trafficking in cells and organisms 171
10.1 Lectins have important functions in the secretory pathway 171
10.2 Calnexin and calreticulin help glycoproteins fold in the endoplasmic reticulum 172
10.3 Lectins are involved in degradation of misfolded glycoproteins 174
10.4 L-type lectins transport glycoproteins from the endoplasmic reticulum to the Golgi 176
10.5 Mannose 6-phosphate residues target lysosomal enzymes to lysosomes 177
10.6 Two types of mannose 6-phosphate receptor take part in lysosomal enzyme targeting 179
10.7 The asialoglycoprotein receptor clears altered serum glycoproteins into the liver 181
Box 10.1 Glycobiology of disease: The Asialoglycoprotein receptor may help to prevent sepsis 185
10.8 The mannose receptor removes naturally occurring glycoproteins from circulation 186
10.9 The mannose receptor also regulates activity of sulphated hormones 187
Box 10.2 Glycotherapeutics: Glycosylation of recombinant glycoproteins must be carefully controlled 189
10.10 Some intracellular lectins have roles in the nucleus 191
Summary 191
Key references 192
Questions 193

11 Glycobiology of plants, bacteria, and viruses 195

11.1 Plant and microbial sugars have some functions not seen in mammals 195

11.2. Some bacteria have protein glycosylation pathways that are related to the mammalian glycosylation machinery 196

11.3 Plants use oligosaccharides as signalling molecules 197

11.4 Common plant lectins are useful tools for biologists 199

11.5 Some plant lectins are toxins 201

11.6 Many bacterial toxins are lectins 202

11.7 Bacteria use lectins to bind to host cell surfaces 205

Box 11.1 Glycobiology of disease: Bacteria that cause stomach ulcers use blood group glycans as receptors 206

11.8 Viruses use lectins to target cell surfaces 208

Box 11.2 Glycotherapeutics: Anti-influenza drugs are neuraminidase inhibitors 210

11.9 Lectins appeared early in evolution but have diverse functions in higher organisms 212

Summary 214

Key references 215

Questions 216

12 Glycobiology and development 218

12.1 Biochemical analysis has demonstrated how cell surface proteoglycans serve as co-receptors for growth factors 218

12.2 Mutant mice provide evidence for the roles of proteoglycans in mammalian development 221

12.3 Study of *Drosophila* and other model organisms reveals multiple roles for heparan sulphate proteoglycans 223

Box 12.1 Glycobiology of disease: Human diseases result from aberrant proteoglycan biosynthesis 225

12.4 O-linked fucose-based glycans are important for extracellular signalling during development in vertebrates and invertebrates 227

12.5 Cell surface glycolipids are important for the development of the nervous system 228

12.6 Myelin-associated glycoprotein has roles in development of the central and peripheral nervous systems 231

Box 12.2 Glycotherapeutics: Chondroitinase and sialidase treatments facilitate regeneration in the central nervous system 233

12.7 Polysialylation of neural cell adhesion molecule prevents cell adhesion during development 235

12.8 Changes in glycosylation occur during cell differentiation in the immune system 235

Summary 237

Key references 237

Questions 239

13 Glycosylation and disease 240

13.1 Mutations in enzymes for synthesis of N-linked glycans cause congenital disorders of glycosylation 240
13.2 Abnormal expression of a glycosyltransferase causes a blood clotting defect 242
13.3 Chemical glycation of proteins occurs in diabetes 243
13.4 Antibodies to carbohydrates can cause disease 244
13.5 Producing glycoproteins to treat many diseases is a challenge for biotechnology 246
13.6 Genetic changes that modify unusual O-linked glycans can cause muscular dystrophy 247
13.7 Changes in glycosylation are associated with cancer 250
Box 13.1 Glycotherapeutics: Drugs that modify glycans on tumour cells may be useful in treating cancer 253
13.8 Changes in glycosylation may be useful biomarkers for cancer detection and treatment 254
Summary 257
Key references 257
Questions 259

14 The future of glycobiology 260

14.1 Biochemistry, cell biology, and genetics must be combined in order to define the roles of glycans 260
14.2 Glycomics and systems glycobiology underpin our understanding of glycobiology 261
14.3 The cell- and protein-specific nature of glycosylation presents enormous technical challenges 262
14.4 Genomics provides critical insights into glycobiology 262
14.5 Traditional genetics will be combined with new approaches to human genetics to understand glycans and their receptors 263
14.6 Molecular understanding of how glycans function will require further elucidation of structure–function relationships 264
14.7 Our increasing knowledge about glycobiology is being applied to practical issues 265
Summary 265

Glossary 267
Index 277