

Brief Contents

PART 1



HISTORY, 1

- 1 The Mendelian View of the World, 5
- 2 Nucleic Acids Convey Genetic Information, 21

PART 2



STRUCTURE AND STUDY OF MACROMOLECULES, 45

- 3 The Importance of Weak and Strong Chemical Bonds, 51
- 4 The Structure of DNA, 77
- 5 The Structure and Versatility of RNA, 107
- 6 The Structure of Proteins, 121
- 7 Techniques of Molecular Biology, 147

PART 3



MAINTENANCE OF THE GENOME, 193

- 8 Genome Structure, Chromatin, and the Nucleosome, 199
- 9 The Replication of DNA, 257
- 10 The Mutability and Repair of DNA, 313
- 11 Homologous Recombination at the Molecular Level, 341
- 12 Site-Specific Recombination and Transposition of DNA, 377

PART 4



EXPRESSION OF THE GENOME, 423

- 13 Mechanisms of Transcription, 429
- 14 RNA Splicing, 467
- 15 Translation, 509
- 16 The Genetic Code, 573
- 17 The Origin and Early Evolution of Life, 593

PART 5



REGULATION, 609

- 18 Transcriptional Regulation in Prokaryotes, 615
- 19 Transcriptional Regulation in Eukaryotes, 657
- 20 Regulatory RNAs, 701
- 21 Gene Regulation in Development and Evolution, 733
- 22 Systems Biology, 775

PART 6



APPENDICES, 793

- 1 Model Organisms, 797
- 2 Answers, 831

Index, 845

Detailed Contents

PART 1: HISTORY, 1



1 The Mendelian View of the World, 5

MENDEL'S DISCOVERIES, 6

The Principle of Independent Segregation, 6

ADVANCED CONCEPTS BOX 1-1 Mendelian Laws, 6

Some Alleles Are neither Dominant nor Recessive, 7

Principle of Independent Assortment, 8

CHROMOSOMAL THEORY OF HEREDITY, 8

GENE LINKAGE AND CROSSING OVER, 9

KEY EXPERIMENTS BOX 1-2 Genes Are Linked to Chromosomes, 10

CHROMOSOME MAPPING, 11

THE ORIGIN OF GENETIC VARIABILITY THROUGH MUTATIONS, 13

EARLY SPECULATIONS ABOUT WHAT GENES ARE AND HOW THEY ACT, 15

PRELIMINARY ATTEMPTS TO FIND A GENE-PROTEIN RELATIONSHIP, 16

SUMMARY, 17

BIBLIOGRAPHY, 17

QUESTIONS, 18



2 Nucleic Acids Convey Genetic Information, 21

AVERY'S BOMBSHELL: DNA CAN CARRY GENETIC SPECIFICITY, 22

Viral Genes Are Also Nucleic Acids, 23

THE DOUBLE HELIX, 24

KEY EXPERIMENTS BOX 2-1 Chargaff's Rules, 26

Finding the Polymerases That Make DNA, 26

Experimental Evidence Favors Strand Separation during DNA Replication, 27

THE GENETIC INFORMATION WITHIN DNA IS CONVEYED BY THE SEQUENCE OF ITS FOUR NUCLEOTIDE BUILDING BLOCKS, 30

KEY EXPERIMENTS BOX 2-2 Evidence That Genes Control Amino Acid Sequences in Proteins, 31

DNA Cannot Be the Template That Directly Orders Amino Acids during Protein Synthesis, 32

RNA Is Chemically Very Similar to DNA, 32

THE CENTRAL DOGMA, 33

The Adaptor Hypothesis of Crick, 34

Discovery of Transfer RNA, 34

The Paradox of the Nonspecific-Appearing Ribosomes, 35

Discovery of Messenger RNA (mRNA), 35

Enzymatic Synthesis of RNA upon DNA Templates, 35

Establishing the Genetic Code, 37

ESTABLISHING THE DIRECTION OF PROTEIN SYNTHESIS, 38

Start and Stop Signals Are Also Encoded within DNA, 40

THE ERA OF GENOMICS, 40

SUMMARY, 41

BIBLIOGRAPHY, 42

QUESTIONS, 42

PART 2: STRUCTURE AND STUDY OF MACROMOLECULES, 45



3 The Importance of Weak and Strong Chemical Bonds, 51

CHARACTERISTICS OF CHEMICAL BONDS, 51

- Chemical Bonds Are Explainable in Quantum-Mechanical Terms, 52
- Chemical-Bond Formation Involves a Change in the Form of Energy, 53
- Equilibrium between Bond Making and Breaking, 53

THE CONCEPT OF FREE ENERGY, 54

- K_{eq} Is Exponentially Related to ΔG , 54
- Covalent Bonds Are Very Strong, 54

WEAK BONDS IN BIOLOGICAL SYSTEMS, 55

- Weak Bonds Have Energies between 1 and 7 kcal/mol, 55
- Weak Bonds Are Constantly Made and Broken at Physiological Temperatures, 55
- The Distinction between Polar and Nonpolar Molecules, 55
- van der Waals Forces, 56
- Hydrogen Bonds, 57
- Some Ionic Bonds Are Hydrogen Bonds, 58
- Weak Interactions Demand Complementary Molecular Surfaces, 58
- Water Molecules Form Hydrogen Bonds, 59
- Weak Bonds between Molecules in Aqueous Solutions, 59
- Organic Molecules That Tend to Form Hydrogen Bonds Are Water Soluble, 60
- Hydrophobic "Bonds" Stabilize Macromolecules, 60
- ADVANCED CONCEPTS BOX 3-1** *The Uniqueness of Molecular Shapes and the Concept of Selective Stickiness*, 61
- The Advantage of ΔG between 2 and 5 kcal/mol, 62

- Weak Bonds Attach Enzymes to Substrates, 62
- Weak Bonds Mediate Most Protein-DNA and Protein-Protein Interactions, 62

HIGH-ENERGY BONDS, 63

MOLECULES THAT DONATE ENERGY ARE THERMODYNAMICALLY UNSTABLE, 63

ENZYMES LOWER ACTIVATION ENERGIES IN BIOCHEMICAL REACTIONS, 65

FREE ENERGY IN BIOMOLECULES, 66

- High-Energy Bonds Hydrolyze with Large Negative ΔG , 66

HIGH-ENERGY BONDS IN BIOSYNTHETIC REACTIONS, 67

- Peptide Bonds Hydrolyze Spontaneously, 68
- Coupling of Negative with Positive ΔG , 69

ACTIVATION OF PRECURSORS IN GROUP TRANSFER REACTIONS, 69

- ATP Versatility in Group Transfer, 70
- Activation of Amino Acids by Attachment of AMP, 70
- Nucleic Acid Precursors Are Activated by the Presence of $P \sim P$, 71
- The Value of $P \sim P$ Release in Nucleic Acid Synthesis, 72
- $P \sim P$ Splits Characterize Most Biosynthetic Reactions, 73

SUMMARY, 74

BIBLIOGRAPHY, 75

QUESTIONS, 75



4 The Structure of DNA, 77

DNA STRUCTURE, 78

- DNA Is Composed of Polynucleotide Chains, 78
- Each Base Has Its Preferred Tautomeric Form, 80
- The Two Strands of the Double Helix Are Wound around Each Other in an Antiparallel Orientation, 81
- The Two Chains of the Double Helix Have Complementary Sequences, 81

The Double Helix Is Stabilized by Base Pairing and Base Stacking, 82

Hydrogen Bonding Is Important for the Specificity of Base Pairing, 83

Bases Can Flip Out from the Double Helix, 83

DNA Is Usually a Right-Handed Double Helix, 83

KEY EXPERIMENTS BOX 4-1 *DNA Has 10.5 bp per Turn of the Helix in Solution: The Mica Experiment*, 84

The Double Helix Has Minor and Major Grooves, 84
 The Major Groove Is Rich in Chemical Information, 85
 The Double Helix Exists in Multiple Conformations, 86
 DNA Can Sometimes Form a Left-Handed Helix, 87
KEY EXPERIMENTS BOX 4-2 *How Spots on an X-Ray Film Reveal the Structure of DNA*, 88
 DNA Strands Can Separate (Denature) and Reassociate, 89
 Some DNA Molecules Are Circles, 92

DNA TOPOLOGY, 93

Linking Number Is an Invariant Topological Property of Covalently Closed, Circular DNA, 93
 Linking Number Is Composed of Twist and Writhe, 93
 Lk^0 Is the Linking Number of Fully Relaxed cccDNA under Physiological Conditions, 94
 DNA in Cells Is Negatively Supercoiled, 95
 Nucleosomes Introduce Negative Supercoiling in Eukaryotes, 96

Topoisomerases Can Relax Supercoiled DNA, 97
 Prokaryotes Have a Special Topoisomerase That Introduces Supercoils into DNA, 97
 Topoisomerases Also Unknot and Disentangle DNA Molecules, 98
 Topoisomerases Use a Covalent Protein–DNA Linkage to Cleave and Rejoin DNA Strands, 99
 Topoisomerases Form an Enzyme Bridge and Pass DNA Segments through Each Other, 100
 DNA Topoisomers Can Be Separated by Electrophoresis, 102
 Ethidium Ions Cause DNA to Unwind, 102
KEY EXPERIMENTS BOX 4-3 *Proving that DNA Has a Helical Periodicity of ~10.5 bp per Turn from the Topological Properties of DNA Rings*, 103

SUMMARY, 103

BIBLIOGRAPHY, 104

QUESTIONS, 104



5 The Structure and Versatility of RNA, 107

RNA CONTAINS RIBOSE AND URACIL AND IS USUALLY SINGLE-STRANDED, 107

RNA CHAINS FOLD BACK ON THEMSELVES TO FORM LOCAL REGIONS OF DOUBLE HELIX SIMILAR TO A-FORM DNA, 108

RNA CAN FOLD UP INTO COMPLEX TERTIARY STRUCTURES, 110

NUCLEOTIDE SUBSTITUTIONS IN COMBINATION WITH CHEMICAL PROBING PREDICT RNA STRUCTURE, 111

MEDICAL CONNECTIONS BOX 5-1 *An RNA Switch Controls Protein Synthesis by Murine Leukemia Virus*, 112

DIRECTED EVOLUTION SELECTS RNAs THAT BIND SMALL MOLECULES, 114

SOME RNAs ARE ENZYMES, 114

TECHNIQUES BOX 5-2 *Creating an RNA Mimetic of the Green Fluorescent Protein by Directed Evolution*, 115

The Hammerhead Ribozyme Cleaves RNA by the Formation of a 2', 3' Cyclic Phosphate, 116

A Ribozyme at the Heart of the Ribosome Acts on a Carbon Center, 118

SUMMARY, 118

BIBLIOGRAPHY, 118

QUESTIONS, 118



6 The Structure of Proteins, 121

THE BASICS, 121

Amino Acids, 121

The Peptide Bond, 122

Polypeptide Chains, 123

Three Amino Acids with Special Conformational Properties, 124

ADVANCED CONCEPT BOX 6-1 *Ramachandran Plot: Permitted Combinations of Main-Chain Torsion Angles ϕ and ψ* , 124

IMPORTANCE OF WATER, 125

PROTEIN STRUCTURE CAN BE DESCRIBED AT FOUR LEVELS, 126

PROTEIN DOMAINS, 130

Polypeptide Chains Typically Fold into One or More Domains, 130

ADVANCED CONCEPTS BOX 6-2 *Glossary of Terms*, 130

Basic Lessons from the Study of Protein Structures, 131

Classes of Protein Domains, 132
 Linkers and Hinges, 133
 Post-Translational Modifications, 133
ADVANCED CONCEPTS BOX 6-3 The Antibody Molecule as an Illustration of Protein Domains, 133

FROM AMINO-ACID SEQUENCE TO THREE-DIMENSIONAL STRUCTURE, 134

Protein Folding, 134
KEY EXPERIMENTS BOX 6-4 Three-Dimensional Structure of a Protein Is Specified by Its Amino Acid Sequence (Anfinsen Experiment), 135
 Predicting Protein Structure from Amino Acid Sequence, 135

CONFORMATIONAL CHANGES IN PROTEINS, 136



7 Techniques of Molecular Biology, 147

NUCLEIC ACIDS: BASIC METHODS, 148

Gel Electrophoresis Separates DNA and RNA Molecules according to Size, 148
 Restriction Endonucleases Cleave DNA Molecules at Particular Sites, 149
 DNA Hybridization Can Be Used to Identify Specific DNA Molecules, 151
 Hybridization Probes Can Identify Electrophoretically Separated DNAs and RNAs, 151
 Isolation of Specific Segments of DNA, 153
 DNA Cloning, 154
 Vector DNA Can Be Introduced into Host Organisms by Transformation, 155
 Libraries of DNA Molecules Can Be Created by Cloning, 156
 Hybridization Can Be Used to Identify a Specific Clone in a DNA Library, 156
 Chemical Synthesis of Defined DNA Sequences, 157
 The Polymerase Chain Reaction Amplifies DNAs by Repeated Rounds of DNA Replication In Vitro, 158
 Nested Sets of DNA Fragments Reveal Nucleotide Sequences, 158

TECHNIQUES BOX 7-1 Forensics and the Polymerase Chain Reaction, 160

Shotgun Sequencing a Bacterial Genome, 162
 The Shotgun Strategy Permits a Partial Assembly of Large Genome Sequences, 162
KEY EXPERIMENTS BOX 7-2 Sequenators Are Used for High-Throughput Sequencing, 163
 The Paired-End Strategy Permits the Assembly of Large-Genome Scaffolds, 165
 The \$1000 Human Genome Is within Reach, 167

PROTEINS AS AGENTS OF SPECIFIC MOLECULAR RECOGNITION, 137

Proteins That Recognize DNA Sequence, 137
 Protein-Protein Interfaces, 140
 Proteins That Recognize RNA, 141

ENZYMES: PROTEINS AS CATALYSTS, 141

REGULATION OF PROTEIN ACTIVITY, 142

SUMMARY, 143

BIBLIOGRAPHY, 144

QUESTIONS, 144

GENOMICS, 168

Bioinformatics Tools Facilitate the Genome-Wide Identification of Protein-Coding Genes, 169
 Whole-Genome Tiling Arrays Are Used to Visualize the Transcriptome, 169
 Regulatory DNA Sequences Can Be Identified by Using Specialized Alignment Tools, 171
 Genome Editing Is Used to Precisely Alter Complex Genomes, 172

PROTEINS, 173

Specific Proteins Can Be Purified from Cell Extracts, 173
 Purification of a Protein Requires a Specific Assay, 173
 Preparation of Cell Extracts Containing Active Proteins, 174
 Proteins Can Be Separated from One Another Using Column Chromatography, 174
 Separation of Proteins on Polyacrylamide Gels, 176
 Antibodies Are Used to Visualize Electrophoretically Separated Proteins, 176
 Protein Molecules Can Be Directly Sequenced, 177

PROTEOMICS, 179

Combining Liquid Chromatography with Mass Spectrometry Identifies Individual Proteins within a Complex Extract, 179
 Proteome Comparisons Identify Important Differences between Cells, 181
 Mass Spectrometry Can Also Monitor Protein Modification States, 181
 Protein-Protein Interactions Can Yield Information regarding Protein Function, 182

NUCLEIC ACID-PROTEIN INTERACTIONS, 182

- The Electrophoretic Mobility of DNA Is Altered by Protein Binding, 183
- DNA-Bound Protein Protects the DNA from Nucleases and Chemical Modification, 184
- Chromatin Immunoprecipitation Can Detect Protein Association with DNA in the Cell, 185

- Chromosome Conformation Capture Assays Are Used to Analyze Long-Range Interactions, 187
- In Vitro Selection Can Be Used to Identify a Protein's DNA- or RNA-Binding Site, 189

BIBLIOGRAPHY, 190**QUESTIONS, 190**

PART 3: MAINTENANCE OF THE GENOME, 193

**8 Genome Structure, Chromatin, and the Nucleosome, 199****GENOME SEQUENCE AND CHROMOSOME DIVERSITY, 200**

- Chromosomes Can Be Circular or Linear, 200
- Every Cell Maintains a Characteristic Number of Chromosomes, 201
- Genome Size Is Related to the Complexity of the Organism, 202
- The *E. coli* Genome Is Composed Almost Entirely of Genes, 203
- More Complex Organisms Have Decreased Gene Density, 204
- Genes Make Up Only a Small Proportion of the Eukaryotic Chromosomal DNA, 205
- The Majority of Human Intergenic Sequences Are Composed of Repetitive DNA, 207

CHROMOSOME DUPLICATION AND SEGREGATION, 208

- Eukaryotic Chromosomes Require Centromeres, Telomeres, and Origins of Replication to Be Maintained during Cell Division, 208
- Eukaryotic Chromosome Duplication and Segregation Occur in Separate Phases of the Cell Cycle, 210
- Chromosome Structure Changes as Eukaryotic Cells Divide, 212
- Sister-Chromatid Cohesion and Chromosome Condensation Are Mediated by SMC Proteins, 214
- Mitosis Maintains the Parental Chromosome Number, 214
- During Gap Phases, Cells Prepare for the Next Cell Cycle Stage and Check That the Previous Stage Is Completed Correctly, 217
- Meiosis Reduces the Parental Chromosome Number, 217
- Different Levels of Chromosome Structure Can Be Observed by Microscopy, 219

THE NUCLEOSOME, 220

Nucleosomes Are the Building Blocks of Chromosomes, 220

- Histones Are Small, Positively Charged Proteins, 221
- The Atomic Structure of the Nucleosome, 224
- Histones Bind Characteristic Regions of DNA within the Nucleosome, 224

KEY EXPERIMENTS BOX 8-1 *Micrococcal Nuclease and the DNA Associated with the Nucleosome*, 226

Many DNA Sequence-Independent Contacts Mediate the Interaction between the Core Histones and DNA, 227

The Histone Amino-Terminal Tails Stabilize DNA Wrapping around the Octamer, 227

Wrapping of the DNA around the Histone Protein Core Stores Negative Superhelicity, 228

HIGHER-ORDER CHROMATIN STRUCTURE, 229

Heterochromatin and Euchromatin, 229

KEY EXPERIMENTS BOX 8-2 *Nucleosomes and Superhelical Density*, 230

Histone H1 Binds to the Linker DNA between Nucleosomes, 232

Nucleosome Arrays Can Form More Complex Structures: The 30-nm Fiber, 232

The Histone Amino-Terminal Tails Are Required for the Formation of the 30-nm Fiber, 234

Further Compaction of DNA Involves Large Loops of Nucleosomal DNA, 234

Histone Variants Alter Nucleosome Function, 234

REGULATION OF CHROMATIN STRUCTURE, 236

The Interaction of DNA with the Histone Octamer Is Dynamic, 236

Nucleosome-Remodeling Complexes Facilitate Nucleosome Movement, 237

Some Nucleosomes Are Found in Specific Positions: Nucleosome Positioning, 240

The Amino-Terminal Tails of the Histones Are Frequently Modified, 241

Protein Domains in Nucleosome-Remodeling and -Modifying Complexes Recognize Modified Histones, 244

KEY EXPERIMENTS BOX 8-3 *Determining Nucleosome Position in the Cell*, 245

Specific Enzymes Are Responsible for Histone Modification, 248

Nucleosome Modification and Remodeling Work Together to Increase DNA Accessibility, 249



9 The Replication of DNA, 257

THE CHEMISTRY OF DNA SYNTHESIS, 258

DNA Synthesis Requires Deoxynucleoside Triphosphates and a Primer:Template Junction, 258

DNA Is Synthesized by Extending the 3' End of the Primer, 259

Hydrolysis of Pyrophosphate Is the Driving Force for DNA Synthesis, 260

THE MECHANISM OF DNA POLYMERASE, 260

DNA Polymerases Use a Single Active Site to Catalyze DNA Synthesis, 260

TECHNIQUES BOX 9-1 *Incorporation Assays Can Be Used to Measure Nucleic Acid and Protein Synthesis*, 261

DNA Polymerases Resemble a Hand That Grips the Primer:Template Junction, 263

DNA Polymerases Are Processive Enzymes, 265

Exonucleases Proofread Newly Synthesized DNA, 267

MEDICAL CONNECTIONS BOX 9-2 *Anticancer and Antiviral Agents Target DNA Replication*, 268

THE REPLICATION FORK, 269

Both Strands of DNA Are Synthesized Together at the Replication Fork, 269

The Initiation of a New Strand of DNA Requires an RNA Primer, 270

RNA Primers Must Be Removed to Complete DNA Replication, 271

DNA Helicases Unwind the Double Helix in Advance of the Replication Fork, 272

DNA Helicase Pulls Single-Stranded DNA through a Central Protein Pore, 273

Single-Stranded DNA-Binding Proteins Stabilize ssDNA before Replication, 273

Topoisomerases Remove Supercoils Produced by DNA Unwinding at the Replication Fork, 275

Replication Fork Enzymes Extend the Range of DNA Polymerase Substrates, 275

NUCLEOSOME ASSEMBLY, 249

Nucleosomes Are Assembled Immediately after DNA Replication, 249

Assembly of Nucleosomes Requires Histone "Chaperones", 253

SUMMARY, 254

BIBLIOGRAPHY, 255

QUESTIONS, 255

THE SPECIALIZATION OF DNA POLYMERASES, 277

DNA Polymerases Are Specialized for Different Roles in the Cell, 277

Sliding Clamps Dramatically Increase DNA Polymerase Processivity, 278

Sliding Clamps Are Opened and Placed on DNA by Clamp Loaders, 281

ADVANCED CONCEPTS BOX 9-3 *ATP Control of Protein Function: Loading a Sliding Clamp*, 282

DNA SYNTHESIS AT THE REPLICATION FORK, 283

Interactions between Replication Fork Proteins Form the *E. coli* Replisome, 286

INITIATION OF DNA REPLICATION, 288

Specific Genomic DNA Sequences Direct the Initiation of DNA Replication, 288

The Replicon Model of Replication Initiation, 288

Replicator Sequences Include Initiator-Binding Sites and Easily Unwound DNA, 289

KEY EXPERIMENTS BOX 9-4 *The Identification of Origins of Replication and Replicators*, 290

BINDING AND UNWINDING: ORIGIN SELECTION AND ACTIVATION BY THE INITIATOR PROTEIN, 293

Protein-Protein and Protein-DNA Interactions Direct the Initiation Process, 293

ADVANCED CONCEPTS BOX 9-5 **E. coli* DNA Replication Is Regulated by DnaA-ATP Levels and SeqA*, 294

Eukaryotic Chromosomes Are Replicated Exactly Once per Cell Cycle, 297

Helicase Loading Is the First Step in the Initiation of Replication in Eukaryotes, 298

Helicase Loading and Activation Are Regulated to Allow Only a Single Round of Replication during Each Cell Cycle, 300

Similarities between Eukaryotic and Prokaryotic DNA Replication Initiation, 301

FINISHING REPLICATION, 302

Type II Topoisomerases Are Required to Separate Daughter DNA Molecules, 303

Lagging-Strand Synthesis Is Unable to Copy the Extreme Ends of Linear Chromosomes, 303

Telomerase Is a Novel DNA Polymerase That Does Not Require an Exogenous Template, 305

Telomerase Solves the End Replication Problem by Extending the 3' End of the Chromosome, 305



10 The Mutability and Repair of DNA, 313

REPLICATION ERRORS AND THEIR REPAIR, 314

The Nature of Mutations, 314

Some Replication Errors Escape Proofreading, 315

MEDICAL CONNECTIONS BOX 10-1 Expansion of Triple Repeats Causes Disease, 316

Mismatch Repair Removes Errors That Escape Proofreading, 316

DNA DAMAGE, 320

DNA Undergoes Damage Spontaneously from Hydrolysis and Deamination, 320

MEDICAL CONNECTIONS BOX 10-2 The Ames Test, 321

DNA Is Damaged by Alkylation, Oxidation, and Radiation, 322

ADVANCED CONCEPTS BOX 10-3 Quantitation of DNA Damage and Its Effects on Cellular Survival and Mutagenesis, 323

Mutations Are Also Caused by Base Analogs and Intercalating Agents, 323

REPAIR AND TOLERANCE OF DNA DAMAGE, 324

Direct Reversal of DNA Damage, 325

MEDICAL CONNECTIONS BOX 9-6 Aging, Cancer, and the Telomere Hypothesis, 307

Telomere-Binding Proteins Regulate Telomerase Activity and Telomere Length, 307

Telomere-Binding Proteins Protect Chromosome Ends, 308

SUMMARY, 310

BIBLIOGRAPHY, 311

QUESTIONS, 312

Base Excision Repair Enzymes Remove Damaged Bases by a Base-Flipping Mechanism, 326

Nucleotide Excision Repair Enzymes Cleave Damaged DNA on Either Side of the Lesion, 328

MEDICAL CONNECTIONS BOX 10-4 Linking Nucleotide Excision Repair and Translesion Synthesis to a Genetic Disorder in Humans, 330

Recombination Repairs DNA Breaks by Retrieving Sequence Information from Undamaged DNA, 330

DSBs in DNA Are Also Repaired by Direct Joining of Broken Ends, 331

MEDICAL CONNECTIONS BOX 10-5 Nonhomologous End Joining, 332

Translesion DNA Synthesis Enables Replication to Proceed across DNA Damage, 333

ADVANCED CONCEPTS BOX 10-6 The Y Family of DNA Polymerases, 336

SUMMARY, 338

BIBLIOGRAPHY, 338

QUESTIONS, 339



11 Homologous Recombination at the Molecular Level, 341

DNA BREAKS ARE COMMON AND INITIATE RECOMBINATION, 342

MODELS FOR HOMOLOGOUS RECOMBINATION, 342

Strand Invasion Is a Key Early Step in Homologous Recombination, 344

Resolving Holliday Junctions Is a Key Step to Finishing Genetic Exchange, 346

The Double-Strand Break–Repair Model Describes Many Recombination Events, 346

HOMOLOGOUS RECOMBINATION PROTEIN MACHINES, 349

ADVANCED CONCEPTS BOX 11-1 How to Resolve a Recombination Intermediate with Two Holliday Junctions, 350

The RecBCD Helicase/Nuclease Processes Broken DNA Molecules for Recombination, 351

Chi Sites Control RecBCD, 354

RecA Protein Assembles on Single-Stranded DNA and Promotes Strand Invasion, 355

Newly Base-Paired Partners Are Established within the RecA Filament, 356

RecA Homologs Are Present in All Organisms, 359

The RuvAB Complex Specifically Recognizes Holliday Junctions and Promotes Branch Migration, 359

RuvC Cleaves Specific DNA Strands at the Holliday Junction to Finish Recombination, 361

HOMOLOGOUS RECOMBINATION IN EUKARYOTES, 362

Homologous Recombination Has Additional Functions in Eukaryotes, 362

Homologous Recombination Is Required for Chromosome Segregation during Meiosis, 362

Programmed Generation of Double-Stranded DNA Breaks Occurs during Meiosis, 363

MRX Protein Processes the Cleaved DNA Ends for Assembly of the RecA-Like Strand-Exchange Proteins, 364

Dmc1 Is a RecA-Like Protein That Specifically Functions in Meiotic Recombination, 366

Many Proteins Function Together to Promote Meiotic Recombination, 366

MEDICAL CONNECTIONS BOX 11-2 *The Product of the Tumor Suppressor Gene BRCA2 Interacts with Rad51 Protein and Controls Genome Stability, 367*

MEDICAL CONNECTIONS BOX 11-3 *Proteins Associated with Premature Aging and Cancer Promote an Alternative Pathway for Holliday Junction Processing, 368*

MATING-TYPE SWITCHING, 369

Mating-Type Switching Is Initiated by a Site-Specific Double-Strand Break, 370

Mating-Type Switching Is a Gene Conversion Event and Not Associated with Crossing Over, 370

GENETIC CONSEQUENCES OF THE MECHANISM OF HOMOLOGOUS RECOMBINATION, 371

One Cause of Gene Conversion Is DNA Repair during Recombination, 373

SUMMARY, 374

BIBLIOGRAPHY, 375

QUESTIONS, 376



12 Site-Specific Recombination and Transposition of DNA, 377

CONSERVATIVE SITE-SPECIFIC RECOMBINATION, 378

Site-Specific Recombination Occurs at Specific DNA Sequences in the Target DNA, 378

Site-Specific Recombinases Cleave and Rejoin DNA Using a Covalent Protein-DNA Intermediate, 380

Serine Recombinases Introduce Double-Strand Breaks in DNA and Then Swap Strands to Promote Recombination, 382

Structure of the Serine Recombinase-DNA Complex Indicates that Subunits Rotate to Achieve Strand Exchange, 383

Tyrosine Recombinases Break and Rejoin One Pair of DNA Strands at a Time, 383

Structures of Tyrosine Recombinases Bound to DNA Reveal the Mechanism of DNA Exchange, 384

MEDICAL CONNECTIONS BOX 12-1 *Application of Site-Specific Recombination to Genetic Engineering, 386*

BIOLOGICAL ROLES OF SITE-SPECIFIC RECOMBINATION, 386

λ Integrase Promotes the Integration and Excision of a Viral Genome into the Host-Cell Chromosome, 386

Bacteriophage λ Excision Requires a New DNA-Bending Protein, 389

The Hin Recombinase Inverts a Segment of DNA Allowing Expression of Alternative Genes, 389

Hin Recombination Requires a DNA Enhancer, 390

Recombinases Convert Multimeric Circular DNA Molecules into Monomers, 391

There Are Other Mechanisms to Direct Recombination to Specific Segments of DNA, 391

ADVANCED CONCEPTS BOX 12-2 *The Xer Recombinase Catalyzes the Monomerization of Bacterial Chromosomes and of Many Bacterial Plasmids, 392*

TRANSPOSITION, 393

Some Genetic Elements Move to New Chromosomal Locations by Transposition, 393

There Are Three Principal Classes of Transposable Elements, 395

DNA Transposons Carry a Transposase Gene, Flanked by Recombination Sites, 395

Transposons Exist as Both Autonomous and Nonautonomous Elements, 396

Virus-Like Retrotransposons and Retroviruses Carry Terminal Repeat Sequences and Two Genes Important for Recombination, 396

Poly-A Retrotransposons Look Like Genes, 396

DNA Transposition by a Cut-and-Paste Mechanism, 397

The Intermediate in Cut-and-Paste Transposition is Finished by Gap Repair, 398

There Are Multiple Mechanisms for Cleaving the Nontransferred Strand during DNA Transposition, 399

DNA Transposition by a Replicative Mechanism, 401

Virus-Like Retrotransposons and Retroviruses Move Using an RNA Intermediate, 403

DNA Transposases and Retroviral Integrases Are Members of a Protein Superfamily, 403

Poly-A Retrotransposons Move by a "Reverse Splicing" Mechanism, 405

EXAMPLES OF TRANSPOSABLE ELEMENTS AND THEIR REGULATION, 406

KEY EXPERIMENTS BOX 12-3 Maize Elements and Discovery of Transposons, 408

IS4 Family Transposons Are Compact Elements with Multiple Mechanisms for Copy Number Control, 409

Phage Mu Is an Extremely Robust Transposon, 411

Mu Uses Target Immunity to Avoid Transposing into Its Own DNA, 411

Tc1/*mariner* Elements Are Highly Successful DNA Elements in Eukaryotes, 411

ADVANCED CONCEPTS BOX 12-4 Mechanism of Transposition Target Immunity, 413

Yeast Ty Elements Transpose into Safe Havens in the Genome, 414

LINEs Promote Their Own Transposition and Even Transpose Cellular RNAs, 414

V(D)J RECOMBINATION, 416

The Early Events in V(D)J Recombination Occur by a Mechanism Similar to Transposon Excision, 418

SUMMARY, 420

BIBLIOGRAPHY, 420

QUESTIONS, 421

PART 4: EXPRESSION OF THE GENOME, 423



13 Mechanisms of Transcription, 429

RNA POLYMERASES AND THE TRANSCRIPTION CYCLE, 430

RNA Polymerases Come in Different Forms but Share Many Features, 430

Transcription by RNA Polymerase Proceeds in a Series of Steps, 432

Transcription Initiation Involves Three Defined Steps, 434

THE TRANSCRIPTION CYCLE IN BACTERIA, 434

Bacterial Promoters Vary in Strength and Sequence but Have Certain Defining Features, 434

TECHNIQUES BOX 13-1 Consensus Sequences, 436

The σ Factor Mediates Binding of Polymerase to the Promoter, 437

Transition to the Open Complex Involves Structural Changes in RNA Polymerase and in the Promoter DNA, 438

Transcription Is Initiated by RNA Polymerase without the Need for a Primer, 440

During Initial Transcription, RNA Polymerase Remains Stationary and Pulls Downstream DNA into Itself, 441

Promoter Escape Involves Breaking Polymerase-Promoter Interactions and Polymerase Core- σ Interactions, 442

The Elongating Polymerase Is a Processive Machine That Synthesizes and Proofreads RNA, 442

ADVANCED CONCEPTS BOX 13-2 The Single-Subunit RNA Polymerases, 443

RNA Polymerase Can Become Arrested and Need Removing, 445

Transcription Is Terminated by Signals within the RNA Sequence, 445

TRANSCRIPTION IN EUKARYOTES, 448

RNA Polymerase II Core Promoters Are Made Up of Combinations of Different Classes of Sequence Element, 448

RNA Polymerase II Forms a Preinitiation Complex with General Transcription Factors at the Promoter, 449

Promoter Escape Requires Phosphorylation of the Polymerase "Tail," 449

TBP Binds to and Distorts DNA Using a β Sheet Inserted into the Minor Groove, 451

The Other General Transcription Factors Also Have Specific Roles in Initiation, 452

In Vivo, Transcription Initiation Requires Additional Proteins, Including the Mediator Complex, 453

- Mediator Consists of Many Subunits, Some Conserved from Yeast to Human, 454
- A New Set of Factors Stimulates Pol II Elongation and RNA Proofreading, 455
- Elongating RNA Polymerase Must Deal with Histones in Its Path, 456
- Elongating Polymerase Is Associated with a New Set of Protein Factors Required for Various Types of RNA Processing, 457
- Transcription Termination Is Linked to RNA Destruction by a Highly Processive RNase, 460



14 RNA Splicing, 467

THE CHEMISTRY OF RNA SPLICING, 469

- Sequences within the RNA Determine Where Splicing Occurs, 469
- The Intron Is Removed in a Form Called a Lariat as the Flanking Exons Are Joined, 470
- KEY EXPERIMENTS BOX 14-1** *Adenovirus and the Discovery of Splicing*, 471

THE SPLICEOSOME MACHINERY, 473

- RNA Splicing Is Performed by a Large Complex Called the Spliceosome, 473

SPLICING PATHWAYS, 474

- Assembly, Rearrangements, and Catalysis within the Spliceosome: The Splicing Pathway, 474
- Spliceosome Assembly Is Dynamic and Variable and Its Disassembly Ensures That the Splicing Reaction Goes Only Forward in the Cell, 476
- Self-Splicing Introns Reveal That RNA Can Catalyze RNA Splicing, 477
- Group I Introns Release a Linear Intron Rather Than a Lariat, 478
- KEY EXPERIMENTS BOX 14-2** *Converting Group I Introns into Ribozymes*, 479
- How Does the Spliceosome Find the Splice Sites Reliably?, 480

VARIANTS OF SPLICING, 482

- Exons from Different RNA Molecules Can Be Fused by Trans-Splicing, 482
- A Small Group of Introns Is Spliced by an Alternative Spliceosome Composed of a Different Set of snRNPs, 483

ALTERNATIVE SPLICING, 483

- Single Genes Can Produce Multiple Products by Alternative Splicing, 483

TRANSCRIPTION BY RNA POLYMERASES I AND III, 462

- RNA Pol I and Pol III Recognize Distinct Promoters but Still Require TBP, 462
- Pol I Transcribes Just the rRNA Genes, 462
- Pol III Promoters Are Found Downstream from the Transcription Start Site, 463

SUMMARY, 463

BIBLIOGRAPHY, 464

QUESTIONS, 465

- Several Mechanisms Exist to Ensure Mutually Exclusive Splicing, 486

- The Curious Case of the *Drosophila Dscam* Gene: Mutually Exclusive Splicing on a Grand Scale, 487
- Mutually Exclusive Splicing of *Dscam* Exon 6 Cannot Be Accounted for by Any Standard Mechanism and Instead Uses a Novel Strategy, 488

KEY EXPERIMENTS BOX 14-3 *Identification of Docking Site and Selector Sequences*, 490

- Alternative Splicing Is Regulated by Activators and Repressors, 491
- Regulation of Alternative Splicing Determines the Sex of Flies, 493
- An Alternative Splicing Switch Lies at the Heart of Pluripotency, 495

EXON SHUFFLING, 497

- Exons Are Shuffled by Recombination to Produce Genes Encoding New Proteins, 497
- MEDICAL CONNECTIONS BOX 14-4** *Defects in Pre-mRNA Splicing Cause Human Disease*, 497

RNA EDITING, 500

- RNA Editing Is Another Way of Altering the Sequence of an mRNA, 500
- Guide RNAs Direct the Insertion and Deletion of Uridines, 501
- MEDICAL CONNECTIONS BOX 14-5** *Deaminases and HIV*, 503

mRNA TRANSPORT, 503

- Once Processed, mRNA Is Packaged and Exported from the Nucleus into the Cytoplasm for Translation, 503

SUMMARY, 505

BIBLIOGRAPHY, 506

QUESTIONS, 507



15 Translation, 509

MESSENGER RNA, 510

- Polypeptide Chains Are Specified by Open Reading Frames, 510
- Prokaryotic mRNAs Have a Ribosome-Binding Site That Recruits the Translational Machinery, 512
- Eukaryotic mRNAs Are Modified at their 5' and 3' Ends to Facilitate Translation, 512

TRANSFER RNA, 513

- tRNAs Are Adaptors between Codons and Amino Acids, 513
- ADVANCED CONCEPTS BOX 15-1 CCA-Adding Enzymes: Synthesizing RNA without a Template*, 513
- tRNAs Share a Common Secondary Structure That Resembles a Cloverleaf, 514
- tRNAs Have an L-Shaped Three-Dimensional Structure, 514

ATTACHMENT OF AMINO ACIDS TO tRNA, 515

- tRNAs Are Charged by the Attachment of an Amino Acid to the 3'-Terminal Adenosine Nucleotide via a High-Energy Acyl Linkage, 515
- Aminoacyl-tRNA Synthetases Charge tRNAs in Two Steps, 515
- Each Aminoacyl-tRNA Synthetase Attaches a Single Amino Acid to One or More tRNAs, 515
- tRNA Synthetases Recognize Unique Structural Features of Cognate tRNAs, 517
- Aminoacyl-tRNA Formation Is Very Accurate, 518
- Some Aminoacyl-tRNA Synthetases Use an Editing Pocket to Charge tRNAs with High Accuracy, 518
- The Ribosome Is Unable to Discriminate between Correctly and Incorrectly Charged tRNAs, 519

THE RIBOSOME, 519

- ADVANCED CONCEPTS BOX 15-2 Selenocysteine*, 520
- The Ribosome Is Composed of a Large and a Small Subunit, 521
- The Large and Small Subunits Undergo Association and Dissociation during Each Cycle of Translation, 522
- New Amino Acids Are Attached to the Carboxyl Terminus of the Growing Polypeptide Chain, 523
- Peptide Bonds Are Formed by Transfer of the Growing Polypeptide Chain from One tRNA to Another, 524
- Ribosomal RNAs Are Both Structural and Catalytic Determinants of the Ribosome, 524
- The Ribosome Has Three Binding Sites for tRNA, 525
- Channels through the Ribosome Allow the mRNA and Growing Polypeptide to Enter and/or Exit the Ribosome, 527

INITIATION OF TRANSLATION, 528

- Prokaryotic mRNAs Are Initially Recruited to the Small Subunit by Base Pairing to rRNA, 528
- A Specialized tRNA Charged with a Modified Methionine Binds Directly to the Prokaryotic Small Subunit, 528
- Three Initiation Factors Direct the Assembly of an Initiation Complex That Contains mRNA and the Initiator tRNA, 529
- Eukaryotic Ribosomes Are Recruited to the mRNA by the 5' Cap, 530
- Translation Initiation Factors Hold Eukaryotic mRNAs in Circles, 532
- ADVANCED CONCEPTS BOX 15-3 uORFs and IRES: Exceptions That Prove the Rule*, 533
- The Start Codon Is Found by Scanning Downstream from the 5' End of the mRNA, 535

TRANSLATION ELONGATION, 535

- Aminoacyl-tRNAs Are Delivered to the A-Site by Elongation Factor EF-Tu, 537
- The Ribosome Uses Multiple Mechanisms to Select against Incorrect Aminoacyl-tRNAs, 537
- The Ribosome Is a Ribozyme, 538
- Peptide-Bond Formation Initiates Translocation in the Large Subunit, 541
- EF-G Drives Translocation by Stabilizing Intermediates in Translocation, 542
- EF-Tu-GDP and EF-G-GDP Must Exchange GDP for GTP before Participating in a New Round of Elongation, 543
- A Cycle of Peptide-Bond Formation Consumes Two Molecules of GTP and One Molecule of ATP, 543

TERMINATION OF TRANSLATION, 544

- Release Factors Terminate Translation in Response to Stop Codons, 544
- Short Regions of Class I Release Factors Recognize Stop Codons and Trigger Release of the Peptidyl Chain, 544
- ADVANCED CONCEPTS BOX 15-4 GTP-Binding Proteins, Conformational Switching, and the Fidelity and Ordering of the Events of Translation*, 546
- GDP/GTP Exchange and GTP Hydrolysis Control the Function of the Class II Release Factor, 547
- The Ribosome Recycling Factor Mimics a tRNA, 548

REGULATION OF TRANSLATION, 549

- Protein or RNA Binding near the Ribosome-Binding Site Negatively Regulates Bacterial Translation Initiation, 549
- Regulation of Prokaryotic Translation: Ribosomal Proteins Are Translational Repressors of Their Own Synthesis, 551

MEDICAL CONNECTIONS BOX 15-5 Antibiotics Arrest Cell Division by Blocking Specific Steps in Translation, 552

Global Regulators of Eukaryotic Translation Target Key Factors Required for mRNA Recognition and Initiator tRNA Ribosome Binding, 556

Spatial Control of Translation by mRNA-Specific 4E-BPs, 556

An Iron-Regulated, RNA-Binding Protein Controls Translation of Ferritin, 557

Translation of the Yeast Transcriptional Activator Gcn4 Is Controlled by Short Upstream ORFs and Ternary Complex Abundance, 558

TECHNIQUES BOX 15-6 Ribosome and Polysome Profiling, 561

TRANSLATION-DEPENDENT REGULATION OF mRNA AND PROTEIN STABILITY, 563

The SsrA RNA Rescues Ribosomes That Translate Broken mRNAs, 563

MEDICAL CONNECTIONS BOX 15-7 A Frontline Drug in Tuberculosis Therapy Targets SsrA Tagging, 565

Eukaryotic Cells Degrade mRNAs That Are Incomplete or Have Premature Stop Codons, 565

SUMMARY, 567

BIBLIOGRAPHY, 570

QUESTIONS, 570



16 The Genetic Code, 573

THE CODE IS DEGENERATE, 573

Perceiving Order in the Makeup of the Code, 575

Wobble in the Anticodon, 575

Three Codons Direct Chain Termination, 577

How the Code Was Cracked, 577

Stimulation of Amino Acid Incorporation by Synthetic mRNAs, 578

Poly-U Codes for Polyphenylalanine, 579

Mixed Copolymers Allowed Additional Codon Assignments, 579

Transfer RNA Binding to Defined Trinucleotide Codons, 579

Codon Assignments from Repeating Copolymers, 581

THREE RULES GOVERN THE GENETIC CODE, 582

Three Kinds of Point Mutations Alter the Genetic Code, 582

Genetic Proof That the Code Is Read in Units of Three, 583

SUPPRESSOR MUTATIONS CAN RESIDE IN THE SAME OR A DIFFERENT GENE, 584

Intergenic Suppression Involves Mutant tRNAs, 584

Nonsense Suppressors Also Read Normal Termination Signals, 585

Proving the Validity of the Genetic Code, 586

THE CODE IS NEARLY UNIVERSAL, 587

ADVANCED CONCEPTS BOX 16-1 Expanding the Genetic Code, 589

SUMMARY, 590

BIBLIOGRAPHY, 590

QUESTIONS, 591



17 The Origin and Early Evolution of Life, 593

WHEN DID LIFE ARISE ON EARTH?, 594

WHAT WAS THE BASIS FOR PREBIOTIC ORGANIC CHEMISTRY?, 595

DID LIFE EVOLVE FROM AN RNA WORLD?, 599

CAN SELF-REPLICATING RIBOZYMES BE CREATED BY DIRECTED EVOLUTION?, 599

DOES DARWINIAN EVOLUTION REQUIRE SELF-REPLICATING PROTOCELLS?, 603

DID LIFE ARISE ON EARTH?, 606

SUMMARY, 607

BIBLIOGRAPHY, 607

QUESTIONS, 607

PART 5: REGULATION, 609



18 Transcriptional Regulation in Prokaryotes, 615

PRINCIPLES OF TRANSCRIPTIONAL REGULATION, 615

- Gene Expression Is Controlled by Regulatory Proteins, 615
- Most Activators and Repressors Act at the Level of Transcription Initiation, 616
- Many Promoters Are Regulated by Activators That Help RNA Polymerase Bind DNA and by Repressors That Block That Binding, 616
- Some Activators and Repressors Work by Allostery and Regulate Steps in Transcriptional Initiation after RNA Polymerase Binding, 618
- Action at a Distance and DNA Looping, 618
- Cooperative Binding and Allostery Have Many Roles in Gene Regulation, 619
- Antitermination and Beyond: Not All of Gene Regulation Targets Transcription Initiation, 620

REGULATION OF TRANSCRIPTION INITIATION: EXAMPLES FROM PROKARYOTES, 620

- An Activator and a Repressor Together Control the *lac* Genes, 620
- CAP and Lac Repressor Have Opposing Effects on RNA Polymerase Binding to the *lac* Promoter, 622
- CAP Has Separate Activating and DNA-Binding Surfaces, 622
- CAP and Lac Repressor Bind DNA Using a Common Structural Motif, 623
- KEY EXPERIMENTS BOX 18-1** *Activator Bypass Experiments*, 624
- The Activities of Lac Repressor and CAP Are Controlled Allosterically by Their Signals, 626
- Combinatorial Control: CAP Controls Other Genes As Well, 627
- KEY EXPERIMENTS BOX 18-2** *Jacob, Monod, and the Ideas behind Gene Regulation*, 628
- Alternative σ Factors Direct RNA Polymerase to Alternative Sets of Promoters, 630
- NtrC and MerR: Transcriptional Activators That Work by Allostery Rather than by Recruitment, 630
- NtrC Has ATPase Activity and Works from DNA Sites Far from the Gene, 631
- MerR Activates Transcription by Twisting Promoter DNA, 632

Some Repressors Hold RNA Polymerase at the Promoter Rather than Excluding It, 633

AraC and Control of the *araBAD* Operon by Antiactivation, 634

MEDICAL CONNECTIONS 18-3 *Blocking Virulence by Silencing Pathways of Intercellular Communication*, 635

THE CASE OF BACTERIOPHAGE λ : LAYERS OF REGULATION, 636

- Alternative Patterns of Gene Expression Control Lytic and Lysogenic Growth, 636
- Regulatory Proteins and Their Binding Sites, 638
- λ Repressor Binds to Operator Sites Cooperatively, 639
- Repressor and Cro Bind in Different Patterns to Control Lytic and Lysogenic Growth, 640
- ADVANCED CONCEPTS BOX 18-4** *Concentration, Affinity, and Cooperative Binding*, 641
- Lysogenic Induction Requires Proteolytic Cleavage of λ Repressor, 642
- Negative Autoregulation of Repressor Requires Long-Distance Interactions and a Large DNA Loop, 643
- Another Activator, λ CII, Controls the Decision between Lytic and Lysogenic Growth upon Infection of a New Host, 644
- KEY EXPERIMENTS BOX 18-5** *Evolution of the λ Switch*, 645
- The Number of Phage Particles Infecting a Given Cell Affects Whether the Infection Proceeds Lytically or Lysogenically, 647
- Growth Conditions of *E. coli* Control the Stability of CII Protein and Thus the Lytic/Lysogenic Choice, 648
- Transcriptional Antitermination in λ Development, 648
- KEY EXPERIMENTS BOX 18-6** *Genetic Approaches That Identified Genes Involved in the Lytic/Lysogenic Choice*, 649
- Retroregulation: An Interplay of Controls on RNA Synthesis and Stability Determines *int* Gene Expression, 651

SUMMARY, 652

BIBLIOGRAPHY, 653

QUESTIONS, 654



19 Transcriptional Regulation in Eukaryotes, 657

CONSERVED MECHANISMS OF TRANSCRIPTIONAL REGULATION FROM YEAST TO MAMMALS, 659

Activators Have Separate DNA-Binding and Activating Functions, 660

Eukaryotic Regulators Use a Range of DNA-Binding Domains, But DNA Recognition Involves the Same Principles as Found in Bacteria, 661

Activating Regions Are Not Well-Defined Structures, 663

TECHNIQUES BOX 19-1 The Two-Hybrid Assay, 664

RECRUITMENT OF PROTEIN COMPLEXES TO GENES BY EUKARYOTIC ACTIVATORS, 665

Activators Recruit the Transcriptional Machinery to the Gene, 665

TECHNIQUES BOX 19-2 The ChIP-Chip and ChIP-Seq Assays Are the Best Method for Identifying Enhancers, 666

Activators Also Recruit Nucleosome Modifiers That Help the Transcriptional Machinery Bind at the Promoter or Initiate Transcription, 667

Activators Recruit Additional Factors Needed for Efficient Initiation or Elongation at Some Promoters, 669

MEDICAL CONNECTIONS BOX 19-3 Histone Modifications, Transcription Elongation, and Leukemia, 670

Action at a Distance: Loops and Insulators, 672

Appropriate Regulation of Some Groups of Genes Requires Locus Control Regions, 673

SIGNAL INTEGRATION AND COMBINATORIAL CONTROL, 675

Activators Work Synergistically to Integrate Signals, 675

Signal Integration: The *HO* Gene Is Controlled by Two Regulators—One Recruits Nucleosome Modifiers, and the Other Recruits Mediator, 675

Signal Integration: Cooperative Binding of Activators at the Human β -Interferon Gene, 676

Combinatorial Control Lies at the Heart of the Complexity and Diversity of Eukaryotes, 678

Combinatorial Control of the Mating-Type Genes from *S. cerevisiae*, 680

TRANSCRIPTIONAL REPRESSORS, 681

SIGNAL TRANSDUCTION AND THE CONTROL OF TRANSCRIPTIONAL REGULATORS, 682

Signals Are Often Communicated to Transcriptional Regulators through Signal Transduction Pathways, 682

KEY EXPERIMENTS BOX 19-4 Evolution of a Regulatory Circuit, 683

Signals Control the Activities of Eukaryotic Transcriptional Regulators in a Variety of Ways, 686

GENE "SILENCING" BY MODIFICATION OF HISTONES AND DNA, 687

Silencing in Yeast Is Mediated by Deacetylation and Methylation of Histones, 688

In *Drosophila*, HP1 Recognizes Methylated Histones and Condenses Chromatin, 689

Repression by Polycomb Also Uses Histone Methylation, 690

ADVANCED CONCEPTS BOX 19-5 Is There a Histone Code?, 691

DNA Methylation Is Associated with Silenced Genes in Mammalian Cells, 692

EPIGENETIC GENE REGULATION, 694

Some States of Gene Expression Are Inherited through Cell Division Even When the Initiating Signal Is No Longer Present, 694

MEDICAL CONNECTIONS BOX 19-6 Transcriptional Repression and Human Disease, 696

SUMMARY, 697

BIBLIOGRAPHY, 698

QUESTIONS, 699



20 Regulatory RNAs, 701

REGULATION BY RNAs IN BACTERIA, 701

Riboswitches Reside within the Transcripts of Genes Whose Expression They Control through Changes in Secondary Structure, 703

RNAs as Defense Agents in Prokaryotes and Archaea, 705

CRISPRs Are a Record of Infections Survived and Resistance Gained, 706

ADVANCED CONCEPTS BOX 20-1 Amino Acid Biosynthetic Operons Are Controlled by Attenuation, 707

Spacer Sequences Are Acquired from Infecting Viruses, 710

A CRISPR Is Transcribed as a Single Long RNA, Which Is Then Processed into Shorter RNA Species That Target Destruction of Invading DNA or RNA, 710

REGULATORY RNAs ARE WIDESPREAD IN EUKARYOTES, 711

Short RNAs That Silence Genes Are Produced from a Variety of Sources and Direct the Silencing of Genes in Three Different Ways, 712

SYNTHESIS AND FUNCTION OF miRNA MOLECULES, 714

miRNAs Have a Characteristic Structure That Assists in Identifying Them and Their Target Genes, 714

An Active miRNA Is Generated through a Two-Step Nucleolytic Processing, 716

Dicer Is the Second RNA-Cleaving Enzyme Involved in miRNA Production and the Only One Needed for siRNA Production, 717

SILENCING GENE EXPRESSION BY SMALL RNAs, 718

Incorporation of a Guide Strand RNA into RISC Makes the Mature Complex That Is Ready to Silence Gene Expression, 718

Small RNAs Can Transcriptionally Silence Genes by Directing Chromatin Modification, 719

RNAi Is a Defense Mechanism That Protects against Viruses and Transposons, 721

KEY EXPERIMENTS BOX 20-2 *Discovery of miRNAs and RNAi*, 722

RNAi Has Become a Powerful Tool for Manipulating Gene Expression, 725

MEDICAL CONNECTIONS BOX 20-3 *microRNAs and Human Disease*, 727

LONG NON-CODING RNAs AND X-INACTIVATION, 728

Long Non-Coding RNAs Have Many Roles in Gene Regulation, Including *Cis* and *Trans* Effects on Transcription, 728

X-Inactivation Creates Mosaic Individuals, 728

Xist Is a Long Non-Coding RNA That Inactivates a Single X Chromosome in Female Mammals, 729

SUMMARY, 730

BIBLIOGRAPHY, 731

QUESTIONS, 732



21 Gene Regulation in Development and Evolution, 733

MEDICAL CONNECTIONS BOX 21-1 *Formation of iPS Cells*, 734

THREE STRATEGIES BY WHICH CELLS ARE INSTRUCTED TO EXPRESS SPECIFIC SETS OF GENES DURING DEVELOPMENT, 735

Some mRNAs Become Localized within Eggs and Embryos Because of an Intrinsic Polarity in the Cytoskeleton, 735

Cell-to-Cell Contact and Secreted Cell-Signaling Molecules Both Elicit Changes in Gene Expression in Neighboring Cells, 736

Gradients of Secreted Signaling Molecules Can Instruct Cells to Follow Different Pathways of Development Based on Their Location, 737

EXAMPLES OF THE THREE STRATEGIES FOR ESTABLISHING DIFFERENTIAL GENE EXPRESSION, 738

The Localized *Ash1* Repressor Controls Mating Type in Yeast by Silencing the *HO* Gene, 738

A Localized mRNA Initiates Muscle Differentiation in the Sea Squirt Embryo, 740

ADVANCED CONCEPTS BOX 21-2 *Review of Cytoskeleton: Asymmetry and Growth*, 741

Cell-to-Cell Contact Elicits Differential Gene Expression in the Sporulating Bacterium, *Bacillus subtilis*, 743

A Skin-Nerve Regulatory Switch Is Controlled by Notch Signaling in the Insect Central Nervous System, 743

A Gradient of the Sonic Hedgehog Morphogen Controls the Formation of Different Neurons in the Vertebrate Neural Tube, 744

THE MOLECULAR BIOLOGY OF *DROSOPHILA* EMBRYOGENESIS, 746

An Overview of *Drosophila* Embryogenesis, 746

A Regulatory Gradient Controls Dorsoventral Patterning of the *Drosophila* Embryo, 747

ADVANCED CONCEPTS BOX 21-3 *Overview of Drosophila Development*, 748

Segmentation Is Initiated by Localized RNAs at the Anterior and Posterior Poles of the Unfertilized Egg, 751

KEY EXPERIMENTS BOX 21-4 *Activator Synergy*, 752

Bicoid and Nanos Regulate *hunchback*, 753

Multiple Enhancers Ensure Precision of *hunchback* Regulation, 754

The Gradient of Hunchback Repressor Establishes Different Limits of Gap Gene Expression, 754

MEDICAL CONNECTIONS BOX 21-5 *Stem Cell Niche*, 755

ADVANCED CONCEPTS BOX 21-6 *Gradient Thresholds*, 757

Hunchback and Gap Proteins Produce Segmentation Stripes of Gene Expression, 758

KEY EXPERIMENTS BOX 21-7 *cis-Regulatory Sequences in Animal Development and Evolution*, 759

Gap Repressor Gradients Produce Many Stripes of Gene Expression, 760

Short-Range Transcriptional Repressors Permit Different Enhancers to Work Independently of One Another within the Complex *eve* Regulatory Region, 761

HOMEOTIC GENES: AN IMPORTANT CLASS OF DEVELOPMENTAL REGULATORS, 762

Changes in Homeotic Gene Expression Are Responsible for Arthropod Diversity, 763

Changes in *Ubx* Expression Explain Modifications in Limbs among the Crustaceans, 763



22 Systems Biology, 775

REGULATORY CIRCUITS, 776

AUTOREGULATION, 776

Negative Autoregulation Dampens Noise and Allows a Rapid Response Time, 777

Gene Expression Is Noisy, 777

Positive Autoregulation Delays Gene Expression, 779

BISTABILITY, 780

Some Regulatory Circuits Persist in Alternative Stable States, 780

Bimodal Switches Vary in Their Persistence, 781

KEY EXPERIMENTS BOX 22-1 *Bistability and Hysteresis*, 782

ADVANCED CONCEPTS BOX 21-8 *Homeotic Genes of Drosophila Are Organized in Special Chromosome Clusters*, 764

How Insects Lost Their Abdominal Limbs, 766

Modification of Flight Limbs Might Arise from the Evolution of Regulatory DNA Sequences, 767

GENOME EVOLUTION AND HUMAN ORIGINS, 769

Diverse Animals Contain Remarkably Similar Sets of Genes, 769

Many Animals Contain Anomalous Genes, 769

Synteny Is Evolutionarily Ancient, 770

Deep Sequencing Is Being Used to Explore Human Origins, 772

SUMMARY, 772

BIBLIOGRAPHY, 773

QUESTIONS, 774

FEED-FORWARD LOOPS, 784

Feed-Forward Loops Are Three-Node Networks with Beneficial Properties, 784

Feed-Forward Loops Are Used in Development, 786

OSCILLATING CIRCUITS, 786

Some Circuits Generate Oscillating Patterns of Gene Expression, 786

Synthetic Circuits Mimic Some of the Features of Natural Regulatory Networks, 789

SUMMARY, 790

BIBLIOGRAPHY, 791

QUESTIONS, 791

PART 6: APPENDICES, 793



APPENDIX 1: Model Organisms, 797

BACTERIOPHAGE, 798

Assays of Phage Growth, 800

The Single-Step Growth Curve, 800

Phage Crosses and Complementation Tests, 801

Transduction and Recombinant DNA, 801

BACTERIA, 802

Assays of Bacterial Growth, 803

Bacteria Exchange DNA by Sexual Conjugation, Phage-Mediated Transduction, and DNA-Mediated Transformation, 803

Bacterial Plasmids Can Be Used as Cloning Vectors, 805

Transposons Can Be Used to Generate Insertional Mutations and Gene and Operon Fusions, 805

Studies on the Molecular Biology of Bacteria Have Been Enhanced by Recombinant DNA Technology,

Whole-Genome Sequencing, and Transcriptional Profiling, 806

Biochemical Analysis Is Especially Powerful in Simple Cells with Well-Developed Tools of Traditional and Molecular Genetics, 806

Bacteria Are Accessible to Cytological Analysis, 807

Phage and Bacteria Told Us Most of the Fundamentals Things about the Gene, 807

Synthetic Circuits and Regulatory Noise, 808

BAKER'S YEAST, *SACCHAROMYCES CEREVISIAE*, 808

The Existence of Haploid and Diploid Cells Facilitates Genetic Analysis of *S. cerevisiae*, 809

Generating Precise Mutations in Yeast Is Easy, 810

S. cerevisiae Has a Small, Well-Characterized Genome, 810

S. cerevisiae Cells Change Shape as They Grow, 810

ARABIDOPSIS, 811

Arabidopsis Has a Fast Life Cycle with Haploid and Diploid Phases, 812

Arabidopsis Is Easily Transformed for Reverse Genetics, 813

Arabidopsis Has a Small Genome That Is Readily Manipulated, 813

Epigenetics, 814

Plants Respond to the Environment, 815

Development and Pattern Formation, 815

THE NEMATODE WORM, *CAENORHABDITIS ELEGANS*, 816

C. elegans Has a Very Rapid Life Cycle, 816

C. elegans Is Composed of Relatively Few, Well-Studied Cell Lineages, 817

The Cell Death Pathway Was Discovered in *C. elegans*, 818

RNAi Was Discovered in *C. elegans*, 818

THE FRUIT FLY, *DROSOPHILA MELANOGASTER*, 819

Drosophila Has a Rapid Life Cycle, 819

The First Genome Maps Were Produced in *Drosophila*, 820

Genetic Mosaics Permit the Analysis of Lethal Genes in Adult Flies, 822

The Yeast FLP Recombinase Permits the Efficient Production of Genetic Mosaics, 823

It Is Easy to Create Transgenic Fruit Flies that Carry Foreign DNA, 824

THE HOUSE MOUSE, *MUS MUSCULUS*, 825

Mouse Embryonic Development Depends on Stem Cells, 826

It Is Easy to Introduce Foreign DNA into the Mouse Embryo, 827

Homologous Recombination Permits the Selective Ablation of Individual Genes, 827

Mice Exhibit Epigenetic Inheritance, 829

BIBLIOGRAPHY, 830

APPENDIX 2: Answers, 831

Chapter 1, 831	Chapter 12, 837
Chapter 2, 831	Chapter 13, 838
Chapter 3, 832	Chapter 14, 839
Chapter 4, 833	Chapter 15, 839
Chapter 5, 833	Chapter 16, 840
Chapter 6, 834	Chapter 17, 841
Chapter 7, 834	Chapter 18, 841
Chapter 8, 835	Chapter 19, 843
Chapter 9, 835	Chapter 20, 843
Chapter 10, 836	Chapter 21, 843
Chapter 11, 837	Chapter 22, 844

Index, 845