

Brief Contents

Part One

Introduction to Physiology 2




Photo source: Scott Nielsen/Bruce Coleman Inc.

CHAPTER 1

Introduction to Physiological Principles 2

CHAPTER 2

Physiological Evolution of Animals 20

CHAPTER 3

Chemistry, Biochemistry, and Cell Physiology 38

Part Two

The Cellular Basis of Animal Physiology 98




Photo source: Francois Paquet-Durand / Science Source

CHAPTER 4

Cell Signaling and Endocrine Regulation 98

CHAPTER 5

Neuron Structure and Function 154

CHAPTER 6

Cellular Movement and Muscles 208

Part Three

Integrating Physiological Systems 256




Photo source: Image Quest Marine

CHAPTER 7

Sensory Systems 256

CHAPTER 8

Functional Organization of Nervous Systems 310

CHAPTER 9

Circulatory Systems 356

CHAPTER 10

Immune Systems 414

CHAPTER 11

Respiratory Systems 442

CHAPTER 12

Locomotion 498

CHAPTER 13

Ion and Water Balance 542

CHAPTER 14

Digestion and Energy Metabolism 592

CHAPTER 15

Thermal Physiology 634

CHAPTER 16

Reproductive Physiology 668

Contents

Preface xix

Acknowledgments xxxiii

PART ONE INTRODUCTION TO PHYSIOLOGY 2



CHAPTER 1

Introduction to Physiological Principles 2

OVERVIEW 4

UNIFYING THEMES IN PHYSIOLOGY 5

Integration in Physiology 5

Animal physiologists study phenomena at multiple levels of organization 6

Animal physiologists address basic and applied questions 7

Physics and Chemistry: The Basis of Physiology 7

The laws of diffusion help to explain the evolution of animal form and function 7

Mechanical theory helps us understand how organisms work 8

Electrical potentials are a fundamental physiological currency 9

Temperature affects physiological processes 9

Biochemical and physiological patterns are influenced by body size 9

Form, Function, and Evolution 11

Form and function are the products of evolution 11

Animals have many traits in common 12

What is adaptation? 12

Not all differences are evolutionary adaptations 13

Phenotypes may be homologous or analogous 14

Regulation and Homeostasis 15

Animals can be physiological conformers or regulators 15

Homeostasis is the maintenance of internal constancy 15

Feedback loops control physiological pathways 16

Negative feedback loops maintain homeostasis 17


Positive feedback loops cause explosive responses 17

Acclimation and acclimatization result in reversible phenotypic changes 17

Animals can also irreversibly alter their phenotype 17

Summary 18 • Review Questions 19 • Synthesis

Questions 19



CHAPTER 2

Physiological Evolution of Animals 20

INTRODUCTION 21

ANIMAL EVOLUTION AND PHYSIOLOGY 22

Multicellularity and the Invention of Tissues 23

Placozoans and sponges lack discrete tissues 24

Cnidarians possess true tissues 24

Bilaterians are triploblastic with some degree of cephalization 25

Protostomes and deuterostomes differ in the embryonic origins of the mouth and anus 25

A coelom forms by enterocoely or schizocoely 25

Platyhelminthes include parasitic and free-living worms 26

Mollusks possess a calcareous shell 27

Annelids have segmented bodies 27

Arthropods show metamerism and tagmatization 27

Deuterostomes include echinoderms and chordates 28

Vertebrates 28

Different agnathan ancestors gave rise to modern agnathans and fish 28

Cartilaginous fish evolved from placoderms 29

Several groups of bony fish evolved in the Devonian period 29

Sarcopterygians gave rise to tetrapods 31

Amphibians must return to water to breed 31

Reptiles and their ancestors have dominated land for 300 million years 31

Mammals evolved from therapsid reptiles 32

Birds are modern reptiles 32

EVOLUTIONARY CONSERVATION AND

CONVERGENCE IN ANIMAL PHYSIOLOGY 32

Molecular Innovations 33

The myosin gene family divergence underlies much of animal diversity 33

Na^+/K^+ ATPase is essential for ion homeostasis and excitable tissues 33

The appearance of collagen coincided with tissue formation 35

Hormones extended the range of cell-to-cell signaling 35

Integrative Processes 36

The evolution of complexity was accompanied by an increase in cephalization 36

Terrestriality arose in multiple lineages 36
 Metabolic pathways are broadly conserved, though metabolic rate varies widely 36

Summary 37 • Review Questions 37 • Synthesis Questions 37



CHAPTER 3

Chemistry, Biochemistry, and Cell Physiology 38

OVERVIEW 39

CHEMISTRY 39

Energy 39

Food webs transfer energy 40
 Energy is stored in electrochemical gradients 41
 Chemical energy is transferred in chemical reactions 42
 Covalent bonds involve shared electrons 42
 Weak bonds control macromolecular structure 43
 Weak bonds are sensitive to temperature 44
 Reaction rates are influenced by temperature 44

Properties of Water 45

The properties of water are unique 45
 Solubility determines how much solute can dissolve in water 46
 Solutes influence the physical properties of water 46
 Solutes move through water by diffusion 46
 Solutes in biological systems impose osmotic pressure 47
 Differences in osmolarity can alter cell volume 48
 Acids and bases alter the pH of water 49
 Both pH and temperature affect the ionization of biological molecules 50
 Buffers limit changes in pH 50

BIOCHEMISTRY 51

Enzymes 52

All chemical reactions are governed by the laws of thermodynamics 52
 Enzymes accelerate reactions by reducing the reaction activation energy 53
 Enzyme kinetics describe enzymatic properties 53
 The physicochemical environment alters enzyme kinetics 55
 Allosteric and covalent regulation control enzymatic rates 56
 Enzymes convert nutrients to reducing energy 57
 ATP is a carrier of free energy 57

Proteins 58

Proteins are polymers of amino acids 58
 Proteins are folded into three-dimensional shapes 59
 Molecular chaperones help proteins fold 60

Carbohydrates 60

Animals use monosaccharides for energy and biosynthesis 60
 Complex carbohydrates perform many functional and structural roles 61

Gluconeogenesis builds glucose from noncarbohydrate precursors 62

Glycolysis is a low-efficiency, high-velocity pathway 63

Terminal dehydrogenases oxidize NADH under anaerobic conditions 65

Lipids 66

Fatty acids are long aliphatic chains produced from acetyl CoA 66
 Fatty acids are oxidized in mitochondrial β -oxidation 67
 Fatty acids can be converted to ketone bodies 68
 Triglyceride is the major form of lipid storage 68
 Phospholipids predominate in biological membranes 69
 Steroids share a multiple ring structure 70

Mitochondrial Metabolism 71

The TCA cycle uses acetyl CoA to generate reducing equivalents 71
 The ETS generates a proton gradient, heat, and reactive oxygen species 72
 The F_1F_0 ATPase uses the proton motive force to generate ATP 73
 Creatine phosphokinase enhances energy stores and transfer 74

Integration of Pathways of Energy Metabolism 74

Oxygen and ATP control the balance between glycolysis and oxidative phosphorylation 75
 Physical properties of fuels influence fuel selection 75
 Fuel selection can be calculated from the respiratory quotient 75
 Energetic intermediates regulate the balance between anabolism and catabolism 76
 Metabolic rate is the sum of all chemical reactions 76

CELL PHYSIOLOGY 77

Membrane Structure and Transport 77

The lipid profile affects membrane properties 77
 Lipid membranes are heterogeneous 77
 Environmental stress can alter membrane fluidity 78
 Membranes possess integral and peripheral proteins 78
 Many molecules must move across cellular membranes 78
 Membrane proteins can facilitate the diffusion of impermeant molecules 79
 Active transporters use energy to pump molecules against gradients 80
 The movement of charged molecules depends on the electrochemical gradient 81
 The Nernst equation allows calculation of the equilibrium potential 82
 Cells maintain a resting membrane potential 82
 The Na^+/K^+ ATPase establishes concentration gradients 82
 The membrane potential represents a balance between equilibrium potentials 82
 The Goldman equation can be used to calculate membrane potential 83
 Changes in membrane permeability alter membrane potential 83

Cellular Organization 84

Mitochondria are the powerhouse of the cell 84
 The cytoskeleton controls cell shape and directs intracellular movement 85

The endoplasmic reticulum and Golgi apparatus mediate vesicular traffic	85
The extracellular matrix mediates interactions between cells	86
Most tissues are composed of multiple cell types	88
Epithelial tissues share four specialized properties that affect solute movements	88
Solutes move across epithelial tissues by paracellular and transcellular transport	89
Physiological Genetics and Genomics	90
Nucleic acids are polymers of nucleotides	90
DNA is a double-stranded α -helix packaged into chromosomes	90

DNA is organized into genomes	91
Transcriptional control acts at gene regulatory regions	91
RNA degradation influences RNA levels	92
Global changes in translation control many pathways	93
Cells rapidly reduce protein levels through protein degradation	93
Protein variants arise through gene duplications and rearrangements	93
Ancient genome duplications contribute to physiological diversity	95
Summary	96
• Review Questions	96
• Synthesis Questions	97
• Quantitative Questions	97

PART TWO THE CELLULAR BASIS OF ANIMAL PHYSIOLOGY 98



CHAPTER 4

Cell Signaling and Endocrine Regulation 98

OVERVIEW 99

THE BIOCHEMICAL BASIS OF CELL

SIGNALING 101

General Features of Cell Signaling 101

Indirect signaling systems form a continuum 102

The structure of the messenger determines the type of signaling mechanism 103

Peptide Messengers 104

Peptide messengers are released by exocytosis 104

Peptide messengers dissolve in extracellular fluids 105

Peptides bind to transmembrane receptors 105

Steroid Messengers 106

Steroids bind to carrier proteins 107

■ BOX 4.1 CHALLENGES TO HOMEOSTASIS

Endocrine Disruptors 108

Steroids bind to intracellular receptors 109

Biogenic Amines 109

Thyroid hormones diffuse across the membrane 110

Thyroid hormones are hydrophobic messengers 110

Other Classes of Messenger 111

Eicosanoids are lipid messengers 111

There are three known gaseous chemical messengers 111

Purines can act as neurotransmitters and paracines 112

Communication of the Signal to the Target Cell 112

Ligand-receptor interactions are specific 113

Receptor type determines the cellular response 113

Receptors have several domains 113

A ligand may bind to more than one receptor 114

Ligand-receptor binding obeys the law of mass action 114

Receptor number can vary 114

Receptor affinity for a ligand can vary 115

Ligand signaling must be inactivated 115

■ BOX 4.2 MATH IN PHYSIOLOGY

Ligand-Receptor Interactions 116

SIGNAL TRANSDUCTION PATHWAYS 118

Intracellular Receptors 119

Ligand-Gated Ion Channels 121

Signal Transduction via Receptor-Enzymes 121

Receptor guanylate cyclases generate cyclic GMP 122

Receptor tyrosine kinases signal through Ras proteins 123

Receptor serine/threonine kinases directly activate phosphorylation cascades 124

Signal Transduction via G Protein-Coupled

Receptors 124

G protein-coupled receptors are extremely diverse 125

G proteins can act through Ca^{2+} -calmodulin 126

G proteins can interact with amplifier enzymes 126

Amplifier enzymes alter the concentration of second messengers 126

Guanylate cyclase generates cGMP 127

Phospholipase C generates phosphatidylinositol 127

Cyclic AMP was the first second messenger discovered 128

Signal transduction pathways can interact 130

INTRODUCTION TO ENDOCRINE SYSTEMS 130

Characteristics of Endocrine Systems 130

Hormone levels are regulated by feedback loops 133

- The actions of insulin illustrate the principle of negative feedback 133
- The actions of oxytocin illustrate the principle of positive feedback 133
- Feedback loops can be complex 134
- Pituitary hormones provide examples of several types of feedback loops 135
- Neurohormones from the posterior pituitary are involved in first-order feedback loops 135
- The hypothalamus regulates the secretion of anterior pituitary hormones 135
- Prolactin is an anterior pituitary hormone involved in a second-order feedback loop 136
- Many anterior pituitary hormones participate in third-order pathways 136
- A single hormone can be regulated by multiple types of feedback pathways 137
- Antagonistic hormone pairs provide precise regulation 138
- Hormones can demonstrate additivity and synergism 139
- Hormone levels are influenced by both synthesis and removal 140
- Endocrine pathologies occur when hormone levels are disregulated 140
- The responsiveness of the target cell can vary 140

■ BOX 4.3 APPLICATIONS

- Cell-To-Cell Communication and Diabetes Mellitus 141

- The nervous and endocrine systems interact in the stress response 142
- The hypothalamo-pituitary axis is involved in the stress response 143

Evolution of Endocrine Systems 144

- Endocrine systems vary in complexity among animal phyla 144
- Hyperglycemic hormones are an example of an invertebrate neurohormone 144
- The major steroid hormones differ between vertebrates and arthropods 145
- Arthropods also use other terpenoids as hormones 146
- The structure and function of many hormones is highly conserved in vertebrates 146
- Some hormonal pathways have evolved via gene duplication 147
- Some hormones have acquired new functions during vertebrate evolution 147
- Some hormone pathways are reduced in humans 148
- The structure of endocrine glands varies among the vertebrates 148
- The structure of the pituitary differs among the vertebrates 149
- The neurohormones of the posterior pituitary vary among the vertebrates 149

Summary 151 • Review Questions 152 • Synthesis Questions 152
• Quantitative Questions 153



CHAPTER 5

Neuron Structure and Function 154

OVERVIEW 155

SIGNALING IN A VERTEBRATE MOTOR

NEURON 157

Electrical Signals in Neurons 157

- Ionic concentration gradients and permeability establish membrane potential 157
- The Nernst equation can be used to calculate the equilibrium potential of an ion 158
- The Goldman equation is used to calculate the membrane potential 159
- The Na^+/K^+ ATPase maintains the membrane potential 159

■ BOX 5.1 MATH IN PHYSIOLOGY

- Using the Nernst and Goldman Equations 160

- Changes in membrane permeability cause electrical signals 160
- Ion channel function can be studied using the voltage clamp 162

Signals in the Dendrites and Cell Body 162

- Graded potentials vary in magnitude 162
- Graded potentials are short-distance signals 163
- Graded potentials can trigger action potentials at the axon hillock 164
- Graded potentials can be integrated across time and space 165

Signals in the Axon 166

- Voltage-gated channels generate the action potential 167
- Voltage-gated Na^+ channels open at the threshold potential 167
- A positive feedback loop drives the depolarization phase 168
- Voltage-gated Na^+ channels have two gates 168
- Voltage-gated K^+ channels open slowly 169

■ BOX 5.2 APPLICATIONS

- Voltage-Gated Na^+ Channel Blockers 170

- Both Na^+ and K^+ shape the action potential 171
- Action potentials transmit signals across long distances 172
- Vertebrate motor neurons are myelinated 174
- Axons conduct action potentials unidirectionally 174
- Action potential frequency carries information 176

Signals Across the Synapse 176

- Intracellular Ca^{2+} regulates neurotransmitter release 176
- Action potential frequency influences neurotransmitter release 177
- Acetylcholine is the primary neurotransmitter at the vertebrate neuromuscular junction 178
- Signaling is terminated by acetylcholinesterase 178
- Postsynaptic cells express specific receptors 179
- Neurotransmitter amount and receptor activity influence signal strength 179

DIVERSITY OF NEURAL SIGNALING 180

Structural Diversity of Neurons 180

- Neurons can be classified based on their function 180

Neurons can be classified based on their structure 180
 Neurons are associated with glial cells 182

Diversity of Signal Conduction 184

Voltage-gated ion channels are encoded by multiple genes 184
 Voltage-gated Ca^{2+} channels can also be involved in action potentials 185
 Conduction speed varies among axons 185
 The cable properties of the axon influence current flow 185

■ BOX 5.3 CHALLENGES TO HOMEOSTASIS

RNA Editing of Potassium Channels as an Adaptation to Cold Environments 186

Intracellular and membrane resistance influence conduction speed 188

Membrane capacitance influences the speed of conduction 189

Giant axons have high conduction speed 191

Myelinated neurons evolved in the vertebrates 192

Myelination increases conduction speed 193

Diversity of Synaptic Transmission 194

Electrical and chemical synapses play different roles 194

Chemical synapses have diverse structures 195

There are many types of neurotransmitters 196

Neurotransmitters can be excitatory or inhibitory 198

Neurotransmitter receptors can be ionotropic or metabotropic 198

Acetylcholine receptors can be ionotropic or metabotropic 198

The biogenic amines play diverse physiological roles 199

Neurons can synthesize more than one kind of neurotransmitter 201

Neurotransmitter release varies depending on physiological state 201

Evolution of Neural Signaling 203

Many organisms use electrical signaling 203

Action potentials in nonmetazoans involve Ca^{2+} 204

Animals have unique voltage-gated Na^{+} channels 204

Neurotransmitters evolved from ancient signaling molecules 204

Summary 205 • Review Questions 205 • Synthesis Questions 206

• Quantitative Questions 207



CHAPTER 6

Cellular Movement and Muscles 208

OVERVIEW 209

CYTOSKELETON AND MOTOR PROTEINS 210

Microtubules 210

Tubulin is composed of α -tubulin and β -tubulin 212

Microtubules show dynamic instability 213

Microtubule polarity determines the direction of movement 214

■ BOX 6.1 APPLICATIONS

Pharmaceutical Uses of Microtubule Disruptors 215

Kinesin and dynein move along microtubules 215

Cilia and flagella are composed of microtubules 216

Microfilaments 217

Microfilaments are polymers of actin 217

Actin polymerization can generate movement 218

Actin uses myosin as a motor protein 218

The sliding filament model describes actino-myosin activity 219

Myosin activity is influenced by unitary displacement and duty cycle 222

MUSCLE 223

General Features of Striated Muscles 223

Muscle cells possess thick and thin filaments 224

Striated muscle thick and thin filaments are arranged into sarcomeres 224

Myosin II has a unique duty cycle and unitary displacement 226

Sarcomeric organization determines contractile properties of the muscle cell 226

Actino-myosin activity is activated by Ca^{2+} 228

Thin filaments also influence contractile properties 229

Muscle contraction can generate force 230

Cardiac and skeletal muscle cells differ in some structural properties 231

■ BOX 6.2 MATH IN PHYSIOLOGY

Factors Affecting Force, Work, and Power 232

Excitation in Vertebrate Skeletal and Cardiac

Muscles 234

Striated muscles are all activated by an action potential 234

Striated muscles differ in the time course of the action potential 235

Cardiac and skeletal muscles differ in refractory periods 236

Skeletal muscle excitation is triggered by neurotransmitters 237

T-tubules enhance action potential penetration into the myocyte 238

Cardiac muscle cells are stimulated by other muscle cells 238

Excitation-Contraction Coupling in Striated Muscles 239

Depolarization leads to an increase in cytoplasmic $[\text{Ca}^{2+}]$ 239

DHPR activation induces Ca^{2+} release from the SR 240

Relaxation follows removal of Ca^{2+} from the cytoplasm 241

Many factors contribute to differences in properties of striated muscles 242

DIVERSITY IN MUSCLE STRUCTURE

AND FUNCTION 243

Smooth Muscle 243

■ BOX 6.3 CHALLENGES TO HOMEOSTASIS

Remodeling Muscle in Response to Changing Conditions 244

Smooth muscle lacks organized sarcomeres 244

Smooth muscle contraction is regulated by both thick and thin filament proteins 246

Latch cross-bridges maintain smooth muscle contraction for long periods 247