

Contents

General Introduction, xi

What this book is about, xiii

How this book is organised, xv

Who this book is for, xvi

Acknowledgements, xvi

References, xvii

1 Vision, 2

1.1 The electromagnetic spectrum, 3

1.2 Eyes: acuity and sensitivity, 5

1.2.1 Foveae, 6

1.3 Feature recognition and releasing behaviour, 8

1.4 Prey capture in toads, 9

1.4.1 Attack or avoid: 'worms' and 'anti-worms', 9

1.4.2 Retinal processing, 11

1.4.3 Feature detector neurons, 12

1.4.4 Modulation and plasticity, 14

1.4.5 Toad prey capture: the insects fight back, 15

1.5 Beyond the visible spectrum, 16

1.5.1 Pit organs, 16

1.5.2 Thermotransduction, 20

1.5.3 Brain processing and cross-modal integration, 21

1.5.4 Behaviour, 22

1.5.5 Infrared defence signals, 25

1.6 Aerial predators: dragonfly vision, 27

1.6.1 Dragonfly eyes, 27

1.6.2 Aerial pursuit, 28

1.6.3 Predictive foveation, 29

1.6.4 Reactive steering: STMDs and TSDNs, 30

1.7 Summary, 31

Abbreviations, 32

References, 32

2 Olfaction, 36

2.1 Mechanisms of olfaction, 38

2.1.1 Detection and specificity, 38

2.1.2 Olfactory sub-systems, 40

2.1.3 Brain processing, 41

2.2 Olfactory tracking and localisation, 41

- 2.3 Pheromones and kairomones, 45
 - 2.3.1 Alarm pheromones, 45
 - 2.3.2 Predator odours, 46
 - 2.3.3 Dual purpose signals: the MUP family, 47
 - 2.3.4 Parasites: when kairomones go bad!, 49
- 2.4 Summary, 50
- Abbreviations, 51
- References, 51
- 3 Owl Hearing, 54**
 - 3.1 Timing and intensity, 56
 - 3.2 Owl sound localisation mechanisms, 58
 - 3.3 Anatomy, 60
 - 3.4 Neural computation, 61
 - 3.4.1 The auditory map, 62
 - 3.4.2 Early stage processing, 66
 - 3.4.3 ITD processing, 69
 - 3.4.4 IID processing, 76
 - 3.5 Combining ITD and IID specificity in the inferior colliculus, 77
 - 3.6 Audio-visual integration and experience-dependent tuning of the auditory map, 78
 - 3.6.1 Audio-visual discrepancy can re-map the ICC-ICX connections, 80
 - 3.6.2 Motor adaptation, 82
 - 3.6.3 Age and experience matter!, 82
 - 3.6.4 Cellular mechanisms of re-mapping, 82
 - 3.7 Summary, 83
- Abbreviations, 84
- References, 85
- 4 Mammalian Hearing, 88**
 - 4.1 Spectral cues, 90
 - 4.1.1 Neural processing of spectral cues, 90
 - 4.2 Binaural processing, 92
 - 4.2.1 IID processing, 93
 - 4.2.2 ITD processing, 94
 - 4.2.3 Calyx of Held, 99
 - 4.3 Do mammals have a space map like owls?, 100
 - 4.4 Comparative studies in mammals, 101
 - 4.5 Summary, 102
 - 4.5.1 Caveats, 102
- Abbreviations, 102
- References, 103
- 5 The Biosonar System of Bats, 106**
 - 5.1 Bat echolocation, 107
 - 5.1.1 Why ultrasound?, 108
 - 5.1.2 Range limits, 109
 - 5.2 The sound production system, 109
 - 5.2.1 Types of sound: CF and FM pulses, 110
 - 5.2.2 Echolocation in predation: a three-phase attack strategy, 112
 - 5.2.3 Duty cycle and pulse-echo overlap, 113

- 5.3 The sound reception system, 114
 - 5.3.1 Bats have big ears, 114
 - 5.3.2 Peripheral specialisations: automatic gain control and acoustic fovea, 115
- 5.4 Eco-physiology: different calls for different situations, 116
 - 5.4.1 Target discovery, 117
 - 5.4.2 Target range and texture, 118
 - 5.4.3 Target location, 119
 - 5.4.4 Target velocity: the Doppler shift, 119
 - 5.4.5 Target identity: flutter detection, 121
 - 5.4.6 Jamming avoidance response, 123
 - 5.4.7 Food competition and intentional jamming, 123
- 5.5 Brain mechanisms of echo detection, 124
 - 5.5.1 The auditory cortex, 125
 - 5.5.2 Range and size analysis: the FM-FM area, 125
 - 5.5.3 Velocity analysis: the CF-CF area, 128
 - 5.5.4 Fine frequency analysis: the DSCF area, 130
- 5.6 Evolutionary considerations, 131
- 5.7 The insects fight back, 132
 - 5.7.1 Moth ears and evasive action, 132
 - 5.7.2 Bad taste, 133
 - 5.7.3 Shouting back, 134
- 5.8 Final thoughts, 135
- 5.9 Summary, 136
- Abbreviations, 137
- References, 137
- 6 Electrolocation and Electric Organs, 140**
 - 6.1 Passive electrolocation, 142
 - 6.1.1 Ampullary electroreceptors, 142
 - 6.1.2 Prey localisation, 145
 - 6.1.3 Mammalian electrolocation, 146
 - 6.2 Electric fish, 148
 - 6.3 Strongly electric fish, 151
 - 6.3.1 Freshwater fish: the electric eel, 151
 - 6.3.2 Marine fish: The electric ray, 156
 - 6.3.3 Avoiding self-electrocution, 158
 - 6.4 Active electrolocation, 158
 - 6.4.1 Weakly electric fish, 158
 - 6.4.2 Tuberosus electroreceptors, 161
 - 6.4.3 Brain maps for active electrolocation, 163
 - 6.4.4 Avoiding detection, mostly, 164
 - 6.4.5 Frequency niches, 166
 - 6.4.6 The jamming avoidance response, 167
 - 6.5 Summary, 174
 - Abbreviations, 175
 - References, 175
- 7 The Crayfish Escape Tail-Flip, 178**
 - 7.1 Invertebrate vs. vertebrate nervous systems, 179
 - 7.2 Tail-flip form and function, 180

- 7.3 Command neurons, 182
- 7.4 Motor output, 184
 - 7.4.1 Directional control, 184
 - 7.4.2 Rectifying electrical synapses, 186
 - 7.4.3 Depolarising inhibition, 188
 - 7.4.4 FF drive and the segmental giant neuron, 189
 - 7.4.5 Limb activity during GF tail-flips, 189
 - 7.4.6 Tail extension, 190
 - 7.4.7 Non-giant tail-flips, 190
- 7.5 Activation of GF tail-flips, 191
 - 7.5.1 Coincidence detection, 193
 - 7.5.2 Habituation and prevention of self-stimulation, 195
- 7.6 Modulation and neuroeconomics, 196
 - 7.6.1 Mechanisms of modulation, 197
 - 7.6.2 Serotonin modulation, 198
- 7.7 Social status, serotonin and the crayfish tail-flip, 198
 - 7.7.1 Social status effects on tail-flip threshold, 199
 - 7.7.2 Serotonin effects on tail-flip threshold depend on social status, 200
- 7.8 Evolution and adaptations of the tail-flip circuitry, 202
 - 7.8.1 *Penaeus*: a unique myelination mechanism gives ultra-rapid conduction, 205
- 7.9 Summary, 208
- Abbreviations, 208
- References, 209
- 8 Fish Escape: the Mauthner System, 212**
 - 8.1 Fish ears and the lateral line, 214
 - 8.1.1 Directional sensitivity, 215
 - 8.2 Mauthner cells, 215
 - 8.2.1 Biophysical properties, 217
 - 8.3 Sensory inputs to M-cells, 218
 - 8.3.1 Feedforward inhibition and threshold setting, 220
 - 8.3.2 PHP neurons: electrical inhibition, 220
 - 8.4 Directional selectivity and the lateral line, 222
 - 8.4.1 Obstacle avoidance, 223
 - 8.5 M-cell output, 223
 - 8.5.1 Feedback electrical inhibition: collateral PHP neurons, 223
 - 8.5.2 Spinal motor output, 224
 - 8.5.3 Spinal inhibitory interneurons: CoLos, 224
 - 8.6 The Mauthner system: command, control and flexibility, 226
 - 8.7 Stage 2 and beyond, 230
 - 8.8 Social status and escape threshold, 230
 - 8.9 Adaptations and modifications of the M-circuit, 233
 - 8.10 Predators fight back: the amazing tentacled snake, 235
 - 8.11 Summary, 239
 - Abbreviations, 239
 - References, 240

-
- 9 The Mammalian Startle Response, 244**
 - 9.1 Pathologies, 246
 - 9.2 Neural circuitry of the mammalian startle response, 248
 - 9.3 Modulation of startle, 250
 - 9.4 Summary, 250Abbreviations, 251
References, 251
 - 10 The Ballistic Attack of Archer Fish, 254**
 - 10.1 The water pistol, 255
 - 10.2 Perceptual problems and solutions, 257
 - 10.3 Learning to shoot, 260
 - 10.4 Prey retrieval by archer fish, 261
 - 10.4.1 Computing the landing point, 262
 - 10.4.2 Orientation, 263
 - 10.4.3 Dash to the target, 264
 - 10.5 Summary, 264References, 265
 - 11 Catapults for Attack and Escape, 266**
 - 11.1 The bow and arrow, 268
 - 11.2 Catapults require multi-stage motor programmes, 269
 - 11.3 Grasshopper jumping, 270
 - 11.3.1 Biomechanics, 270
 - 11.3.2 The behaviour, 270
 - 11.3.3 The hind legs, 271
 - 11.3.4 The motor programme, 273
 - 11.3.5 Directional control, 279
 - 11.3.6 Evolution of the grasshopper strategy, 279
 - 11.4 Froghoppers: the champion insect jumpers, 280
 - 11.4.1 Ratchet locks, 282
 - 11.4.2 Synchronisation, 282
 - 11.5 Mantis shrimps, 284
 - 11.5.1 Mantis shrimp catapults, 285
 - 11.5.2 Cavitation bubbles, 287
 - 11.6 Snapping (pistol) shrimps, 288
 - 11.7 Multi-function mouthparts: the trap-jaw ant, 291
 - 11.8 Prey capture with prehensile tongues, 293
 - 11.8.1 The chameleon tongue: sliding springs and supercontracting muscles, 293
 - 11.8.2 Salamander tongue projection, 297
 - 11.9 Temperature independence of catapults, 300
 - 11.10 Summary, 300Abbreviations, 301
References, 301

- 12 Molluscan Defence and Escape Systems, 304**
 - 12.1 Squid jet propulsion, 306
 - 12.1.1 Biomechanics, 306
 - 12.1.2 Neural circuitry, 307
 - 12.1.3 Jetting behaviour, 311
 - 12.2 Inking, 312
 - 12.2.1 Neuroecology of inking, 314
 - 12.2.2 Neural circuitry of inking, 315
 - 12.3 Cephalopod colour and shape control, 316
 - 12.3.1 Chromatophores, 317
 - 12.3.2 Iridophores, 319
 - 12.3.3 Leucophores, 321
 - 12.3.4 Photophores, 321
 - 12.3.5 Body shape and dermal papillae, 322
 - 12.4 Summary, 323
 - Abbreviations, 323
 - References, 323
- 13 Neurotoxins for Attack and Defence, 326**
 - 13.1 Cone snails, 328
 - 13.1.1 The biology of cone snail envenomation, 329
 - 13.1.2 Conopeptides, 333
 - 13.1.3 The billion dollar mollusc, 340
 - 13.1.4 'Rapid' conch escape, 341
 - 13.2 The neuroethology of 'zombie' cockroaches, 343
 - 13.2.1 Sensory mechanisms of stinger precision, 344
 - 13.2.2 Transient paralysis, 345
 - 13.2.3 Intense grooming, 346
 - 13.2.4 Docile hypokinesia, 346
 - 13.3 Venom resistance, 347
 - 13.3.1 Targeting pain pathways, 350
 - 13.3.2 From pain to analgesia, 350
 - 13.4 Summary, 352
 - Abbreviations, 352
 - References, 352
- 14 Concluding Thoughts, 356**
 - 14.1 The need for speed, 358
 - 14.2 Safety in numbers, 360
 - 14.3 The unbalancing influences of humankind, 361
 - References, 363

Index, 364