

CONTENTS

Preface xvii

Acknowledgments xxii

Guide to Media Resources xxv

Clinical Applications xxxi

PART I INTRODUCTION

1 Life, Cells, and Thermodynamics 1

1 The Origin of Life 2

- A. Biological Molecules Arose From Inorganic Materials 2
- B. Complex Self-replicating Systems Evolved from Simple Molecules 3

2 Cellular Architecture 5

- A. Cells Carry Out Metabolic Reactions 6
- B. There are Two Types of Cells: Prokaryotes and Eukaryotes 7
- C. Molecular Data Reveal Three Evolutionary Domains of Organisms 9
- D. Organisms Continue to Evolve 10

3 Thermodynamics 11

- A. The First law of Thermodynamics States That Energy is Conserved 11
- B. The Second Law of Thermodynamics States That Entropy Tends to Increase 13
- C. The Free Energy Change Determines the Spontaneity of a Process 13
- D. Free Energy Changes Can Be Calculated from Equilibrium Concentrations 15
- E. Life Obeys the Laws of Thermodynamics 18

Box 1-1 Pathways of Discovery: Lynn Margulis and the Theory of Endosymbiosis 10

Box 1-2 Perspectives in Biochemistry: Biochemical Conventions 12

2 Physical and Chemical Properties of Water 22

1 Physical Properties of Water 23

- A. Water is a Polar Molecule 23
- B. Hydrophilic Substances Dissolve in Water 25
- C. The Hydrophobic Effect Causes Nonpolar Substances to Aggregate in Water 26
- D. Water Moves by Osmosis and Solutes Move by Diffusion 28

2 Chemical Properties of Water 30

- A. Water Ionizes to Form H^+ and OH^- 30
- B. Acids and Bases Alter the pH 32
- C. Buffers Resist Changes in pH 34

Box 2-1 Perspectives in Biochemistry: The Consequences of Ocean Acidification 32

Box 2-2 Biochemistry in Health and Disease: The Blood Buffering System 37

PART II BIOMOLECULES

3 Overview of DNA Structure, Function, and Engineering 40

1 Nucleotides 41

2 Introduction to Nucleic Acid Structure 44

- A. Nucleic Acids Are Polymers of Nucleotides 44
- B. DNA Forms a Double Helix 45
- C. RNA Is a Single-Stranded Nucleic Acid 48

3 Overview of Nucleic Acid Function 48

- A. DNA Carries Genetic Information 49
- B. Genes Direct Protein Synthesis 49

4 Nucleic Acid Sequencing 51

- A. Restriction Endonucleases Cleave DNA at Specific Sequences 52
- B. Electrophoresis Separates Nucleic Acids According to Size 54
- C. Traditional DNA Sequencing Uses the Chain-Terminator Method 55
- D. Entire Genomes Have Been Sequenced 58
- E. Evolution Results from Sequence Mutations 60

5 Manipulating DNA 62

- A. Cloned DNA Is an Amplified Copy 62
- B. DNA Libraries Are Collections of Cloned DNA 66
- C. DNA Is Amplified by the Polymerase Chain Reaction 67
- D. Recombinant DNA Technology Has Numerous Practical Applications 68

Box 3-1 Pathways of Discovery: Francis Collins and the Gene for Cystic Fibrosis 58

Box 3-2 Perspectives in Biochemistry: DNA Fingerprinting 69

Box 3-3 Perspectives in Biochemistry: Ethical Aspects of Recombinant DNA Technology 71

4 Amino Acids: the Building Blocks of Proteins 76

1 Amino Acid Structure 77

- A. Amino Acids Are Dipolar Ions 80
- B. Peptide Bonds Link Amino Acids 80
- C. Amino Acid Side Chains are Nonpolar, Polar, or Charged 80
- D. The pK Values of Ionizable Groups Depend on Nearby Groups 82
- E. Amino Acid Names Are Abbreviated 83

2 Stereochemistry 84

3 Amino Acid Derivatives 87

- A. Protein Side Chains May Be Modified 88
- B. Some Amino Acids Are Biologically Active 88

Box 4-1 Pathways of Discovery: William C. Rose and the Discovery of Threonine 77

Box 4-2 Perspectives in Biochemistry: The RS System 86

Box 4-3 Perspectives in Biochemistry: Green Fluorescent Protein 89

5 Polypeptide Sequences, Analysis, and Evolution 93

1 Polypeptide Diversity 94

2 Protein Purification and Analysis 95

- A. Purifying a Protein Requires a Strategy 96
- B. Salting Out Separates Proteins by Their Solubility 98
- C. Chromatography Involves Interaction with Mobile and Stationary Phases 99
- D. Electrophoresis Separates Molecules According to Charge and Size 102
- E. Ultracentrifugation Separates Molecules by Mass 104

3 Protein Sequencing 106

- A. The First Step Is to Separate Subunits 106
- B. The Polypeptide Chains Are Cleaved 110
- C. Edman Degradation Removes a Peptide's First Amino Acid Residue 110
- D. Mass Spectrometry Determines the Molecular Masses of Peptides 113
- E. Reconstructed Protein Sequences Are Stored in Databases 114

4 Protein Evolution 116

- A. Protein Sequences Reveal Evolutionary Relationships 117
- B. Proteins Evolve by the Duplication of Genes or Gene Segments 119

Box 5-1 Pathways of Discovery: Frederick Sanger and Protein Sequencing 108

6 Protein Structure and Folding 127


1 Secondary Structure 128

- A. The Planar Peptide Group Limits Polypeptide Conformations 128

- B. The Most Common Regular Secondary Structures are the α Helix and the β Sheet 131
- C. Fibrous Proteins Have Repeating Secondary Structures 136
- D. Most Proteins Include Nonrepetitive Structure 140

2 Tertiary Structure 142

- A. Most Protein Structures Are Determined by X-Ray Crystallography or Nuclear Magnetic Resonance 142
- B. Side Chain Location Varies with Polarity 146
- C. Tertiary Structures Contain Combinations of Secondary Structure 148
- D. Structure Is Conserved More than Sequence 151
- E. Structural Bioinformatics Provides Tools for Storing, Visualizing, and Comparing Protein Structural Information 152



3 Quaternary Structure and Symmetry 155

4 Protein Stability 156

- A. Proteins Are Stabilized by Several Forces 157
- B. Proteins Can Undergo Denaturation and Renaturation 159
- C. Proteins Are Dynamic 161

5 Protein Folding 162

- A. Proteins Follow Folding Pathways 162
- B. Molecular Chaperones Assist Protein Folding 166
- C. Some Diseases Are Caused by Protein Misfolding 169

Box 6-1 Pathways of Discovery: Linus Pauling and Structural Biochemistry 132

Box 6-2 Biochemistry in Health and Disease: Collagen Diseases 139


Box 6-3 Perspectives in Biochemistry: Thermostable Proteins 159

Box 6-4 Perspectives in Biochemistry: Protein Structure Prediction and Protein Design 165

7 Physiological Activities of Proteins 176

1 Oxygen Binding to Myoglobin and Hemoglobin 177

- A. Myoglobin Is a Monomeric Oxygen-Binding Protein 177
- B. Hemoglobin Is a Tetramer with Two Conformations 181
- C. Oxygen Binds Cooperatively to Hemoglobin 184
- D. Hemoglobin's Two Conformations Exhibit Different Affinities for Oxygen 186
- E. Mutations May Alter Hemoglobin's Structure and Function 193



2 Muscle Contraction 196

- A. Muscle Consists of Interdigitated Thick and Thin Filaments 197
- B. Muscle Contraction Occurs when Myosin Heads Walk up Thin Filaments 204
- C. Actin Forms Microfilaments in Nonmuscle Cells 206

3 Antibodies 208

- A. Antibodies Have Constant and Variable Regions 208
- B. Antibodies Recognize a Huge Variety of Antigens 210

Box 7-1 Perspectives in Biochemistry: Other Oxygen-Transport Proteins 181

Box 7-2 Pathways of Discovery: Max Perutz and the Structure and Function of Hemoglobin 182

Box 7-3 Biochemistry in Health and Disease: High-Altitude Adaptation 191


Box 7-4 Pathways of Discovery: Hugh Huxley and the Sliding Filament Model 199

Box 7-5 Perspectives in Biochemistry: Monoclonal Antibodies 212

8 Saccharide Chemistry 217

1 Monosaccharides 218

- A. Monosaccharides Are Aldoses or Ketoses 218
- B. Monosaccharides Vary in Configuration and Conformation 219
- C. Sugars Can Be Modified and Covalently Linked 221



2 Polysaccharides 224

- A. Lactose and Sucrose Are Disaccharides 224
- B. Cellulose and Chitin Are Structural Polysaccharides 226
- C. Starch and Glycogen Are Storage Polysaccharides 227
- D. Glycosaminoglycans Form Highly Hydrated Gels 228

3 Glycoproteins 230

- A. Proteoglycans Contain Glycosaminoglycans 231
- B. Bacterial Cells Walls Are Made of Peptidoglycan 231
- C. Many Eukaryotic Proteins Are Glycosylated 234
- D. Oligosaccharides May Determine Glycoprotein Structure, Function, and Recognition 236

Box 8-1 Biochemistry in Health and Disease: Lactose Intolerance 224

Box 8-2 Perspectives in Biochemistry: Artificial Sweeteners 225

Box 8-3 Biochemistry in Health and Disease: Peptidoglycan-Specific Antibiotics 234

9 Lipids, Bilayer, and Membranes 241

1 Lipid Classification 242

- A. The Properties of Fatty Acids Depend on Their Hydrocarbon Chains 242
- B. Triacylglycerols Contain Three Esterified Fatty Acids 244

- C. Glycerophospholipids Are Amphipathic 245
- D. Sphingolipids Are Amino Alcohol Derivatives 248
- E. Steroids Contain Four Fused Rings 249
- F. Other Lipids Perform a Variety of Metabolic Roles 252

2 Lipid Bilayers 255

- A. Bilayer Formation Is Driven by the Hydrophobic Effect 255
- B. Lipid Bilayers Have Fluidlike Properties 256

3 Membrane Proteins 258

- A. Integral Membrane Proteins Interact with Hydrophobic Lipids 258
- B. Lipid-Linked Proteins Are Anchored to the Bilayer 263
- C. Peripheral Membrane Proteins Associate Loosely with Membranes 264

4 Membrane Structure and Assembly 265

- A. The Fluid Mosaic Model Accounts for Lateral Diffusion 265
- B. The Membrane Skeleton Helps Define Cell Shape 267
- C. Membrane Lipids Are Distributed Asymmetrically 270
- D. The Secretory Pathway Generates Secreted and Transmembrane Proteins 272
- E. Intracellular Vesicles Transport Proteins 276
- F. Proteins Mediate Vesicle Fusion 280

Box 9-1 Biochemistry in Health and Disease: Lung Surfactant 246

Box 9-2 Pathways of Discovery: Richard Henderson and the Structure of Bacteriorhodopsin 261

Box 9-3 Biochemistry in Health and Disease: Tetanus and Botulinum Toxins Specifically Cleave SNAREs 282

10 Passive and Active Transport 288


1 Thermodynamics of Transport 288

2 Passive-Mediated Transport 290

- A. Ionophores Carry Ions across Membranes 290
- B. Porins Contain β Barrels 291
- C. Ion Channels Are Highly Selective 292
- D. Aquaporins Mediate the Transmembrane Movement of Water 299
- E. Transport Proteins Alternate between Two Conformations 300

3 Active Transport 304

- A. The (Na^+-K^+) -ATPase Transports Ions in Opposite Directions 304
- B. The Ca^{2+} -ATPase Pumps Ca^{2+} Out of the Cytosol 306
- C. ABC Transporters Are Responsible for Drug Resistance 308
- D. Active Transport May Be Driven by Ion Gradients 309



- Box 10-1 Perspectives in Biochemistry: Gap Junctions **301**
- Box 10-2 Perspectives in Biochemistry: Differentiating Mediated and Nonmediated Transport **303**
- Box 10-3 Biochemistry in Health and Disease: The Action of Cardiac Glycosides **306**

PART III ENZYMES

11 Mechanisms of Enzyme Action 315

1 General Properties of Enzymes 316

- A. Enzymes Are Classified by the Type of Reaction They Catalyze **317**
- B. Enzymes Act on Specific Substrates **317**
- C. Some Enzymes Require Cofactors **319**

2 Activation Energy and the Reaction Coordinate 320

3 Catalytic Mechanisms 323

- A. Acid-Base Catalysis Occurs by Proton Transfer **323**
- B. Covalent Catalysis Usually Requires a Nucleophile **327**
- C. Metal Ion Cofactors Act as Catalysts **328**
- D. Catalysis Can Occur through Proximity and Orientation Effects **329**
- E. Enzymes Catalyze Reactions by Preferentially Binding the Transition State **331**



4 Lysozyme 332

- A. Lysozyme's Catalytic Site Was Identified through Model Building **333**
- B. The Lysozyme Reaction Proceeds via a Covalent Intermediate **335**

5 Serine Proteases 339

- A. Active Site Residues Were Identified by Chemical Labeling **339**
- B. X-Ray Structures Provide Information about Catalysis, Substrate Specificity, and Evolution **340**
- C. Serine Proteases Use Several Catalytic Mechanisms **345**
- D. Zymogens Are Inactive Enzyme Precursors **349**

Box 11-1 Perspectives in Biochemistry: Drawing Reaction Mechanisms **324**

Box 11-2 Perspectives in Biochemistry: Effects of pH on Enzyme Activity **325**

Box 11-3 Biochemistry in Health and Disease: Nerve Poisons **340**

Box 11-4 Biochemistry in Health and Disease: The Blood Coagulation Cascade **350**

12 Properties of Enzymes 355

1 Reaction Kinetics 355

- A. Chemical Kinetics Is Described by Rate Equations **356**
- B. Enzyme Kinetics Often Follows the Michaelis-Menten Equation **358**

C. Kinetic Data Can Provide Values of V_{max} and K_M **363**

D. Bisubstrate Reactions Follow One of Several Rate Equations **366**

2 Enzyme Inhibition 368

- A. Competitive Inhibition Involves Inhibitor Binding at an Enzyme's Substrate Binding Site **368**
- B. Uncompetitive Inhibition Involves Inhibitor Binding to the Enzyme-Substrate Complex **374**
- C. Mixed Inhibition Involves Inhibitor Binding to Both the Free Enzyme and the Enzyme-Substrate Complex **375**

3 Control of Enzyme Activity 376

- A. Allosteric Control Involves Binding at a Site Other than the Active Site **377**
- B. Control by Covalent Modification Usually Involves Protein Phosphorylation **381**

4 Drug Design 385

- A. Drug Discovery Employs a Variety of Techniques **386**
- B. A Drug's Bioavailability Depends on How It Is Absorbed and Transported in the Body **387**
- C. Clinical Trials Test for Efficacy and Safety **387**
- D. Cytochromes P450 Are Often Implicated in Adverse Drug Reactions **389**

Box 12-1 Pathways of Discovery: J.B.S. Haldane and Enzyme Action **360**

Box 12-2 Perspectives in Biochemistry: Kinetics and Transition State Theory **363**

Box 12-3 Biochemistry in Health and Disease: HIV Enzyme Inhibitors **370**


13 Hormones and Signal Transduction 396

1 Hormones 397

- A. Pancreatic Islet Hormones Control Fuel Metabolism **398**
- B. Epinephrine and Norepinephrine Prepare the Body for Action **398**
- C. Steroid Hormones Regulate a Wide Variety of Metabolic and Sexual Processes **400**
- D. Growth Hormone Binds to Receptors in Muscle, Bone, and Cartilage **401**

2 Receptor Tyrosine Kinases 402

- A. Receptor Tyrosine Kinases Transmit Signals across the Cell Membrane **403**
- B. Kinase Cascades Relay Signals to the Nucleus **406**
- C. Some Receptors are Associated with Nonreceptor Tyrosine Kinases **411**
- D. Protein Phosphatases Are Signaling Proteins in Their Own Right **414**



3 Heterotrimeric G Proteins 417

- A. G Protein-Coupled Receptors Contain Seven Transmembrane Receptors **418**
- B. Heterotrimeric G Proteins Dissociate on Activation **420**
- C. Adenylate Cyclase Synthesizes cAMP to Activate Protein Kinase A **422**
- D. Phosphodiesterases Limit Second Messenger Activity **424**

4 The Phosphoinositide Pathway 426

- A. Ligand Binding Results in the Cytoplasmic Release of the Second Messengers IP_3 and Ca^{2+} 427
- B. Calmodulin Is a Ca^{2+} -Activated Switch 428
- C. DAG Is a Lipid-Soluble Second Messenger that Activates Protein Kinase C 430
- D. Epilog: Complex Systems Have Emergent Properties 431

Box 13-1 Pathways of Discovery: Rosalyn Yalow and the Radioimmunoassay (RIA) 399

Box 13-2 Perspectives in Biochemistry: Receptor-Ligand Binding Can Be Quantitated 404

Box 13-3 Biochemistry in Health and Disease: Oncogenes and Cancer 410

Box 13-4 Biochemistry in Health and Disease: Drugs and Toxins That Affect Cell Signaling 425

PART IV METABOLISM


14 Bioenergetics 436

1 Overview of Metabolism 437

- A. Nutrition Involves Food Intake and Use 437
- B. Vitamins and Minerals Assist Metabolic Reactions 438
- C. Metabolic Pathways Consist of Series of Enzymatic Reactions 439
- D. Thermodynamics Dictates the Direction and Regulatory Capacity of Metabolic Pathways 443
- E. Metabolic Flux Must Be Controlled 444

2 "High-Energy" Compounds 446

- A. ATP Has a High Phosphoryl Group-Transfer Potential 448
- B. Coupled Reactions Drive Endergonic Processes 449
- C. Some Other Phosphorylated Compounds Have High Phosphoryl Group-Transfer Potentials 452
- D. Thioesters Are Energy-Rich Compounds 455



3 Oxidation-Reduction Reactions 456

- A. NAD^+ and FAD Are Electron Carriers 456
- B. The Nernst Equation Describes Oxidation-Reduction Reactions 457
- C. Spontaneity Can Be Determined by Measuring Reduction Potential Differences 459

4 Experimental Approaches to the Study of Metabolism 462

- A. Labeled Metabolites Can Be Traced 462
- B. Studying Metabolic Pathways Often Involves Perturbing the System 464
- C. Systems Biology Has Entered the Study of Metabolism 464

Box 14-1 Perspectives in Biochemistry: Oxidation States of Carbon 441

Box 14-2 Pathways of Discovery: Fritz Lipmann and "High-Energy" Compounds 447


Box 14-3 Perspectives in Biochemistry: ATP and ΔG 449

15 Glycolysis and the Pentose Phosphate Pathway 472

1 Overview of Glycolysis 473

2 The Reactions of Glycolysis 475

- A. Hexokinase Uses the First ATP 475
- B. Phosphoglucose Isomerase Converts Glucose-6-Phosphate to Fructose-6-Phosphate 476
- C. Phosphofructokinase Uses the Second ATP 478
- D. Aldolase Converts a 6-Carbon Compound to Two 3-Carbon Compounds 478
- E. Triose Phosphate Isomerase Interconverts Dihydroxyacetone Phosphate and Glyceraldehyde-3-Phosphate 479
- F. Glyceraldehyde-3-Phosphate Dehydrogenase Forms the First "High-Energy" Intermediate 483
- G. Phosphoglycerate Kinase Generates the First ATP 485
- H. Phosphoglycerate Mutase Interconverts 3-Phosphoglycerate and 2-Phosphoglycerate 486
- I. Enolase Forms the Second "High-Energy" Intermediate 487
- J. Pyruvate Kinase Generates the Second ATP 488



3 Fermentation: The Anaerobic Fate of Pyruvate 491

- A. Homolactic Fermentation Converts Pyruvate to Lactate 492
- B. Alcoholic Fermentation Converts Pyruvate to Ethanol and CO_2 492
- C. Fermentation Is Energetically Favorable 495

4 Regulation of Glycolysis 496

- A. Phosphofructokinase Is the Major Flux-Controlling Enzyme of Glycolysis in Muscle 497
- B. Substrate Cycling Fine-tunes Flux Control 500

5 Metabolism of Hexoses Other than Glucose 502

- A. Fructose Is Converted to Fructose-6-Phosphate or Glyceraldehyde-3-Phosphate 502
- B. Galactose Is Converted to Glucose-6-Phosphate 504
- C. Mannose Is Converted to Fructose-6-Phosphate 506

6 The Pentose Phosphate Pathway 506

- A. Oxidative Reactions Produce NADPH in Stage 1 508
- B. Isomerization and Epimerization of Ribulose-5-Phosphate Occur in Stage 2 509
- C. Stage 3 Involves Carbon-Carbon Bond Cleavage and Formation 509
- D. The Pentose Phosphate Pathway Must Be Regulated 512

Box 15-1 Pathways of Discovery: Otto Warburg and Studies of Metabolism 473

Box 15-2 Perspectives in Biochemistry: Synthesis of 2,3-Bisphosphoglycerate in Erythrocytes and Its Effect on the Oxygen Carrying Capacity of the Blood 488

Box 15-3 Perspectives in Biochemistry: Glycolytic ATP Production in Muscle 496

Box 15-4 Biochemistry in Health and Disease: Glucose-6-Phosphate Dehydrogenase Deficiency 512

16 Additional Pathways in Carbohydrate Metabolism 517

1. Glycogen Breakdown 518

- A. Glycogen Phosphorylase Degrades Glycogen to Glucose-1-Phosphate 519
- B. Glycogen Debranching Enzyme Acts as a Glucosyltransferase 522
- C. Phosphoglucomutase Interconverts Glucose-1-Phosphate and Glucose-6-Phosphate 523



2. Glycogen Synthesis 526

- A. UDP-Glucose Pyrophosphorylase Activates Glucosyl Units 526
- B. Glycogen Synthase Extends Glycogen Chains 527
- C. Glycogen Branching Enzyme Transfers Seven-Residue Glycogen Segments 529

3. Control of Glycogen Metabolism 530

- A. Glycogen Phosphorylase and Glycogen Synthase Are Under Allosteric Control 530
- B. Glycogen Phosphorylase and Glycogen Synthase Undergo Control by Covalent Modification 530
- C. Glycogen Metabolism Is Subject to Hormonal Control 536

4. Gluconeogenesis 538

- A. Pyruvate Is Converted to Phosphoenolpyruvate in Two Steps 539
- B. Hydrolytic Reactions Bypass Irreversible Glycolytic Reactions 543
- C. Gluconeogenesis and Glycolysis Are Independently Regulated 543

5. Other Carbohydrate Biosynthetic Pathways 545

Box 16-1 Pathways of Discovery: Carl and Gerty Cori and Glucose Metabolism 520

Box 16-2 Biochemistry in Health and Disease: Glycogen Storage Diseases 524

Box 16-3 Perspectives in Biochemistry: Optimizing Glycogen Structure 531

Box 16-4 Perspectives in Biochemistry: Lactose Synthesis 545

17 The Citric Acid Cycle 551

1. Overview of the Citric Acid Cycle 552

2. Synthesis of Acetyl-Coenzyme A 555

- A. Pyruvate Dehydrogenase Is a Multienzyme Complex 555
- B. The Pyruvate Dehydrogenase Complex Catalyzes Five Reactions 557

3. Enzymes of the Citric Acid Cycle 561

- A. Citrate Synthase Joins an Acetyl Group to Oxaloacetate 561
- B. Aconitase Interconverts Citrate and Isocitrate 563

C. NAD⁺-Dependent Isocitrate Dehydrogenase Releases CO₂ 564

D. α -Ketoglutarate Dehydrogenase Resembles Pyruvate Dehydrogenase 564

E. Succinyl-CoA Synthetase Produces GTP 565

F. Succinate Dehydrogenase Generates FADH₂ 567

G. Fumarase Produces Malate 567

H. Malate Dehydrogenase Regenerates Oxaloacetate 567

4. Regulation of the Citric Acid Cycle 568

- A. Pyruvate Dehydrogenase Is Regulated by Product Inhibition and Covalent Modification 569
- B. Three Enzymes Control the Rate of the Citric Acid Cycle 570

5. Reactions Related to the Citric Acid Cycle 572

- A. Other Pathways Use Citric Acid Cycle Intermediates 572
- B. Some Reactions Replenish Citric Acid Cycle Intermediates 574
- C. The Glyoxylate Cycle Shares Some Steps with the Citric Acid Cycle 574

Box 17-1 Pathways of Discovery: Hans Krebs and the Citric Acid Cycle 554

Box 17-2 Biochemistry in Health and Disease: Arsenic Poisoning 561

Box 17-3 Perspectives in Biochemistry: Evolution of the Citric Acid Cycle 576

18 Mitochondrial ATP Synthesis 581

1. The Mitochondrion 583

- A. Mitochondria Contain a Highly Folded Inner Membrane 583
- B. Ions and Metabolites Enter Mitochondria via Transporters 584

2. Electron Transport 587

- A. Electron Transport Is an Exergonic Process 587
- B. Electron Carriers Operate in Sequence 588
- C. Complex I Accepts Electrons from NADH 590
- D. Complex II Contributes Electrons to Coenzyme Q 595
- E. Complex III Translocates Protons via the Q Cycle 596
- F. Complex IV Reduces Oxygen to Water 600

3. Oxidative Phosphorylation 603

- A. The Chemiosmotic Theory Links Electron Transport to ATP Synthesis 604
- B. ATP Synthase Is Driven by the Flow of Protons 607
- C. The P/O Ratio Relates the Amount of ATP Synthesized to the Amount of Oxygen Reduced 612
- D. Oxidative Phosphorylation Can Be Uncoupled from Electron Transport 613



4. Control of Oxidative Metabolism 614

- A. The Rate of Oxidative Phosphorylation Depends on the ATP and NADH Concentrations 616

B. Aerobic Metabolism Has Some Disadvantages 617

Box 18-1 Perspectives in Biochemistry: Cytochromes Are Electron-Transport Heme Proteins **596**

Box 18-2 Pathways of Discovery: Peter Mitchell and the Chemiosmotic Theory **605**

Box 18-3 Perspectives in Biochemistry: Bacterial Electron Transport and Oxidative Phosphorylation **606**

Box 18-4 Perspectives in Biochemistry: Uncoupling in Brown Adipose Tissue Generates Heat **615**

Box 18-5 Biochemistry in Health and Disease: Oxygen Deprivation in Heart Attack and Stroke **619**

19 Photosynthesis 623

1. Chloroplasts 624

A. The Light Reactions Take Place in the Thylakoid Membrane **624**

B. Pigment Molecules Absorb Light **625**

2. The Light Reactions 628

A. Light Energy Is Transformed to Chemical Energy **628**

B. Electron Transport in Photosynthetic Bacteria Follows a Circular Path **630**

C. Two-Center Electron Transport Is a Linear Pathway That Produces O_2 and NADPH **632**

D. The Proton Gradient Drives ATP Synthesis by Photophosphorylation **642**

3. The Dark Reactions 644

A. The Calvin Cycle Fixes CO_2 **644**

B. Calvin Cycle Products Are Converted to Starch, Sucrose, and Cellulose **648**

C. The Calvin Cycle Is Controlled Indirectly by Light **649**

D. Photorespiration Competes with Photosynthesis **651**



Box 19-1 Perspectives in Biochemistry: Segregation of PSI and PSII **642**

20 Synthesis and Degradation of Lipids 657

1. Lipid Digestion, Absorption, and Transport 657

A. Triacylglycerols Are Digested before They Are Absorbed **658**

B. Lipids Are Transported as Lipoproteins **660**

2. Fatty Acid Oxidation 664

A. Fatty Acids Are Activated by Their Attachment to Coenzyme A **665**

B. Carnitine Carries Acyl Groups across the Mitochondrial Membrane **665**

C. β Oxidation Degrades Fatty Acids to Acetyl-CoA **667**

D. Oxidation of Unsaturated Fatty Acids Requires Additional Enzymes **669**

E. Oxidation of Odd-Chain Fatty Acids Yields Propionyl-CoA **670**

F. Peroxisomal β Oxidation Differs from Mitochondrial β Oxidation **677**

3. Ketone Bodies 678

4. Fatty Acid Biosynthesis 680

A. Mitochondrial Acetyl-CoA Must Be Transported into the Cytosol **681**

B. Acetyl-CoA Carboxylase Produces Malonyl-CoA **682**

C. Fatty Acid Synthase Catalyzes Seven Reactions **683**

D. Fatty Acids May Be Elongated and Desaturated **689**

E. Fatty Acids Are Esterified to Form Triacylglycerols **690**



5. Regulation of Fatty Acid Metabolism 691

6. Synthesis of Other Lipids 694

A. Glycerophospholipids Are Built from Intermediates of Triacylglycerol Synthesis **694**

B. Sphingolipids Are Built from Palmitoyl-CoA and Serine **697**

C. C_{20} Fatty Acids Are the Precursors of Prostaglandins **698**

7. Cholesterol Metabolism 700

A. Cholesterol Is Synthesized from Acetyl-CoA **701**

B. HMG-CoA Reductase Controls the Rate of Cholesterol Synthesis **704**

C. Abnormal Cholesterol Transport Leads to Atherosclerosis **707**

Box 20-1 Biochemistry in Health and Disease: Vitamin B_{12} Deficiency **672**

Box 20-2 Pathways of Discovery: Dorothy Crowfoot Hodgkin and the Structure of Vitamin B_{12} **674**

Box 20-3 Perspectives in Biochemistry: Polyketide Synthesis **688**

Box 20-4 Biochemistry in Health and Disease: Sphingolipid Degradation and Lipid Storage Diseases **700**

21 Synthesis and Degradation of Amino Acids 712

1. Protein Degradation 713

A. Lysosomes Degrade Many Proteins **713**

B. Ubiquitin Marks Proteins for Degradation **714**

C. The Proteasome Unfolds and Hydrolyzes Ubiquitinated Polypeptides **715**

2. Amino Acid Deamination 718

A. Transamination Uses PLP to Transfer Amino Groups **719**

B. Glutamate Can Be Oxidatively Deaminated **722**

3. The Urea Cycle 722

A. Five Enzymes Carry Out the Urea Cycle **723**

B. The Urea Cycle Is Regulated by Substrate Availability **726**

4. Breakdown of Amino Acids 727

A. Alanine, Cysteine, Glycine, Serine, and Threonine Are Degraded to Pyruvate **728**

B. Asparagine and Aspartate Are Degraded to Oxaloacetate **730**

C. Arginine, Glutamate, Glutamine, Histidine, and Proline Are Degraded to α -Ketoglutarate **731**

D. Methionine, Threonine, Isoleucine, and Valine Are Degraded to Succinyl-CoA **732**

- E. Leucine and Lysine Are Degraded Only to Acetyl-CoA and/or Acetoacetate **737**
- F. Tryptophan Is Degraded to Alanine and Acetoacetate **738**
- G. Phenylalanine and Tyrosine Are Degraded to Fumarate and Acetoacetate **739**

5. Amino Acid Biosynthesis **740**

- A. Nonessential Amino Acids Are Synthesized from Common Metabolites **742**
- B. Plants and Microorganisms Synthesize the Essential Amino Acids **746**

6. Other Products of Amino Acid Metabolism **752**

- A. Heme Is Synthesized from Glycine and Succinyl-CoA **752**
- B. Amino Acids Are Precursors of Physiologically Active Amines **756**
- C. Nitric Oxide Is Derived from Arginine **757**

7. Nitrogen Fixation **758**

- A. Nitrogenase Reduces N_2 to NH_3 **758**
- B. Fixed Nitrogen Is Assimilated into Biological Molecules **762**



Box 21-1 Biochemistry in Health and Disease: Homocysteine, a Marker of Disease **732**

Box 21-2 Biochemistry in Health and Disease: Phenylketonuria and Alcaptonuria Result from Defects in Phenylalanine Degradation **740**

Box 21-3 Biochemistry in Health and Disease: The Porphyrrias **754**

22 Regulation of Fuel Metabolism **767**

1. Organ Specialization **768**

- A. The Brain Requires a Steady Supply of Glucose **769**
- B. Muscle Utilizes Glucose, Fatty Acids, and Ketone Bodies **770**
- C. Adipose Tissue Stores and Releases Fatty Acids and Hormones **772**
- D. Liver Is the Body's Central Metabolic Clearinghouse **772**
- E. Kidney Filters Wastes and Maintains Blood pH **774**
- F. Blood Transports Metabolites in Interorgan Metabolic Pathways **774**

2. Hormonal Control of Fuel Metabolism **775**

- A. Insulin Release Is Triggered by Glucose **776**
- B. Glucagon and Catecholamines Counter the Effects of Insulin **777**

3. Metabolic Homeostasis: The Regulation of Energy Metabolism, Appetite, and Body Weight **777**

- A. AMP-Dependent Protein Kinase Is the Cell's Fuel Gauge **780**
- B. Adipocytes and Other Tissues Help Regulate Fuel Metabolism and Appetite **782**
- C. Energy Expenditure Can Be Controlled by Adaptive Thermogenesis **783**

4. Disturbances in Fuel Metabolism **784**

- A. Starvation Leads to Metabolic Adjustments **784**
- B. Diabetes Mellitus Is Characterized by High Blood Glucose Levels **786**
- C. Obesity Is Usually Caused by Excessive Food Intake **789**

Box 22-1 Biochemistry in Health and Disease: The Intestinal Microbiome **771**

Box 22-2 Pathways of Discovery: Frederick Banting and Charles Best and the Discovery of Insulin **788**

PART V GENE EXPRESSION AND REPLICATION

23 Nucleotide Synthesis and Degradation **793**

1. Synthesis of Purine Ribonucleotides **794**

- A. Purine Synthesis Yields Inosine Monophosphate **794**
- B. IMP Is Converted to Adenine and Guanine Ribonucleotides **797**
- C. Purine Nucleotide Biosynthesis Is Regulated at Several Steps **798**
- D. Purines Can Be Salvaged **799**

2. Synthesis of Pyrimidine Ribonucleotides **800**

- A. UMP Is Synthesized in Six Steps **800**
- B. UMP Is Converted to UTP and CTP **802**
- C. Pyrimidine Nucleotide Biosynthesis Is Regulated at ATCase or Carbamoyl Phosphate Synthetase II **802**

3. Formation of Deoxyribonucleotides **803**

- A. Ribonucleotide Reductase Converts Ribonucleotides to Deoxyribonucleotides **804**
- B. dUMP Is Methylated to Form Thymine **808**

4. Nucleotide Degradation **812**

- A. Purine Catabolism Yields Uric Acid **814**
- B. Some Animals Degrade Uric Acid **816**
- C. Pyrimidines Are Broken Down to Malonyl-CoA and Methylmalonyl-CoA **818**

Box 23-1 Biochemistry in Health and Disease: Inhibition of Thymidylate Synthesis in Cancer Therapy **813**

Box 23-2 Pathways of Discovery: Gertrude Elion and Purine Derivatives **817**

24 DNA Structure and Interactions with Proteins **821**

1. The DNA Helix **822**

- A. DNA Can Adopt Different Conformations **822**
- B. DNA Has Limited Flexibility **828**
- C. DNA Can Be Supercoiled **830**
- D. Topoisomerases Alter DNA Supercoiling **832**



2. Forces Stabilizing Nucleic Acid Structures 838

- A. Nucleic Acids Are Stabilized by Base Pairing, Stacking, and Ionic Interactions 839
- B. DNA Can Undergo Denaturation and Renaturation 840
- C. RNA Structures Are Highly Variable 842

3. Fractionation of Nucleic Acids 846

- A. Nucleic Acids Can Be Purified by Chromatography 846
- B. Electrophoresis Separates Nucleic Acids by Size 847

4. DNA-Protein Interactions 849

- A. Restriction Endonucleases Distort DNA on Binding 850
- B. Prokaryotic Repressors Often Include a DNA-Binding Helix 851
- C. Eukaryotic Transcription Factors May Include Zinc Fingers or Leucine Zippers 854

5. Eukaryotic Chromosome Structure 858

- A. DNA Coils around Histones to Form Nucleosomes 858
- B. Chromatin Forms Higher-Order Structures 861

Box 24-1 Pathways of Discovery: Rosalind Franklin and the Structure of DNA 823

Box 24-2 Biochemistry in Health and Disease: Inhibitors of Topoisomerases as Antibiotics and Anticancer Chemotherapeutic Agents 838

Box 24-3 Perspectives in Biochemistry: The RNA World 844

25 DNA Synthesis and Repair 867

1. Overview of DNA Replication 868

2. Prokaryotic DNA

Replication 870

- A. DNA Polymerases Add the Correctly Paired Nucleotide 870
- B. Replication Initiation Requires Helicase and Primase 876
- C. The Leading and Lagging Strands Are Synthesized Simultaneously 879
- D. Replication Terminates at Specific Sites 882
- E. DNA Is Replicated with High Fidelity 883



3. Eukaryotic DNA Replication 884

- A. Eukaryotes Use Several DNA Polymerases 884
- B. Eukaryotic DNA Is Replicated from Multiple Origins 888
- C. Telomerase Extends Chromosome Ends 889

4. DNA Damage 891

- A. Environmental and Chemical Agents Generate Mutations 891
- B. Many Mutagens Are Carcinogens 893

5. DNA Repair 895

- A. Some Damage Can Be Directly Reversed 895
- B. Base Excision Repair Requires a Glycosylase 897

- C. Nucleotide Excision Repair Removes a Segment of a DNA Strand 898

- D. Mismatch Repair Corrects Replication Errors 899

- E. Some DNA Repair Mechanisms Introduce Errors 900

6. Recombination 902

- A. Homologous Recombination Involves Several Protein Complexes 902
- B. DNA Can Be Repaired by Recombination 908
- C. Transposition Rearranges Segments of DNA 911

Box 25-1 Pathways of Discovery: Arthur Kornberg and DNA Polymerase I 871

Box 25-2 Perspectives in Biochemistry: Reverse Transcriptase 886

Box 25-3 Biochemistry in Health and Disease: Telomerase, Aging, and Cancer 891

Box 25-4 Perspectives in Biochemistry: DNA Methylation 894

Box 25-5 Perspectives in Biochemistry: Why Doesn't DNA Contain Uracil? 897

26 RNA Metabolism 919

1. Prokaryotic RNA Transcription 920

- A. RNA Polymerase Resembles Other Polymerases 920
- B. Transcription Is Initiated at a Promoter 923
- C. The RNA Chain Grows from the 5' to 3' End 924
- D. Transcription Terminates at Specific Sites 927

2. Transcription in Eukaryotes 929

- A. Eukaryotes Have Several RNA Polymerases 930
- B. Each Polymerase Recognizes a Different Type of Promoter 935
- C. Transcription Factors Are Required to Initiate Transcription 937

3. Posttranscriptional Processing 942

- A. Messenger RNAs Undergo 5' Capping and Addition of a 3' Tail 942
- B. Splicing Removes Introns from Eukaryotic Genes 944
- C. Ribosomal RNA Precursors May Be Cleaved, Modified, and Spliced 953
- D. Transfer RNAs Are Processed by Nucleotide Removal, Addition, and Modification 957

Box 26-1 Perspectives in Biochemistry: Collisions between DNA Polymerase and RNA Polymerase 926

Box 26-2 Biochemistry in Health and Disease: Inhibitors of Transcription 930

Box 26-3 Pathways of Discovery: Richard Roberts and Phillip Sharp and the Discovery of Introns 945



xvi