

Contents

Feature Boxes xvii

Preface xviii

Acknowledgments xx

Contributors xxi

Abbreviations xxiii

Part 1 Introduction 1

1 What is a cell? 2

Vishwanath R. Lingappa and Benjamin Lewin

- 1.1 Introduction 3
- 1.2 Life began as a self-replicating structure 5
- 1.3 A prokaryotic cell consists of a single compartment 7
- 1.4 Prokaryotes are adapted for growth under many diverse conditions 8
- 1.5 A eukaryotic cell contains many membrane-delimited compartments 9
- 1.6 Membranes allow the cytoplasm to maintain compartments with distinct environments 10
- 1.7 The nucleus contains the genetic material and is surrounded by an envelope 11
- 1.8 The plasma membrane allows a cell to maintain homeostasis 13
- 1.9 Cells within cells: Organelles bounded by envelopes may have resulted from endosymbiosis 15
- 1.10 DNA is the cellular hereditary material, but there are other forms of hereditary information 16
- 1.11 Cells require mechanisms to repair damage to DNA 17
- 1.12 Mitochondria are energy factories 17
- 1.13 Chloroplasts power plant cells 18
- 1.14 Organelles require mechanisms for specific localization of proteins 19
- 1.15 Proteins are transported to and through membranes 20

- 1.16 Protein trafficking moves proteins through the endoplasmic reticulum and Golgi apparatus 21
- 1.17 Protein folding and unfolding is an essential feature of all cells 22
- 1.18 The shape of a eukaryotic cell is determined by its cytoskeleton 23
- 1.19 Localization of cell structures is important 25
- 1.20 Cellular functions are carried out by enzymes and enzyme pathways and are controlled by feedback mechanisms 26
- 1.21 Signal transduction pathways execute predefined responses 26
- 1.22 Many enzymes and signaling pathways are organized as multiprotein complexes that function as machines 27
- 1.23 All organisms have cells that can grow and divide 28
- 1.24 Differentiation creates specialized cell types, including terminally differentiated cells 29
- References 30

2 Bioenergetics and cellular metabolism 31

Bianca Barquera

- 2.1 Introduction 32
- 2.2 Chemical equilibrium and reaction kinetics are linked 32
- 2.3 The steady state model is essential for understanding the net flow of reactants in linked reactions 33
- 2.4 Thermodynamics is the systematic treatment of energy changes 35
- 2.5 Standard free energy, the mass action ratio, and the equilibrium constant characterize reaction rates in metabolic pathways 38
- 2.6 Glycolysis is the best understood metabolic pathway 39
- 2.7 Pyruvate metabolism by the pyruvate dehydrogenase complex leads to oxidative respiration 42

- 2.8** Fatty acid oxidation is the major pathway of aerobic energy production 43
- 2.9** The Krebs cycle oxidizes acetyl-CoA and is a metabolic hub 44
- 2.10** Coupling of chemical reactions is a key feature of living organisms 46
- 2.11** Oxidative phosphorylation is the final common pathway converting electron energy to ATP 47
- 2.12** Photosynthesis completes the carbon cycle by converting CO₂ to sugar 51
- 2.13** Nitrogen metabolism encompasses amino acid, protein, and nucleic acid pathways 54
- 2.14** The Cori cycle and the purine nucleotide cycle are specialized pathways 55
- 2.15** Metabolic viewpoints provide insight into cellular regulation—only metabolically reversible reactions are possible regulatory sites 56
- 2.16** Some new approaches 56
- 2.17** Summary 58
- References 58

3 DNA replication, repair, and recombination 59

Jocelyn E. Krebs

- 3.1** Introduction 60
- 3.2** DNA is the genetic material 60
- 3.3** The structure of DNA 62
- 3.4** DNA replication is semiconservative and bidirectional 66
- 3.5** DNA polymerases replicate DNA 68
- 3.6** Helicases, single-strand binding proteins, and topoisomerases are required for replication fork progression 70
- 3.7** Priming is required to start DNA synthesis 71
- 3.8** A sliding clamp ensures processive DNA replication 72
- 3.9** Leading and lagging strand synthesis is coordinated 74
- 3.10** Replication initiates at origins and is regulated by the cell cycle 76
- 3.11** Replicating the ends of a linear chromosome 78
- 3.12** DNA is subject to damage 80
- 3.13** Direct repair can reverse some DNA damage 84
- 3.14** Mismatch repair corrects replication errors 85
- 3.15** Base excision repair replaces damaged bases 90
- 3.16** Nucleotide excision repair removes bulky DNA lesions 92

- 3.17** Double-strand breaks are repaired by homologous and nonhomologous pathways 94
- 3.18** HR is used for both repair and meiotic recombination 96
- 3.19** Summary 100
- References 102

4 Gene expression and regulation 103

David G. Bear

- 4.1** Introduction 104
- 4.2** Genes are transcription units 107
- 4.3** Transcription is a multistep process directed by DNA-dependent RNA polymerase 109
- 4.4** RNA polymerases are large multisubunit protein complexes 112
- 4.5** Promoters direct the initiation of transcription 116
- 4.6** Activators and repressors regulate transcription initiation 120
- 4.7** Transcriptional regulatory circuits control eukaryotic cell growth, proliferation, and differentiation 126
- 4.8** The 5' and 3' ends of mature mRNAs are generated by RNA processing 133
- 4.9** Terminators direct the end of transcription elongation 137
- 4.10** Introns in eukaryotic pre-mRNAs are removed by the spliceosome 140
- 4.11** Alternative splicing generates protein diversity 144
- 4.12** Translation is a three-stage process that decodes an mRNA to synthesize a protein 146
- 4.13** Translation is catalyzed by the ribosome 146
- 4.14** Translation is guided by a large number of protein factors that regulate the interaction of aminoacylated tRNAs with the ribosome 151
- 4.15** Translation is controlled by the interaction of the 5' and 3' ends of the mRNA and by translational repressor proteins 156
- 4.16** Some mRNAs are translated at specific locations within the cytoplasm 159
- 4.17** Sequence elements in the 5' and 3' untranslated regions determine the stability of an mRNA 159
- 4.18** Noncoding RNAs are important regulators of gene expression 163
- 4.19** What's next? 166
- 4.20** Summary 168
- References 168

5 Protein structure and function. 169

Stephen J. Smerdon

- 5.1 Introduction 170
- 5.2 X-ray crystallography and structural biology 171
- 5.3 Nuclear magnetic resonance 175
- 5.4 Electron microscopy of biomolecules and their complexes 180
- 5.5 Protein structure representations: a primer 183
- 5.6 Proteins are linear chains of amino acids: primary structure 185
- 5.7 Secondary structure: the fundamental unit of protein architecture 190
- 5.8 Tertiary structure and the universe of protein folds 193
- 5.9 Modular architecture and repeating motifs 197
- 5.10 Quaternary structure and higher-order assemblies 201
- 5.11 Enzymes are proteins that catalyze chemical reactions 204
- 5.12 Posttranslational modifications and cofactors 208
- 5.13 Dynamics, flexibility, and conformational changes 212
- 5.14 Protein-protein and protein-nucleic acid interactions 215
- 5.15 Function without structure? 220
- 5.16 Structure and medicine 221
- 5.17 What's next? Structural biology in the postgenomic era 226
- 5.18 Summary 227
- References 228

Part 2 Membranes and transport mechanisms 229

6 Transport of ions and small molecules across membranes 230

Stephan E. Lehnart and Andrew R. Marks

- 6.1 Introduction 231
- 6.2 Channels and carriers are the main types of membrane transport proteins 232
- 6.3 Hydration of ions influences their flux through transmembrane pores 234

- 6.4 Electrochemical gradients across the cell membrane generate the membrane potential 235
- 6.5 K^+ channels catalyze selective and rapid ion permeation 237
- 6.6 Different K^+ channels use a similar gate coupled to different activating or inactivating mechanisms 241
- 6.7 Voltage-dependent Na^+ channels are activated by membrane depolarization and translate electrical signals 246
- 6.8 Epithelial Na^+ channels regulate Na^+ homeostasis 250
- 6.9 Plasma membrane Ca^{2+} channels activate intracellular and intercellular signaling processes 254
- 6.10 Cl^- channels serve diverse biologic functions 257
- 6.11 Selective water transport occurs through aquaporin channels 261
- 6.12 Action potentials are electrical signals that depend on several types of ion channels 264
- 6.13 Cardiac and skeletal muscles are activated by excitation-contraction coupling 267
- 6.14 Some glucose transporters are uniporters 271
- 6.15 Symporters and antiporters mediate coupled transport 273
- 6.16 The transmembrane Na^+ gradient is essential for the function of many transporters 275
- 6.17 Some Na^+ transporters regulate cytosolic or extracellular pH 279
- 6.18 The Ca^{2+} -ATPase pumps Ca^{2+} into intracellular storage compartments 282
- 6.19 The Na^+/K^+ -ATPase maintains the plasma membrane Na^+ and K^+ gradients 285
- 6.20 The F_1F_0 -ATP synthase couples H^+ movement to ATP synthesis or hydrolysis 289
- 6.21 H^+ -ATPases transport protons out of the cytosol 290
- 6.22 What's next? 293
- 6.23 Summary 294
- 6.24 Supplement: Derivation and application of the Nernst equation 295
- 6.25 Supplement: Most K^+ channels undergo rectification 297
- 6.26 Supplement: Mutations in an anion channel cause cystic fibrosis 298
- References 300

7 Membrane targeting of proteins 301

D. Thomas Rutkowski and Vishwanath R. Lingappa

- 7.1** Introduction 302
- 7.2** Proteins enter the secretory pathway by translocation across the endoplasmic reticulum (ER) membrane (an overview) 304
- 7.3** Proteins use signal sequences to target the ER for translocation 306
- 7.4** Signal sequences are recognized by the signal recognition particle (SRP) 307
- 7.5** Interaction between SRP and its receptor allows proteins to dock at the ER membrane 308
- 7.6** The translocon is an aqueous channel that conducts proteins 309
- 7.7** Translation is coupled to translocation for most eukaryotic secretory and transmembrane proteins 312
- 7.8** Some proteins target and translocate posttranslationally 314
- 7.9** ATP hydrolysis drives translocation 315
- 7.10** Transmembrane proteins move out of the translocation channel and into the lipid bilayer 318
- 7.11** Orientation of transmembrane proteins is determined as they are integrated into the membrane 319
- 7.12** Signal sequences are removed by signal peptidase 321
- 7.13** The lipid glycosylphosphatidylinositol (GPI) is added to some translocated proteins 322
- 7.14** Sugars are added to many translocating proteins 324
- 7.15** Chaperones assist folding of newly translocated proteins 325
- 7.16** Protein disulfide isomerase ensures the formation of the correct disulfide bonds as proteins fold 327
- 7.17** The calnexin/calreticulin chaperoning system recognizes carbohydrate modifications 328
- 7.18** The assembly of proteins into complexes is monitored 329
- 7.19** Terminally misfolded proteins in the ER are returned to the cytosol for degradation 329
- 7.20** Communication between the ER and nucleus prevents the accumulation of unfolded proteins in the lumen 333

- 7.21** The ER synthesizes the major cellular phospholipids 335
- 7.22** Lipids must be moved from the ER to the membranes of other organelles 337
- 7.23** The two leaflets of a membrane often differ in lipid composition 338
- 7.24** The ER is morphologically and functionally subdivided 339
- 7.25** The ER is a dynamic organelle 341
- 7.26** Signal sequences are also used to target proteins to other organelles 344
- 7.27** Import into mitochondria begins with signal sequence recognition at the outer membrane 344
- 7.28** Complexes in the inner and outer membranes cooperate in mitochondrial protein import 345
- 7.29** Proteins imported into chloroplasts must also cross two membranes 347
- 7.30** Proteins fold before they are imported into peroxisomes 349
- 7.31** What's next? 350
- 7.32** Summary 351
- References 353

8 Protein trafficking between membranes 354

Vivek Malhotra, Graham Warren, and Ira Mellman

- 8.1** Introduction 355
- 8.2** Overview of the exocytic pathway 357
- 8.3** Overview of the endocytic pathway 360
- 8.4** Concepts in vesicle-mediated protein transport 364
- 8.5** The concepts of signal-mediated and bulk flow protein transport 366
- 8.6** Coat protein II (COPII)-coated vesicles mediate transport from the ER to the Golgi apparatus 367
- 8.7** Resident proteins that escape from the ER are retrieved 369
- 8.8** Coat protein I (COPI)-coated vesicles mediate retrograde transport from the Golgi apparatus to the ER 371
- 8.9** There are two popular models for forward transport through the Golgi apparatus 372
- 8.10** Retention of proteins in the Golgi apparatus depends on the membrane-spanning domain 374
- 8.11** Rab GTPases and tethers are two types of proteins that regulate vesicle targeting 374

- 8.12 Soluble *N*-ethylmaleimide-sensitive factor attachment protein receptor (SNARE) proteins likely mediate fusion of vesicles with target membranes 377
- 8.13 Endocytosis is often mediated by clathrin-coated vesicles 380
- 8.14 Adaptor complexes link clathrin and transmembrane cargo proteins 383
- 8.15 Some receptors recycle from early endosomes, whereas others are degraded in lysosomes 386
- 8.16 Early endosomes become late endosomes and lysosomes by maturation 388
- 8.17 Sorting of lysosomal proteins occurs in the *trans*-Golgi network (TGN) 390
- 8.18 Polarized epithelial cells transport proteins to apical and basolateral membranes 393
- 8.19 Some cells store proteins for later secretion 395
- 8.20 Some proteins are secreted without entering the ER-Golgi pathway 397
- 8.21 What's next? 398
- 8.22 Summary 398
References 399

Part 3 The nucleus 401

9 Nuclear structure and transport 402

Charles N. Cole

- 9.1 Introduction 403
- 9.2 Nuclei vary in appearance according to cell type and organism 405
- 9.3 Chromosomes occupy distinct territories 406
- 9.4 The nucleus contains subcompartments that are not membrane-bounded 407
- 9.5 Some processes occur at distinct nuclear sites and may reflect an underlying structure 409
- 9.6 The nucleus is bounded by the nuclear envelope 411
- 9.7 The nuclear lamina underlies the nuclear envelope 412
- 9.8 Large molecules are actively transported between the nucleus and cytoplasm 414
- 9.9 Nuclear pore complexes are symmetrical channels 415
- 9.10 Nuclear pore complexes are constructed from nucleoporins 418
- 9.11 Proteins are selectively transported into the nucleus through nuclear pores 421
- 9.12 Nuclear localization sequences target proteins to the nucleus 422

- 9.13 Cytoplasmic receptors recognize nuclear localization sequences (NLSs) and mediate nuclear protein import 423
- 9.14 Export of proteins from the nucleus is also receptor-mediated 425
- 9.15 The Ran GTPase controls the directionality and irreversibility of nuclear transport 427
- 9.16 Multiple models have been proposed for the mechanism of movement through nuclear pore complexes 429
- 9.17 Nuclear transport can be regulated 431
- 9.18 Multiple classes of RNA are exported from the nucleus 432
- 9.19 Ribosomal subunits are assembled in the nucleolus and exported by multiple receptors 434
- 9.20 tRNAs are exported by a dedicated exportin and can also use other receptors 435
- 9.21 mRNAs are exported from the nucleus as RNA-protein complexes 437
- 9.22 hnRNPs move from sites of processing to nuclear pore complexes 439
- 9.23 mRNA export requires several novel factors 440
- 9.24 U snRNAs are exported, modified, assembled into complexes, and imported back into the nucleus 444
- 9.25 Precursors to microRNAs are partially processed in the nucleus, exported, and further processed in the cytoplasm 444
- 9.26 What's next? 446
- 9.27 Summary 448
References 449

10 Chromatin and chromosomes 451

Benjamin Lewin and Jocelyn E. Krebs

- 10.1 Introduction 452
- 10.2 Chromatin is divided into euchromatin and heterochromatin 453
- 10.3 Chromosomes have banding patterns 455
- 10.4 Eukaryotic DNA has loops and domains attached to a scaffold 456
- 10.5 Specific sequences attach DNA to an interphase matrix or a metaphase scaffold 457
- 10.6 The eukaryotic chromosome is a segregation device 458
- 10.7 Point centromeres have short DNA sequences in *Saccharomyces cerevisiae* 460
- 10.8 The centromere binds a protein complex 461

10.9	Regional centromeres contain repetitive DNA	461
10.10	Telomeres are replicated by a special mechanism	463
10.11	Lampbrush chromosomes are extended	465
10.12	Polytene chromosomes form bands	466
10.13	Polytene chromosomes expand at sites of gene expression	467
10.14	The nucleosome is the subunit of all chromatin	470
10.15	DNA is coiled in arrays of nucleosomes	472
10.16	Nucleosomes have a common structure	473
10.17	Organization of the histone octamer	476
10.18	Histone variants produce alternative nucleosomes	478
10.19	The path of nucleosomes in the chromatin fiber	479
10.20	Replication of chromatin requires assembly of nucleosomes	481
10.21	Do nucleosomes lie at specific positions?	484
10.22	Domains of nuclease sensitivity define regions that contain active genes	487
10.23	Histone octamers are displaced and reassembled during transcription	489
10.24	Chromatin remodeling is an active process	493
10.25	Histones are covalently modified	496
10.26	Heterochromatin propagates from a nucleation event	500
10.27	Heterochromatin depends on interactions with histones	501
10.28	X chromosomes undergo global changes	504
10.29	Chromosome condensation is caused by condensins	506
10.30	What's next?	509
10.31	Summary	509
	References	512

Part 4 The cytoskeleton 513

11 Microtubules 514

Lynne Cassimeris

11.1	Introduction	515
11.2	Microtubules are polar polymers of α - and β -tubulin	517
11.3	General functions of microtubules	519
11.4	Purified tubulin subunits assemble into microtubules	522

11.5	Microtubule assembly and disassembly proceed by a unique process termed dynamic instability	524
11.6	A cap of GTP-tubulin subunits regulates the transitions of dynamic instability	526
11.7	Cells use microtubule-organizing centers to nucleate microtubule assembly	528
11.8	Microtubule dynamics in cells	531
11.9	Why do cells have dynamic microtubules?	534
11.10	Cells use several classes of proteins to regulate the stability of their microtubules	536
11.11	Introduction to microtubule-based motor proteins	540
11.12	How motor proteins work	543
11.13	How cargoes are loaded onto the right motor	549
11.14	Microtubule dynamics and motors combine to generate the asymmetric organization of cells	550
11.15	Interactions between microtubules and actin filaments	555
11.16	Cilia and flagella are motile structures	557
11.17	What's next?	562
11.18	Summary	563
11.19	Supplement: What if tubulin did not hydrolyze GTP?	564
11.20	Supplement: Fluorescence recovery after photobleaching	553
11.21	Supplement: Tubulin synthesis and modification	565
	References	567

12 Actin 568

Enrique M. De La Cruz and E. Michael Ostap

12.1	Introduction	569
12.2	Actin is a ubiquitously expressed cytoskeletal protein	570
12.3	Actin monomers bind ATP and ADP	570
12.4	Actin filaments are structurally polarized polymers	571
12.5	Actin polymerization is a multistep and dynamic process	572
12.6	Actin subunits hydrolyze ATP after polymerization	575
12.7	Actin binding proteins regulate actin polymerization and organization	577
12.8	Actin monomer binding proteins influence polymerization	578

- 12.9** Nucleating proteins control cellular actin polymerization 579
- 12.10** Capping proteins regulate the length of actin filaments 580
- 12.11** Severing and depolymerizing proteins regulate actin filament dynamics 581
- 12.12** Cross-linking proteins organize actin filaments into bundles and orthogonal networks 582
- 12.13** Actin and actin binding proteins work together to drive cell migration 584
- 12.14** Small G proteins regulate actin polymerization 586
- 12.15** Myosins are actin-based molecular motors with essential roles in many cellular processes 587
- 12.16** Myosins have three structural domains 590
- 12.17** ATP hydrolysis by myosin is a multistep reaction 594
- 12.18** Myosin motors have kinetic properties suited for their cellular roles 595
- 12.19** Myosins take nanometer steps and generate piconewton forces 596
- 12.20** Myosins are regulated by multiple mechanisms 597
- 12.21** Myosin-II functions in muscle contraction 598
- 12.22** What's next? 602
- 12.23** Summary 602
- References 603

13 Intermediate filaments ... 604

Birgit Lane

- 13.1** Introduction 605
- 13.2** Similarities in structure define the intermediate filament family 606
- 13.3** Intermediate filament subunits assemble with high affinity into strain-resistant structures 608
- 13.4** Two-thirds of all intermediate filament proteins are keratins 611
- 13.5** Mutations in keratins cause epithelial cell fragility 615
- 13.6** Intermediate filament proteins of nerve, muscle, and connective tissue often show overlapping expression 617
- 13.7** Lamin intermediate filaments reinforce the nuclear envelope 619
- 13.8** Even the divergent lens filament proteins are conserved in evolution 621
- 13.9** Posttranslational modifications regulate and remodel intermediate filament networks 621

- 13.10** Interacting proteins facilitate secondary functions of intermediate filaments 624
- 13.11** Intermediate filament genes are represented through metazoan evolution 626
- 13.12** What's next? 628
- 13.13** Summary 629
- References 630

Part 5 Cell division, apoptosis, and cancer 631

14 Mitosis. 632

Conly L. Rieder

- 14.1** Introduction 633
- 14.2** Mitosis is divided into stages 636
- 14.3** Mitosis requires the formation of a new apparatus called the spindle 638
- 14.4** Spindle formation and function depend on the dynamic behavior of microtubules and their associated motor proteins 641
- 14.5** Centrosomes are microtubule-organizing centers 643
- 14.6** Centrosomes reproduce about the time the DNA is replicated 644
- 14.7** Spindles begin to form as separating asters interact 647
- 14.8** Spindles require chromosomes for stabilization but can "self-organize" without centrosomes 649
- 14.9** The centromere is a specialized region on the chromosome that contains the kinetochores 651
- 14.10** Kinetochores form at the onset of prometaphase and contain microtubule motor proteins 652
- 14.11** Kinetochores capture and stabilize their associated microtubules 654
- 14.12** Mistakes in kinetochore attachment are corrected 658
- 14.13** Kinetochore fibers must both shorten and elongate to allow chromosomes to move 662
- 14.14** Congression involves pulling forces that act on the kinetochores 663
- 14.15** Congression is also regulated by forces that act along the chromosome arms and the activity of sister kinetochores 665
- 14.16** Kinetochores control the metaphase-to-anaphase transition 667

- 14.17 The force to move a chromosome toward a pole is produced by two mechanisms 669
- 14.18 Anaphase has two phases 670
- 14.19 Changes occur during telophase that lead the cell out of the mitotic state 673
- 14.20 During cytokinesis, the cytoplasm is partitioned to form two new daughter cells 674
- 14.21 Formation of the contractile ring requires the spindle and stem bodies 677
- 14.22 The contractile ring cleaves the cell in two 680
- 14.23 The segregation of nonnuclear organelles during cytokinesis is based on chance 682
- 14.24 What's next? 682
- 14.25 Summary 683
- References 684

15 Cell cycle regulation 685

Kathleen L. Gould and Susan L. Forsburg

- 15.1 Introduction 686
- 15.2 Several experimental systems are used for cell cycle research 688
- 15.3 A cycle of cyclin-dependent kinase activities regulates cell proliferation 692
- 15.4 CDK-cyclin complexes are regulated in several ways 694
- 15.5 Cells may withdraw from the cell cycle 696
- 15.6 Entry into cell cycle is tightly regulated 698
- 15.7 DNA replication requires the ordered assembly of protein complexes 700
- 15.8 Mitosis is orchestrated by several protein kinases 703
- 15.9 Sister chromatids are held together until anaphase 706
- 15.10 Exit from mitosis requires more than cyclin proteolysis 708
- 15.11 Events of the cell cycle are coordinated 711
- 15.12 Checkpoint controls coordinate different cell cycle events 712
- 15.13 DNA replication and DNA damage checkpoints monitor defects in DNA metabolism 714
- 15.14 The SAC monitors defects in chromosome-microtubule attachment 718
- 15.15 Cell cycle deregulation can lead to cancer 721
- 15.16 What's next? 721
- 15.17 Summary 723
- References 723

16 Apoptosis. 725

Douglas R. Green

- 16.1 Introduction 726
- 16.2 Caspases orchestrate apoptosis by cleaving specific substrates 728
- 16.3 Executioner caspases are activated by cleavage, whereas initiator caspases are activated by dimerization 729
- 16.4 Some inhibitors of apoptosis proteins block caspases 730
- 16.5 Some caspases have functions in inflammation 731
- 16.6 The death receptor pathway of apoptosis transmits external signals 732
- 16.7 Apoptosis signaling by TNFR1 is complex 734
- 16.8 Mitochondrial pathway of apoptosis 735
- 16.9 Bcl-2 family proteins mediate and regulate MOMP and apoptosis 736
- 16.10 Multidomain Bcl-2 proteins Bax and Bak are required for MOMP 737
- 16.11 Activation of Bax and Bak are controlled by other Bcl-2 family proteins 738
- 16.12 Cytochrome *c*, released upon MOMP, induces caspase activation 739
- 16.13 Some proteins released upon MOMP block IAPs 740
- 16.14 The death receptor pathway of apoptosis can engage MOMP through the cleavage of the BH3-only protein Bid 740
- 16.15 MOMP can cause caspase-independent cell death 741
- 16.16 Mitochondrial permeability transition can cause MOMP 742
- 16.17 Many discoveries about apoptosis were made in nematodes 742
- 16.18 Apoptosis in insects has features distinct from mammals and nematodes 743
- 16.19 Clearance of apoptotic cells requires cellular interaction 744
- 16.20 Apoptosis plays a role in diseases such as viral infection and cancer 746
- 16.21 Apoptotic cells are gone but not forgotten 747
- 16.22 What's next? 748
- 16.23 Summary 748
- References 749

17 Cancer: Principles and overview 750

Robert A. Weinberg

- 17.1 Tumors are masses of cells derived from a single cell 751
- 17.2 Cancer cells have a number of phenotypic characteristics 752
- 17.3 Cancer cells arise after DNA damage 755
- 17.4 Cancer cells are created when certain genes are mutated 756
- 17.5 Cellular genomes harbor a number of proto-oncogenes 758
- 17.6 Elimination of tumor-suppressor activity requires two mutations 759
- 17.7 Genesis of tumors is a complex process 761
- 17.8 Cell growth and proliferation are activated by growth factors 764
- 17.9 Cells are subject to growth inhibition and may exit from the cell cycle 766
- 17.10 Tumor suppressors block inappropriate entry into the cell cycle 768
- 17.11 Mutation of DNA repair and maintenance genes can increase the overall mutation rate 769
- 17.12 Cancer cells may achieve immortality 771
- 17.13 Access to vital supplies is provided by angiogenesis 772
- 17.14 Cancer cells may invade new locations in the body 773
- 17.15 What's next? 774
- 17.16 Summary 775
References 776

Part 6 Cell communication 777

18 Principles of cell signaling. . 778

Elliott M. Ross and Melanie H. Cobb

- 18.1 Introduction 779
- 18.2 Cellular signaling is primarily chemical 780
- 18.3 Receptors sense diverse stimuli but initiate a limited repertoire of cellular signals 780
- 18.4 Receptors are catalysts and amplifiers 782
- 18.5 Ligand binding changes receptor conformation 782
- 18.6 Signals are sorted and integrated in signaling pathways and networks 784
- 18.7 Cellular signaling pathways can be thought of as biochemical logic circuits 786
- 18.8 Scaffolds increase signaling efficiency and enhance spatial organization of signaling 788
- 18.9 Independent, modular domains specify protein-protein interactions 789
- 18.10 Cellular signaling is remarkably adaptive 791
- 18.11 Signaling proteins are frequently expressed as multiple species 794
- 18.12 Activating and deactivating reactions are separate and independently controlled 795
- 18.13 Cellular signaling uses both allostery and covalent modification 795
- 18.14 Second messengers provide readily diffusible pathways for information transfer 796
- 18.15 Ca^{2+} signaling serves diverse purposes in all eukaryotic cells 798
- 18.16 Lipids and lipid-derived compounds are signaling molecules 799
- 18.17 PI 3-kinase regulates both cell shape and the activation of essential growth and metabolic functions 801
- 18.18 Signaling through ion channel receptors is very fast 802
- 18.19 Nuclear receptors regulate transcription 804
- 18.20 G protein-signaling modules are widely used and highly adaptable 805
- 18.21 Heterotrimeric G proteins regulate a wide variety of effectors 808
- 18.22 Heterotrimeric G proteins are controlled by a regulatory GTPase cycle 808
- 18.23 Small, monomeric GTP-binding proteins are multiuse switches 810
- 18.24 Protein phosphorylation/dephosphorylation is a major regulatory mechanism in the cell 811
- 18.25 Two-component protein phosphorylation systems are signaling relays 814
- 18.26 Pharmacologic inhibitors of protein kinases may be used to understand and treat disease 815
- 18.27 Phosphoprotein phosphatases reverse the actions of kinases and are independently regulated 815
- 18.28 Covalent modification by ubiquitin and ubiquitin-like proteins is another way of regulating protein function 818
- 18.29 Wnt pathway regulates cell fate during development and other processes in the adult 820

- 18.30 Diverse signaling mechanisms are regulated by protein-tyrosine kinases 820
- 18.31 Src family protein kinases cooperate with receptor protein-tyrosine kinases 822
- 18.32 MAPKs are central to many signaling pathways 823
- 18.33 Cyclin-dependent protein kinases control the cell cycle 824
- 18.34 Diverse receptors recruit protein-tyrosine kinases to the plasma membrane 825
- 18.35 What's next? 829
- 18.36 Summary 829
- References 829

19 The extracellular matrix and cell adhesion 831

George Plopper

- 19.1 Introduction 832
- 19.2 Collagen provides structural support to tissues 835
- 19.3 Fibronectins connect cells to collagenous matrices 839
- 19.4 Elastic fibers impart flexibility to tissues 841
- 19.5 Laminins provide an adhesive substrate for cells 844
- 19.6 Matricellular proteins regulate cell-ECM interactions 846
- 19.7 Proteoglycans provide hydration to tissues 848
- 19.8 HA is a GAG enriched in connective tissues 851
- 19.9 HSPGs are cell surface coreceptors 853
- 19.10 Basal lamina is a specialized ECM 855
- 19.11 Proteases degrade ECM components 857
- 19.12 Most integrins are receptors for ECM proteins 860
- 19.13 Integrin receptors participate in cell signaling 863
- 19.14 Integrins and ECM molecules play key roles in development 867
- 19.15 Tight junctions form selectively permeable barriers between cells 870
- 19.16 Septate junctions in invertebrates are similar to tight junctions 873
- 19.17 Adherens junctions link adjacent cells 875
- 19.18 Desmosomes are intermediate filament-based cell adhesion complexes 877
- 19.19 Hemidesmosomes attach epithelial cells to the basal lamina 878
- 19.20 Gap junctions allow direct transfer of molecules between adjacent cells 880

- 19.21 Calcium-dependent cadherins mediate adhesion between cells 882
- 19.22 Calcium-independent neural cell adhesion molecules mediate adhesion between neural cells 885
- 19.23 Selectins control adhesion of circulating immune cells 887
- 19.24 What's next? 888
- 19.25 Summary 888
- References 889

Part 7 Prokaryotic and plant cells 891

20 Prokaryotic cell biology.... 892

Matthew Chapman and Jeff Errington

- 20.1 Introduction 893
- 20.2 Molecular phylogeny techniques are used to understand microbial evolution 895
- 20.3 Prokaryotic life-styles are diverse 897
- 20.4 Archaea are prokaryotes with similarities to eukaryotic cells 899
- 20.5 Most prokaryotes produce a polysaccharide-rich layer called the capsule 901
- 20.6 The bacterial cell wall contains a cross-linked meshwork of peptidoglycan 903
- 20.7 The cell envelope of gram-positive bacteria has unique features 907
- 20.8 Gram-negative bacteria have an outer membrane and a periplasmic space 909
- 20.9 The cytoplasmic membrane is a selective barrier for secretion 912
- 20.10 Prokaryotes have several secretion pathways 913
- 20.11 Pili and flagella are appendages on the cell surface of most prokaryotes 915
- 20.12 Prokaryotic genomes contain chromosomes and mobile DNA elements 919
- 20.13 The bacterial nucleoid and cytoplasm are highly ordered 921
- 20.14 Bacterial chromosomes are replicated in specialized replication factories 923
- 20.15 Prokaryotic chromosome segregation occurs in the absence of a mitotic spindle 925
- 20.16 Prokaryotic cell division involves formation of a complex cytokinetic ring 927
- 20.17 Prokaryotes respond to stress with complex developmental changes 931

- 20.18** Some prokaryotic life cycles include obligatory developmental changes 935
- 20.19** Some prokaryotes and eukaryotes have endosymbiotic relationships 936
- 20.20** Prokaryotes can colonize and cause disease in higher organisms 938
- 20.21** Biofilms are highly organized communities of microbes 940
- 20.22** What's next? 942
- 20.23** Summary 943
References 944

21 Plant cell biology 945

Clive Lloyd

- 21.1** Introduction 946
- 21.2** How plants grow 947
- 21.3** The meristem provides new growth modules in a repetitive manner 948
- 21.4** The plane in which a cell divides is important for tissue organization 950
- 21.5** Cytoplasmic structures predict the plane of cell division before mitosis begins 953
- 21.6** Plant mitosis occurs without centrosomes 956
- 21.7** The cytokinetic apparatus builds a new wall in the plane anticipated by the preprophase band 958
- 21.8** Secretion during cytokinesis forms the cell plate 961
- 21.9** Plasmodesmata are intercellular channels that connect plant cells 962
- 21.10** Cell expansion is driven by swelling of the vacuole 964

- 21.11** The large forces of turgor pressure are resisted by the strength of cellulose microfibrils in the cell wall 966
- 21.12** The cell wall must be loosened and reorganized to allow growth 968
- 21.13** Cellulose is synthesized at the plasma membrane, not preassembled and secreted like other wall components 969
- 21.14** Cortical microtubules organize components in the cell wall 971
- 21.15** Cortical microtubules are highly dynamic and can change their orientation 973
- 21.16** A dispersed Golgi system delivers vesicles to the cell surface for growth 976
- 21.17** Actin filaments form a network for delivering materials around the cell 978
- 21.18** Differentiation of xylem cells requires extensive specialization 980
- 21.19** Specialized plant cells elongate by tip growth 982
- 21.20** Plants contain unique organelles called plastids 986
- 21.21** Chloroplasts manufacture food from atmospheric CO₂ 988
- 21.22** Polarized flow of the hormone auxin coordinates growth 990
- 21.23** What's next? 991
- 21.24** Summary 993
References 995

Glossary 997

Index 1027