

# BRIEF CONTENTS

## PART I Genes and Chromosomes 1

|                                                                             |     |
|-----------------------------------------------------------------------------|-----|
| <b>Chapter 1</b> Genes Are DNA and Encode RNAs and Polypeptides .....       | 2   |
| <i>Edited by Esther Siegfried</i>                                           |     |
| <b>Chapter 2</b> Methods in Molecular Biology and Genetic Engineering ..... | 35  |
| <b>Chapter 3</b> The Interrupted Gene .....                                 | 71  |
| <b>Chapter 4</b> The Content of the Genome .....                            | 87  |
| <b>Chapter 5</b> Genome Sequences and Evolution .....                       | 101 |
| <b>Chapter 6</b> Clusters and Repeats .....                                 | 143 |
| <b>Chapter 7</b> Chromosomes .....                                          | 161 |
| <i>Edited by Hank W. Bass</i>                                               |     |
| <b>Chapter 8</b> Chromatin .....                                            | 189 |
| <i>Edited by Craig Peterson</i>                                             |     |

## PART II DNA Replication and Recombination 227

|                                                                                          |     |
|------------------------------------------------------------------------------------------|-----|
| <b>Chapter 9</b> Replication Is Connected to the Cell Cycle .....                        | 228 |
| <i>Edited by Barbara Funnell</i>                                                         |     |
| <b>Chapter 10</b> The Replicon: Initiation of Replication .....                          | 245 |
| <b>Chapter 11</b> DNA Replication .....                                                  | 261 |
| <b>Chapter 12</b> Extrachromosomal Replicons .....                                       | 283 |
| <b>Chapter 13</b> Homologous and Site-Specific Recombination .....                       | 305 |
| <i>Edited by Hannah L. Klein and Samantha Hoot</i>                                       |     |
| <b>Chapter 14</b> Repair Systems .....                                                   | 339 |
| <b>Chapter 15</b> Transposable Elements and Retroviruses .....                           | 367 |
| <i>Edited by Damon Lisch</i>                                                             |     |
| <b>Chapter 16</b> Somatic DNA Recombination and Hypermutation in the Immune System ..... | 397 |
| <i>Edited by Paolo Casali</i>                                                            |     |

## PART III Transcription and Posttranscriptional Mechanisms 441

|                                                         |     |
|---------------------------------------------------------|-----|
| <b>Chapter 17</b> Prokaryotic Transcription .....       | 442 |
| <b>Chapter 18</b> Eukaryotic Transcription .....        | 479 |
| <b>Chapter 19</b> RNA Splicing and Processing .....     | 503 |
| <b>Chapter 20</b> mRNA Stability and Localization ..... | 543 |
| <i>Edited by Ellen Baker</i>                            |     |
| <b>Chapter 21</b> Catalytic RNA .....                   | 563 |
| <i>Edited by Douglas J. Briant</i>                      |     |
| <b>Chapter 22</b> Translation .....                     | 583 |
| <b>Chapter 23</b> Using the Genetic Code .....          | 621 |

## PART IV Gene Regulation 647

|                                                             |     |
|-------------------------------------------------------------|-----|
| <b>Chapter 24</b> The Operon .....                          | 648 |
| <i>Edited by Lishin Swint-Kruse</i>                         |     |
| <b>Chapter 25</b> Phage Strategies .....                    | 677 |
| <b>Chapter 26</b> Eukaryotic Transcription Regulation ..... | 701 |
| <b>Chapter 27</b> Epigenetics I .....                       | 731 |
| <i>Edited by Trygve Tollefsbol</i>                          |     |
| <b>Chapter 28</b> Epigenetics II .....                      | 749 |
| <i>Edited by Trygve Tollefsbol</i>                          |     |
| <b>Chapter 29</b> Noncoding RNA .....                       | 761 |
| <b>Chapter 30</b> Regulatory RNA .....                      | 769 |

# CONTENTS

Preface xv

About the Authors xxiii

## PART I Genes and Chromosomes

1

### Chapter 1 Genes Are DNA and Encode RNAs and Polypeptides ..... 2

*Edited by Esther Siegfried*

- 1.1 Introduction 3
- 1.2 DNA Is the Genetic Material of Bacteria and Viruses 4
- 1.3 DNA Is the Genetic Material of Eukaryotic Cells 6
- 1.4 Polynucleotide Chains Have Nitrogenous Bases Linked to a Sugar-Phosphate Backbone 6
- 1.5 Supercoiling Affects the Structure of DNA 7
- 1.6 DNA Is a Double Helix 9
- 1.7 DNA Replication Is Semiconservative 11
- 1.8 Polymerases Act on Separated DNA Strands at the Replication Fork 12
- 1.9 Genetic Information Can Be Provided by DNA or RNA 13
- 1.10 Nucleic Acids Hybridize by Base Pairing 15
- 1.11 Mutations Change the Sequence of DNA 16
- 1.12 Mutations Can Affect Single Base Pairs or Longer Sequences 17
- 1.13 The Effects of Mutations Can Be Reversed 18
- 1.14 Mutations Are Concentrated at Hotspots 19
- 1.15 Many Hotspots Result from Modified Bases 19
- 1.16 Some Hereditary Agents Are Extremely Small 20
- 1.17 Most Genes Encode Polypeptides 21
- 1.18 Mutations in the Same Gene Cannot Complement 22
- 1.19 Mutations May Cause Loss of Function or Gain of Function 23
- 1.20 A Locus Can Have Many Different Mutant Alleles 24
- 1.21 A Locus Can Have More Than One Wild-Type Allele 25
- 1.22 Recombination Occurs by Physical Exchange of DNA 25
- 1.23 The Genetic Code Is Triplet 27
- 1.24 Every Coding Sequence Has Three Possible Reading Frames 29
- 1.25 Bacterial Genes Are Colinear with Their Products 29
- 1.26 Several Processes Are Required to Express the Product of a Gene 30
- 1.27 Proteins Are *trans*-Acting but Sites on DNA Are *cis*-Acting 31

### Chapter 2 Methods in Molecular Biology and Genetic Engineering ..... 35

- 2.1 Introduction 35
- 2.2 Nucleases 36
- 2.3 Cloning 38
- 2.4 Cloning Vectors Can Be Specialized for Different Purposes 40
- 2.5 Nucleic Acid Detection 43
- 2.6 DNA Separation Techniques 45
- 2.7 DNA Sequencing 48
- 2.8 PCR and RT-PCR 50

- 2.9 Blotting Methods 55
- 2.10 DNA Microarrays 58
- 2.11 Chromatin Immunoprecipitation 61
- 2.12 Gene Knockouts, Transgenics, and Genome Editing 62

### Chapter 3 The Interrupted Gene ..... 71

- 3.1 Introduction 71
- 3.2 An Interrupted Gene Has Exons and Introns 72
- 3.3 Exon and Intron Base Compositions Differ 73
- 3.4 Organization of Interrupted Genes Can Be Conserved 73
- 3.5 Exon Sequences Under Negative Selection Are Conserved but Introns Vary 74
- 3.6 Exon Sequences Under Positive Selection Vary but Introns Are Conserved 75
- 3.7 Genes Show a Wide Distribution of Sizes Due Primarily to Intron Size and Number Variation 76
- 3.8 Some DNA Sequences Encode More Than One Polypeptide 78
- 3.9 Some Exons Correspond to Protein Functional Domains 79
- 3.10 Members of a Gene Family Have a Common Organization 81
- 3.11 There Are Many Forms of Information in DNA 82

### Chapter 4 The Content of the Genome ..... 87

- 4.1 Introduction 87
- 4.2 Genome Mapping Reveals That Individual Genomes Show Extensive Variation 88
- 4.3 SNPs Can Be Associated with Genetic Disorders 89
- 4.4 Eukaryotic Genomes Contain Nonrepetitive and Repetitive DNA Sequences 90
- 4.5 Eukaryotic Protein-Coding Genes Can Be Identified by the Conservation of Exons and of Genome Organization 92
- 4.6 Some Eukaryotic Organelles Have DNA 94
- 4.7 Organelle Genomes Are Circular DNAs That Encode Organelle Proteins 95
- 4.8 The Chloroplast Genome Encodes Many Proteins and RNAs 97
- 4.9 Mitochondria and Chloroplasts Evolved by Endosymbiosis 98

### Chapter 5 Genome Sequences and Evolution ..... 101

- 5.1 Introduction 102
- 5.2 Prokaryotic Gene Numbers Range Over an Order of Magnitude 103
- 5.3 Total Gene Number Is Known for Several Eukaryotes 104
- 5.4 How Many Different Types of Genes Are There? 106
- 5.5 The Human Genome Has Fewer Genes Than Originally Expected 108
- 5.6 How Are Genes and Other Sequences Distributed in the Genome? 110
- 5.7 The Y Chromosome Has Several Male-Specific Genes 111
- 5.8 How Many Genes Are Essential? 112
- 5.9 About 10,000 Genes Are Expressed at Widely Differing Levels in a Eukaryotic Cell 115
- 5.10 Expressed Gene Number Can Be Measured En Masse 116

|      |                                                                                        |     |
|------|----------------------------------------------------------------------------------------|-----|
| 5.11 | DNA Sequences Evolve by Mutation and a Sorting Mechanism                               | 117 |
| 5.12 | Selection Can Be Detected by Measuring Sequence Variation                              | 119 |
| 5.13 | A Constant Rate of Sequence Divergence Is a Molecular Clock                            | 122 |
| 5.14 | The Rate of Neutral Substitution Can Be Measured from Divergence of Repeated Sequences | 125 |
| 5.15 | How Did Interrupted Genes Evolve?                                                      | 126 |
| 5.16 | Why Are Some Genomes So Large?                                                         | 128 |
| 5.17 | Morphological Complexity Evolves by Adding New Gene Functions                          | 130 |
| 5.18 | Gene Duplication Contributes to Genome Evolution                                       | 131 |
| 5.19 | Globin Clusters Arise by Duplication and Divergence                                    | 132 |
| 5.20 | Pseudogenes Have Lost Their Original Functions                                         | 134 |
| 5.21 | Genome Duplication Has Played a Role in Plant and Vertebrate Evolution                 | 135 |
| 5.22 | What Is the Role of Transposable Elements in Genome Evolution                          | 137 |
| 5.23 | There Can Be Biases in Mutation, Gene Conversion, and Codon Usage                      | 137 |

## Chapter 6 Clusters and Repeats.....143

|     |                                                                              |     |
|-----|------------------------------------------------------------------------------|-----|
| 6.1 | Introduction                                                                 | 143 |
| 6.2 | Unequal Crossing-Over Rearranges Gene Clusters                               | 145 |
| 6.3 | Genes for rRNA Form Tandem Repeats Including an Invariant Transcription Unit | 147 |
| 6.4 | Crossover Fixation Could Maintain Identical Repeats                          | 150 |
| 6.5 | Satellite DNAs Often Lie in Heterochromatin                                  | 152 |
| 6.6 | Arthropod Satellites Have Very Short Identical Repeats                       | 153 |
| 6.7 | Mammalian Satellites Consist of Hierarchical Repeats                         | 154 |
| 6.8 | Minisatellites Are Useful for DNA Profiling                                  | 157 |

## Chapter 7 Chromosomes.....161

*Edited by Hank W. Bass*

|      |                                                                                  |     |
|------|----------------------------------------------------------------------------------|-----|
| 7.1  | Introduction                                                                     | 162 |
| 7.2  | Viral Genomes Are Packaged into Their Coats                                      | 163 |
| 7.3  | The Bacterial Genome Is a Nucleoid with Dynamic Structural Properties            | 165 |
| 7.4  | The Bacterial Genome Is Supercoiled and Has Four Macrodomains                    | 167 |
| 7.5  | Eukaryotic DNA Has Loops and Domains Attached to a Scaffold                      | 168 |
| 7.6  | Specific Sequences Attach DNA to an Interphase Matrix                            | 169 |
| 7.7  | Chromatin Is Divided into Euchromatin and Heterochromatin                        | 170 |
| 7.8  | Chromosomes Have Banding Patterns                                                | 172 |
| 7.9  | Lampbrush Chromosomes Are Extended                                               | 173 |
| 7.10 | Polytene Chromosomes Form Bands                                                  | 174 |
| 7.11 | Polytene Chromosomes Expand at Sites of Gene Expression                          | 175 |
| 7.12 | The Eukaryotic Chromosome Is a Segregation Device                                | 176 |
| 7.13 | Regional Centromeres Contain a Centromeric Histone H3 Variant and Repetitive DNA | 177 |

|      |                                                                                  |     |
|------|----------------------------------------------------------------------------------|-----|
| 7.14 | Point Centromeres in <i>S. cerevisiae</i> Contain Short, Essential DNA Sequences | 179 |
| 7.15 | The <i>S. cerevisiae</i> Centromere Binds a Protein Complex                      | 179 |
| 7.16 | Telomeres Have Simple Repeating Sequences                                        | 180 |
| 7.17 | Telomeres Seal the Chromosome Ends and Function in Meiotic Chromosome Pairing    | 181 |
| 7.18 | Telomeres Are Synthesized by a Ribonucleoprotein Enzyme                          | 182 |
| 7.19 | Telomeres Are Essential for Survival                                             | 184 |

## Chapter 8 Chromatin.....189

*Edited by Craig Peterson*

|      |                                                                |     |
|------|----------------------------------------------------------------|-----|
| 8.1  | Introduction                                                   | 189 |
| 8.2  | DNA Is Organized in Arrays of Nucleosomes                      | 190 |
| 8.3  | The Nucleosome Is the Subunit of All Chromatin                 | 192 |
| 8.4  | Nucleosomes Are Covalently Modified                            | 196 |
| 8.5  | Histone Variants Produce Alternative Nucleosomes               | 199 |
| 8.6  | DNA Structure Varies on the Nucleosomal Surface                | 202 |
| 8.7  | The Path of Nucleosomes in the Chromatin Fiber                 | 205 |
| 8.8  | Replication of Chromatin Requires Assembly of Nucleosomes      | 207 |
| 8.9  | Do Nucleosomes Lie at Specific Positions?                      | 209 |
| 8.10 | Nucleosomes Are Displaced and Reassembled During Transcription | 212 |
| 8.11 | DNase Sensitivity Detects Changes in Chromatin Structure       | 215 |
| 8.12 | An LCR Can Control a Domain                                    | 217 |
| 8.13 | Insulators Define Transcriptionally Independent Domains        | 218 |

# PART II DNA Replication and Recombination 227

## Chapter 9 Replication Is Connected to the Cell Cycle.....228

*Edited by Barbara Funnell*

|      |                                                                                                                 |     |
|------|-----------------------------------------------------------------------------------------------------------------|-----|
| 9.1  | Introduction                                                                                                    | 228 |
| 9.2  | Bacterial Replication Is Connected to the Cell Cycle                                                            | 230 |
| 9.3  | The Shape and Spatial Organization of a Bacterium Are Important During Chromosome Segregation and Cell Division | 231 |
| 9.4  | Mutations in Division or Segregation Affect Cell Shape                                                          | 232 |
| 9.5  | FtsZ Is Necessary for Septum Formation                                                                          | 233 |
| 9.6  | <i>min</i> and <i>noc/slm</i> Genes Regulate the Location of the Septum                                         | 233 |
| 9.7  | Partition Involves Separation of the Chromosomes                                                                | 234 |
| 9.8  | Chromosomal Segregation Might Require Site-Specific Recombination                                               | 235 |
| 9.9  | The Eukaryotic Growth Factor Signal Transduction Pathway Promotes Entry to S Phase                              | 237 |
| 9.10 | Checkpoint Control for Entry into S Phase: p53, a Guardian of the Checkpoint                                    | 239 |
| 9.11 | Checkpoint Control for Entry into S Phase: Rb, a Guardian of the Checkpoint                                     | 240 |

## **Chapter 10 The Replicon: Initiation of Replication .....245**

- 10.1 Introduction 245
- 10.2 An Origin Usually Initiates Bidirectional Replication 246
- 10.3 The Bacterial Genome Is (Usually) a Single Circular Replicon 247
- 10.4 Methylation of the Bacterial Origin Regulates Initiation 248
- 10.5 Initiation: Creating the Replication Forks at the Origin *oriC* 249
- 10.6 Multiple Mechanisms Exist to Prevent Premature Reinitiation of Replication 251
- 10.7 Archaeal Chromosomes Can Contain Multiple Replicons 252
- 10.8 Each Eukaryotic Chromosome Contains Many Replicons 252
- 10.9 Replication Origins Can Be Isolated in Yeast 253
- 10.10 Licensing Factor Controls Eukaryotic Rereplication 255
- 10.11 Licensing Factor Binds to ORC 256

## **Chapter 11 DNA Replication .....261**

- 11.1 Introduction 261
- 11.2 DNA Polymerases Are the Enzymes That Make DNA 262
- 11.3 DNA Polymerases Have Various Nuclease Activities 264
- 11.4 DNA Polymerases Control the Fidelity of Replication 264
- 11.5 DNA Polymerases Have a Common Structure 265
- 11.6 The Two New DNA Strands Have Different Modes of Synthesis 266
- 11.7 Replication Requires a Helicase and a Single-Stranded Binding Protein 267
- 11.8 Priming Is Required to Start DNA Synthesis 268
- 11.9 Coordinating Synthesis of the Lagging and Leading Strands 270
- 11.10 DNA Polymerase Holoenzyme Consists of Subcomplexes 270
- 11.11 The Clamp Controls Association of Core Enzyme with DNA 271
- 11.12 Okazaki Fragments Are Linked by Ligase 274
- 11.13 Separate Eukaryotic DNA Polymerases Undertake Initiation and Elongation 276
- 11.14 Lesion Bypass Requires Polymerase Replacement 278
- 11.15 Termination of Replication 279

## **Chapter 12 Extrachromosomal Replicons ....283**

- 12.1 Introduction 283
- 12.2 The Ends of Linear DNA Are a Problem for Replication 284
- 12.3 Terminal Proteins Enable Initiation at the Ends of Viral DNAs 285
- 12.4 Rolling Circles Produce Multimers of a Replicon 286
- 12.5 Rolling Circles Are Used to Replicate Phage Genomes 287
- 12.6 The F Plasmid Is Transferred by Conjugation Between Bacteria 288
- 12.7 Conjugation Transfers Single-Stranded DNA 290
- 12.8 Single-Copy Plasmids Have a Partitioning System 291
- 12.9 Plasmid Incompatibility Is Determined by the Replicon 293

- 12.10 The ColE1 Compatibility System Is Controlled by an RNA Regulator 293
- 12.11 How Do Mitochondria Replicate and Segregate? 296
- 12.12 D Loops Maintain Mitochondrial Origins 297
- 12.13 The Bacterial Ti Plasmid Causes Crown Gall Disease in Plants 298
- 12.14 T-DNA Carries Genes Required for Infection 299
- 12.15 Transfer of T-DNA Resembles Bacterial Conjugation 301

## **Chapter 13 Homologous and Site-Specific Recombination .....305**

*Edited by Hannah L. Klein and Samantha Hoot*

- 13.1 Introduction 306
- 13.2 Homologous Recombination Occurs Between Synapsed Chromosomes in Meiosis 306
- 13.3 Double-Strand Breaks Initiate Recombination 308
- 13.4 Gene Conversion Accounts for Interallelic Recombination 310
- 13.5 The Synthesis-Dependent Strand-Annealing Model 311
- 13.6 The Single-Strand Annealing Mechanism Functions at Some Double-Strand Breaks 312
- 13.7 Break-Induced Replication Can Repair Double-Strand Breaks 313
- 13.8 Recombining Meiotic Chromosomes Are Connected by the Synaptonemal Complex 314
- 13.9 The Synaptonemal Complex Forms After Double-Strand Breaks 315
- 13.10 Pairing and Synaptonemal Complex Formation Are Independent 316
- 13.11 The Bacterial RecBCD System Is Stimulated by *chi* Sequences 317
- 13.12 Strand-Transfer Proteins Catalyze Single-Strand Assimilation 318
- 13.13 Holliday Junctions Must Be Resolved 321
- 13.14 Eukaryotic Genes Involved in Homologous Recombination 322
  - 1. End Processing/Presynapsis 322
  - 2. Synapsis 324
  - 3. DNA Heteroduplex Extension and Branch Migration 324
  - 4. Resolution 324
- 13.15 Specialized Recombination Involves Specific Sites 325
- 13.16 Site-Specific Recombination Involves Breakage and Reunion 326
- 13.17 Site-Specific Recombination Resembles Topoisomerase Activity 327
- 13.18 Lambda Recombination Occurs in an Intasome 328
- 13.19 Yeast Can Switch Silent and Active Mating-Type Loci 329
- 13.20 Unidirectional Gene Conversion Is Initiated by the Recipient *MAT* Locus 331
- 13.21 Antigenic Variation in Trypanosomes Uses Homologous Recombination 332
- 13.22 Recombination Pathways Adapted for Experimental Systems 332

## **Chapter 14 Repair Systems .....339**

- 14.1 Introduction 339
- 14.2 Repair Systems Correct Damage to DNA 341

- 14.3 Excision Repair Systems in *E. coli* 343
- 14.4 Eukaryotic Nucleotide Excision Repair Pathways 344
- 14.5 Base Excision Repair Systems Require Glycosylases 345
- 14.6 Error-Prone Repair and Translesion Synthesis 349
- 14.7 Controlling the Direction of Mismatch Repair 349
- 14.8 Recombination-Repair Systems in *E. coli* 352
- 14.9 Recombination Is an Important Mechanism to Recover from Replication Errors 353
- 14.10 Recombination-Repair of Double-Strand Breaks in Eukaryotes 354
- 14.11 Nonhomologous End Joining Also Repairs Double-Strand Breaks 356
- 14.12 DNA Repair in Eukaryotes Occurs in the Context of Chromatin 357
- 14.13 RecA Triggers the SOS System 361

## **Chapter 15 Transposable Elements and Retroviruses.....367**

*Edited by Damon Lisch*

- 15.1 Introduction 368
- 15.2 Insertion Sequences Are Simple Transposition Modules 369
- 15.3 Transposition Occurs by Both Replicative and Nonreplicative Mechanisms 370
- 15.4 Transposons Cause Rearrangement of DNA 372
- 15.5 Replicative Transposition Proceeds Through a Cointegrate 373
- 15.6 Nonreplicative Transposition Proceeds by Breakage and Reunion 374
- 15.7 Transposons Form Superfamilies and Families 375
- 15.8 The Role of Transposable Elements in Hybrid Dysgenesis 378
- 15.9 P Elements Are Activated in the Germline 379
- 15.10 The Retrovirus Life Cycle Involves Transposition-Like Events 381
- 15.11 Retroviral Genes Code for Polyproteins 381
- 15.12 Viral DNA Is Generated by Reverse Transcription 383
- 15.13 Viral DNA Integrates into the Chromosome 385
- 15.14 Retroviruses May Transduce Cellular Sequences 386
- 15.15 Retroelements Fall into Three Classes 388
- 15.16 Yeast Ty Elements Resemble Retroviruses 389
- 15.17 The Alu Family Has Many Widely Dispersed Members 391
- 15.18 LINEs Use an Endonuclease to Generate a Priming End 392

## **Chapter 16 Somatic DNA Recombination and Hypermutation in the Immune System .....397**

*Edited by Paolo Casali*

- 16.1 The Immune System: Innate and Adaptive Immunity 398
- 16.2 The Innate Response Utilizes Conserved Recognition Molecules and Signaling Pathways 399
- 16.3 Adaptive Immunity 401
- 16.4 Clonal Selection Amplifies Lymphocytes That Respond to a Given Antigen 402
- 16.5 Ig Genes Are Assembled from Discrete DNA Segments in B Lymphocytes 404

- 16.6 L Chains Are Assembled by a Single Recombination Event 405
- 16.7 H Chains Are Assembled by Two Sequential Recombination Events 406
- 16.8 Recombination Generates Extensive Diversity 407
- 16.9 V(D)J DNA Recombination Relies on RSS and Occurs by Deletion or Inversion 408
- 16.10 Allelic Exclusion Is Triggered by Productive Rearrangements 410
- 16.11 RAG1/RAG2 Catalyze Breakage and Religation of V(D)J Gene Segments 411
- 16.12 B Cell Development in the Bone Marrow: From Common Lymphoid Progenitor to Mature B Cell 413
- 16.13 Class Switch DNA Recombination 415
- 16.14 CSR Involves AID and Elements of the NHEJ Pathway 416
- 16.15 Somatic Hypermutation Generates Additional Diversity and Provides the Substrate for Higher-Affinity Submutants 418
- 16.16 SHM Is Mediated by AID, Ung, Elements of the Mismatch DNA Repair Machinery, and Translesion DNA Synthesis Polymerases 419
- 16.17 Igs Expressed in Avians Are Assembled from Pseudogenes 420
- 16.18 Chromatin Architecture Dynamics of the IgH Locus in V(D)J Recombination, CSR, and SHM 421
- 16.19 Epigenetics of V(D)J Recombination, CSR, and SHM 423
- 16.20 B Cell Differentiation Results in Maturation of the Antibody Response and Generation of Long-lived Plasma Cells and Memory B Cells 425
- 16.21 The T Cell Receptor Antigen Is Related to the BCR 426
- 16.22 The TCR Functions in Conjunction with the MHC 427
- 16.23 The MHC Locus Comprises a Cohort of Genes Involved in Immune Recognition 428

## **PART III Transcription and Posttranscriptional Mechanisms**

**441**

### **Chapter 17 Prokaryotic Transcription .....442**

- 17.1 Introduction 443
- 17.2 Transcription Occurs by Base Pairing in a "Bubble" of Unpaired DNA 444
- 17.3 The Transcription Reaction Has Three Stages 445
- 17.4 Bacterial RNA Polymerase Consists of Multiple Subunits 446
- 17.5 RNA Polymerase Holoenzyme Consists of the Core Enzyme and Sigma Factor 446
- 17.6 How Does RNA Polymerase Find Promoter Sequences? 448
- 17.7 The Holoenzyme Goes Through Transitions in the Process of Recognizing and Escaping from Promoters 448
- 17.8 Sigma Factor Controls Binding to DNA by Recognizing Specific Sequences in Promoters 451
- 17.9 Promoter Efficiencies Can Be Increased or Decreased by Mutation 452

|       |                                                                                                            |     |
|-------|------------------------------------------------------------------------------------------------------------|-----|
| 17.10 | Multiple Regions in RNA Polymerase Directly Contact Promoter DNA                                           | 453 |
| 17.11 | RNA Polymerase–Promoter and DNA–Protein Interactions Are the Same for Promoter Recognition and DNA Melting | 456 |
| 17.12 | Interactions Between Sigma Factor and Core RNA Polymerase Change During Promoter Escape                    | 458 |
| 17.13 | A Model for Enzyme Movement Is Suggested by the Crystal Structure                                          | 459 |
| 17.14 | A Stalled RNA Polymerase Can Restart                                                                       | 461 |
| 17.15 | Bacterial RNA Polymerase Terminates at Discrete Sites                                                      | 461 |
| 17.16 | How Does Rho Factor Work?                                                                                  | 463 |
| 17.17 | Supercoiling Is an Important Feature of Transcription                                                      | 465 |
| 17.18 | Phage T7 RNA Polymerase Is a Useful Model System                                                           | 466 |
| 17.19 | Competition for Sigma Factors Can Regulate Initiation                                                      | 466 |
| 17.20 | Sigma Factors Can Be Organized into Cascades                                                               | 468 |
| 17.21 | Sporulation Is Controlled by Sigma Factors                                                                 | 469 |
| 17.22 | Antitermination Can Be a Regulatory Event                                                                  | 471 |

## Chapter 18 Eukaryotic Transcription .....479

|       |                                                                                |     |
|-------|--------------------------------------------------------------------------------|-----|
| 18.1  | Introduction                                                                   | 479 |
| 18.2  | Eukaryotic RNA Polymerases Consist of Many Subunits                            | 481 |
| 18.3  | RNA Polymerase I Has a Bipartite Promoter                                      | 482 |
| 18.4  | RNA Polymerase III Uses Downstream and Upstream Promoters                      | 483 |
| 18.5  | The Start Point for RNA Polymerase II                                          | 485 |
| 18.6  | TBP Is a Universal Factor                                                      | 486 |
| 18.7  | The Basal Apparatus Assembles at the Promoter                                  | 488 |
| 18.8  | Initiation Is Followed by Promoter Clearance and Elongation                    | 490 |
| 18.9  | Enhancers Contain Bidirectional Elements That Assist Initiation                | 493 |
| 18.10 | Enhancers Work by Increasing the Concentration of Activators Near the Promoter | 494 |
| 18.11 | Gene Expression Is Associated with Demethylation                               | 495 |
| 18.12 | CpG Islands Are Regulatory Targets                                             | 496 |

## Chapter 19 RNA Splicing and Processing .....503

|       |                                                                                        |     |
|-------|----------------------------------------------------------------------------------------|-----|
| 19.1  | Introduction                                                                           | 503 |
| 19.2  | The 5' End of Eukaryotic mRNA Is Capped                                                | 505 |
| 19.3  | Nuclear Splice Sites Are Short Sequences                                               | 506 |
| 19.4  | Splice Sites Are Read in Pairs                                                         | 507 |
| 19.5  | Pre-mRNA Splicing Proceeds Through a Lariat                                            | 508 |
| 19.6  | snRNAs Are Required for Splicing                                                       | 509 |
| 19.7  | Commitment of Pre-mRNA to the Splicing Pathway                                         | 510 |
| 19.8  | The Spliceosome Assembly Pathway                                                       | 513 |
| 19.9  | An Alternative Spliceosome Uses Different snRNPs to Process the Minor Class of Introns | 515 |
| 19.10 | Pre-mRNA Splicing Likely Shares the Mechanism with Group II Autocatalytic Introns      | 516 |
| 19.11 | Splicing Is Temporally and Functionally Coupled with Multiple Steps in Gene Expression | 518 |
| 19.12 | Alternative Splicing Is a Rule, Rather Than an Exception, in Multicellular Eukaryotes  | 519 |
| 19.13 | Splicing Can Be Regulated by Exonic and Intronic Splicing Enhancers and Silencers      | 522 |

|       |                                                                     |     |
|-------|---------------------------------------------------------------------|-----|
| 19.14 | <i>trans</i> -Splicing Reactions Use Small RNAs                     | 524 |
| 19.15 | The 3' Ends of mRNAs Are Generated by Cleavage and Polyadenylation  | 526 |
| 19.16 | 3' mRNA End Processing Is Critical for Termination of Transcription | 528 |
| 19.17 | The 3' End Formation of Histone mRNA Requires U7 snRNA              | 529 |
| 19.18 | tRNA Splicing Involves Cutting and Rejoining in Separate Reactions  | 530 |
| 19.19 | The Unfolded Protein Response Is Related to tRNA Splicing           | 533 |
| 19.20 | Production of rRNA Requires Cleavage Events and Involves Small RNAs | 534 |

## Chapter 20 mRNA Stability and Localization ... 543

*Edited by Ellen Baker*

|       |                                                                                      |     |
|-------|--------------------------------------------------------------------------------------|-----|
| 20.1  | Introduction                                                                         | 543 |
| 20.2  | Messenger RNAs Are Unstable Molecules                                                | 544 |
| 20.3  | Eukaryotic mRNAs Exist in the Form of mRNPs from Their Birth to Their Death          | 546 |
| 20.4  | Prokaryotic mRNA Degradation Involves Multiple Enzymes                               | 546 |
| 20.5  | Most Eukaryotic mRNA Is Degraded via Two Deadenylation-Dependent Pathways            | 548 |
| 20.6  | Other Degradation Pathways Target Specific mRNAs                                     | 550 |
| 20.7  | mRNA-Specific Half-Lives Are Controlled by Sequences or Structures Within the mRNA   | 552 |
| 20.8  | Newly Synthesized RNAs Are Checked for Defects via a Nuclear Surveillance System     | 553 |
| 20.9  | Quality Control of mRNA Translation Is Performed by Cytoplasmic Surveillance Systems | 555 |
| 20.10 | Translationally Silenced mRNAs Are Sequestered in a Variety of RNA Granules          | 557 |
| 20.11 | Some Eukaryotic mRNAs Are Localized to Specific Regions of a Cell                    | 558 |

## Chapter 21 Catalytic RNA .....563

*Edited by Douglas J. Briant*

|       |                                                                 |     |
|-------|-----------------------------------------------------------------|-----|
| 21.1  | Introduction                                                    | 563 |
| 21.2  | Group I Introns Undertake Self-Splicing by Transesterification  | 564 |
| 21.3  | Group I Introns Form a Characteristic Secondary Structure       | 567 |
| 21.4  | Ribozymes Have Various Catalytic Activities                     | 568 |
| 21.5  | Some Group I Introns Encode Endonucleases That Sponsor Mobility | 570 |
| 21.6  | Group II Introns May Encode Multifunction Proteins              | 571 |
| 21.7  | Some Autoslicing Introns Require Maturases                      | 572 |
| 21.8  | The Catalytic Activity of RNase P Is Due to RNA                 | 573 |
| 21.9  | Viroids Have Catalytic Activity                                 | 573 |
| 21.10 | RNA Editing Occurs at Individual Bases                          | 575 |
| 21.11 | RNA Editing Can Be Directed by Guide RNAs                       | 576 |
| 21.12 | Protein Splicing Is Autocatalytic                               | 578 |

## Chapter 22 Translation .....583

|      |                                                               |     |
|------|---------------------------------------------------------------|-----|
| 22.1 | Introduction                                                  | 583 |
| 22.2 | Translation Occurs by Initiation, Elongation, and Termination | 584 |

|              |                                                                      |     |
|--------------|----------------------------------------------------------------------|-----|
| <b>22.3</b>  | Special Mechanisms Control the Accuracy of Translation               | 586 |
| <b>22.4</b>  | Initiation in Bacteria Needs 30S Subunits and Accessory Factors      | 587 |
| <b>22.5</b>  | Initiation Involves Base Pairing Between mRNA and rRNA               | 589 |
| <b>22.6</b>  | A Special Initiator tRNA Starts the Polypeptide Chain                | 590 |
| <b>22.7</b>  | Use of fMet-tRNA <sub>f</sub> Is Controlled by IF-2 and the Ribosome | 591 |
| <b>22.8</b>  | Small Subunits Scan for Initiation Sites on Eukaryotic mRNA          | 592 |
| <b>22.9</b>  | Eukaryotes Use a Complex of Many Initiation Factors                  | 593 |
| <b>22.10</b> | Elongation Factor Tu Loads Aminoacyl-tRNA into the A Site            | 597 |
| <b>22.11</b> | The Polypeptide Chain Is Transferred to Aminoacyl-tRNA               | 598 |
| <b>22.12</b> | Translocation Moves the Ribosome                                     | 599 |
| <b>22.13</b> | Elongation Factors Bind Alternately to the Ribosome                  | 600 |
| <b>22.14</b> | Three Codons Terminate Translation                                   | 601 |
| <b>22.15</b> | Termination Codons Are Recognized by Protein Factors                 | 602 |
| <b>22.16</b> | Ribosomal RNA Is Found Throughout Both Ribosomal Subunits            | 604 |
| <b>22.17</b> | Ribosomes Have Several Active Centers                                | 606 |
| <b>22.18</b> | 16S rRNA Plays an Active Role in Translation                         | 608 |
| <b>22.19</b> | 23S rRNA Has Peptidyl Transferase Activity                           | 610 |
| <b>22.20</b> | Ribosomal Structures Change When the Subunits Come Together          | 611 |
| <b>22.21</b> | Translation Can Be Regulated                                         | 612 |
| <b>22.22</b> | The Cycle of Bacterial Messenger RNA                                 | 613 |

## **Chapter 23 Using the Genetic Code .....621**

|              |                                                                                                  |     |
|--------------|--------------------------------------------------------------------------------------------------|-----|
| <b>23.1</b>  | Introduction                                                                                     | 621 |
| <b>23.2</b>  | Related Codons Represent Chemically Similar Amino Acids                                          | 622 |
| <b>23.3</b>  | Codon-Anticodon Recognition Involves Wobbling                                                    | 623 |
| <b>23.4</b>  | tRNAs Are Processed from Longer Precursors                                                       | 624 |
| <b>23.5</b>  | tRNA Contains Modified Bases                                                                     | 625 |
| <b>23.6</b>  | Modified Bases Affect Anticodon-Codon Pairing                                                    | 627 |
| <b>23.7</b>  | The Universal Code Has Experienced Sporadic Alterations                                          | 628 |
| <b>23.8</b>  | Novel Amino Acids Can Be Inserted at Certain Stop Codons                                         | 630 |
| <b>23.9</b>  | tRNAs Are Charged with Amino Acids by Aminoacyl-tRNA Synthetases                                 | 631 |
| <b>23.10</b> | Aminoacyl-tRNA Synthetases Fall into Two Classes                                                 | 632 |
| <b>23.11</b> | Synthetases Use Proofreading to Improve Accuracy                                                 | 634 |
| <b>23.12</b> | Suppressor tRNAs Have Mutated Anticodons That Read New Codons                                    | 636 |
| <b>23.13</b> | Each Termination Codon Has Nonsense Suppressors                                                  | 637 |
| <b>23.14</b> | Suppressors May Compete with Wild-Type Reading of the Code                                       | 638 |
| <b>23.15</b> | The Ribosome Influences the Accuracy of Translation                                              | 639 |
| <b>23.16</b> | Frameshifting Occurs at Slippery Sequences                                                       | 641 |
| <b>23.17</b> | Other Recoding Events: Translational Bypassing and the tmRNA Mechanism to Free Stalled Ribosomes | 642 |

## **PART IV Gene Regulation 647**

### **Chapter 24 The Operon .....648**

*Edited by Liskin Swint-Kruse*

|              |                                                                                                   |     |
|--------------|---------------------------------------------------------------------------------------------------|-----|
| <b>24.1</b>  | Introduction                                                                                      | 649 |
| <b>24.2</b>  | Structural Gene Clusters Are Coordinately Controlled                                              | 651 |
| <b>24.3</b>  | The <i>lac</i> Operon Is Negative Inducible                                                       | 652 |
| <b>24.4</b>  | The <i>lac</i> Repressor Is Controlled by a Small-Molecule Inducer                                | 653 |
| <b>24.5</b>  | <i>cis</i> -Acting Constitutive Mutations Identify the Operator                                   | 655 |
| <b>24.6</b>  | <i>trans</i> -Acting Mutations Identify the Regulator Gene                                        | 655 |
| <b>24.7</b>  | The <i>lac</i> Repressor Is a Tetramer Made of Two Dimers                                         | 656 |
| <b>24.8</b>  | <i>lac</i> Repressor Binding to the Operator Is Regulated by an Allosteric Change in Conformation | 658 |
| <b>24.9</b>  | The <i>lac</i> Repressor Binds to Three Operators and Interacts with RNA Polymerase               | 660 |
| <b>24.10</b> | The Operator Competes with Low-Affinity Sites to Bind Repressor                                   | 661 |
| <b>24.11</b> | The <i>lac</i> Operon Has a Second Layer of Control: Catabolite Repression                        | 662 |
| <b>24.12</b> | The <i>trp</i> Operon Is a Repressible Operon with Three Transcription Units                      | 665 |
| <b>24.13</b> | The <i>trp</i> Operon Is Also Controlled by Attenuation                                           | 666 |
| <b>24.14</b> | Attenuation Can Be Controlled by Translation                                                      | 668 |
| <b>24.15</b> | Stringent Control by Stable RNA Transcription                                                     | 670 |
| <b>24.16</b> | r-Protein Synthesis Is Controlled by Autoregulation                                               | 671 |

### **Chapter 25 Phage Strategies .....677**

|              |                                                                                                 |     |
|--------------|-------------------------------------------------------------------------------------------------|-----|
| <b>25.1</b>  | Introduction                                                                                    | 677 |
| <b>25.2</b>  | Lytic Development Is Divided into Two Periods                                                   | 679 |
| <b>25.3</b>  | Lytic Development Is Controlled by a Cascade                                                    | 679 |
| <b>25.4</b>  | Two Types of Regulatory Events Control the Lytic Cascade                                        | 681 |
| <b>25.5</b>  | The Phage T7 and T4 Genomes Show Functional Clustering                                          | 681 |
| <b>25.6</b>  | Lambda Immediate Early and Delayed Early Genes Are Needed for Both Lysogeny and the Lytic Cycle | 683 |
| <b>25.7</b>  | The Lytic Cycle Depends on Antitermination by pN                                                | 684 |
| <b>25.8</b>  | Lysogeny Is Maintained by the Lambda Repressor Protein                                          | 685 |
| <b>25.9</b>  | The Lambda Repressor and Its Operators Define the Immunity Region                               | 686 |
| <b>25.10</b> | The DNA-Binding Form of the Lambda Repressor Is a Dimer                                         | 687 |
| <b>25.11</b> | The Lambda Repressor Uses a Helix-Turn-Helix Motif to Bind DNA                                  | 688 |
| <b>25.12</b> | Lambda Repressor Dimers Bind Cooperatively to the Operator                                      | 689 |
| <b>25.13</b> | The Lambda Repressor Maintains an Autoregulatory Circuit                                        | 690 |
| <b>25.14</b> | Cooperative Interactions Increase the Sensitivity of Regulation                                 | 692 |
| <b>25.15</b> | The <i>cII</i> and <i>cIII</i> Genes Are Needed to Establish Lysogeny                           | 692 |

- 25.16 A Poor Promoter Requires cII Protein 693
- 25.17 Lysogeny Requires Several Events 694
- 25.18 The Cro Repressor Is Needed for Lytic Infection 694
- 25.19 What Determines the Balance Between Lysogeny and the Lytic Cycle? 697

## **Chapter 26 Eukaryotic Transcription Regulation .....701**

- 26.1 Introduction 702
- 26.2 How Is a Gene Turned On? 703
- 26.3 Mechanism of Action of Activators and Repressors 704
- 26.4 Independent Domains Bind DNA and Activate Transcription 707
- 26.5 The Two-Hybrid Assay Detects Protein-Protein Interactions 707
- 26.6 Activators Interact with the Basal Apparatus 708
- 26.7 Many Types of DNA-Binding Domains Have Been Identified 711
- 26.8 Chromatin Remodeling Is an Active Process 712
- 26.9 Nucleosome Organization or Content Can Be Changed at the Promoter 715
- 26.10 Histone Acetylation Is Associated with Transcription Activation 716
- 26.11 Methylation of Histones and DNA Is Connected 719
- 26.12 Promoter Activation Involves Multiple Changes to Chromatin 720
- 26.13 Histone Phosphorylation Affects Chromatin Structure 722
- 26.14 Yeast GAL Genes: A Model for Activation and Repression 722

## **Chapter 27 Epigenetics I .....731**

*Edited by Trygve Tollefsbol*

- 27.1 Introduction 731
- 27.2 Heterochromatin Propagates from a Nucleation Event 732
- 27.3 Heterochromatin Depends on Interactions with Histones 734

- 27.4 Polycomb and Trithorax Are Antagonistic Repressors and Activators 737
- 27.5 CpG Islands Are Subject to Methylation 738
- 27.6 Epigenetic Effects Can Be Inherited 741
- 27.7 Yeast Prions Show Unusual Inheritance 743

## **Chapter 28 Epigenetics II .....749**

*Edited by Trygve Tollefsbol*

- 28.1 Introduction 749
- 28.2 X Chromosomes Undergo Global Changes 750
- 28.3 Chromosome Condensation Is Caused by Condensins 752
- 28.4 DNA Methylation Is Responsible for Imprinting 755
- 28.5 Oppositely Imprinted Genes Can Be Controlled by a Single Center 756
- 28.6 Prions Cause Diseases in Mammals 757

## **Chapter 29 Noncoding RNA .....761**

- 29.1 Introduction 761
- 29.2 A Riboswitch Can Alter Its Structure According to Its Environment 762
- 29.3 Noncoding RNAs Can Be Used to Regulate Gene Expression 763

## **Chapter 30 Regulatory RNA .....769**

- 30.1 Introduction 769
- 30.2 Bacteria Contain Regulator RNAs 770
- 30.3 MicroRNAs Are Widespread Regulators in Eukaryotes 772
- 30.4 How Does RNA Interference Work? 775
- 30.5 Heterochromatin Formation Requires MicroRNAs 778

Glossary 783

Index 809