

Contents

<i>Advisory board</i>	x
<i>About the authors</i>	xi
<i>Acknowledgements</i>	xii
<i>About this book</i>	xiii
1 Threat: Residential and commercial development	1
<i>Key messages</i>	1
1.1 Protect brownfield or ex-industrial sites	1
1.2 Restrict herbicide, fungicide and pesticide use on and around ponds on golf courses	2
1.3 Legal protection of species	2
2 Threat: Agriculture	4
<i>Key messages – engage farmers and other volunteers</i>	4
<i>Key messages – terrestrial habitat management</i>	4
<i>Key messages – aquatic habitat management</i>	5
Engage farmers and other volunteers	5
2.1 Pay farmers to cover the costs of conservation measures	5
2.2 Engage landowners and other volunteers to manage land for amphibians	7
Terrestrial habitat management	10
2.3 Manage cutting regime	10
2.4 Manage grazing regime	10
2.5 Reduce tillage	12
2.6 Maintain or restore hedges	12
2.7 Plant new hedges	13
2.8 Manage silviculture practices in plantations	13
Aquatic habitat management	13
2.9 Exclude domestic animals or wild hogs by fencing	13
2.10 Manage ditches	15
3 Threat: Energy production and mining	17
<i>Key messages</i>	17
3.1 Artificially mist habitat to keep it damp	17
4 Threat: Transportation and service corridors	18
<i>Key messages</i>	18
4.1 Install culverts or tunnels as road crossings	19
4.2 Install barrier fencing along roads	28
4.3 Modify gully pots and kerbs	30

4.4 Use signage to warn motorists	31
4.5 Close roads during seasonal amphibian migration	31
4.6 Use humans to assist migrating amphibians across roads	32
5 Threat: Biological resource use	34
<i>Key messages – hunting and collecting terrestrial animals</i>	34
<i>Key messages – logging and wood harvesting</i>	34
Hunting and collecting terrestrial animals	36
5.1 Use amphibians sustainably	36
5.2 Reduce impact of amphibian trade	36
5.3 Use legislative regulation to protect wild populations	37
5.4 Commercially breed amphibians for the pet trade	38
Logging and wood harvesting	38
5.5 Thin trees within forests	38
5.6 Harvest groups of trees instead of clearcutting	42
5.7 Use patch retention harvesting instead of clearcutting	44
5.8 Use leave-tree harvesting instead of clearcutting	44
5.9 Use shelterwood harvesting instead of clearcutting	46
5.10 Leave standing deadwood/snags in forests	48
5.11 Leave coarse woody debris in forests	49
5.12 Retain riparian buffer strips during timber harvest	52
6 Threat: Human intrusions and disturbance	57
<i>Key messages</i>	57
6.1 Use signs and access restrictions to reduce disturbance	57
7 Threat: Natural system modifications	58
<i>Key messages</i>	58
7.1 Use prescribed fire or modifications to burning regime	58
7.1.1 Forests	59
7.1.2 Grassland	64
7.2 Use herbicides to control mid-storey or ground vegetation	65
7.3 Mechanically remove mid-storey or ground vegetation	66
7.4 Regulate water levels	67
8 Threat: Invasive alien and other problematic species	69
<i>Key messages – reduce predation by other species</i>	69
<i>Key messages – reduce competition with other species</i>	70
<i>Key messages – reduce adverse habitat alteration by other species</i>	70
<i>Key messages – reduce parasitism and disease – chytridiomycosis</i>	71
<i>Key messages – reduce parasitism and disease – ranaviruses</i>	72
Reduce predation by other species	72
8.1 Remove or control mammals	72
8.2 Remove or control fish population by catching	73

8.3 Remove or control fish using rotenone	76
8.4 Remove or control fish by drying out ponds	78
8.5 Exclude fish with barriers	80
8.6 Encourage aquatic plant growth as refuge against fish predation	80
8.7 Remove or control invasive bullfrogs	80
8.8 Remove or control invasive viperine snake	82
8.9 Remove or control non-native crayfish	82
Reduce competition with other species	83
8.10 Reduce competition from native amphibians	83
8.11 Remove or control invasive cane toads	83
8.12 Remove or control invasive Cuban tree frogs	84
Reduce adverse habitat alteration by other species	84
8.13 Prevent heavy usage or exclude wildfowl from aquatic habitat	84
8.14 Control invasive plants	85
Reduce parasitism and disease – chytridiomycosis	86
8.15 Sterilize equipment when moving between amphibian sites	86
8.16 Use gloves to handle amphibians	88
8.17 Remove the chytrid fungus from ponds	90
8.18 Use zooplankton to remove zoospores	90
8.19 Add salt to ponds	91
8.20 Use antifungal skin bacteria or peptides to reduce infection	91
8.21 Use antifungal treatment to reduce infection	94
8.22 Use antibacterial treatment to reduce infection	99
8.23 Use temperature treatment to reduce infection	101
8.24 Treat amphibians in the wild or pre-release	102
8.25 Immunize amphibians against infection	103
Reduce parasitism and disease – ranaviruses	104
8.26 Sterilize equipment to prevent ranavirus	104
9 Threat: Pollution	105
<i>Key messages – agricultural pollution</i>	105
<i>Key messages – industrial pollution</i>	105
Agricultural pollution	106
9.1 Plant riparian buffer strips	106
9.2 Prevent pollution from agricultural lands or sewage treatment facilities entering watercourses	106
9.3 Create walls or barriers to exclude pollutants	107
9.4 Reduce pesticide, herbicide or fertilizer use	107
Industrial pollution	108

9.5 Add limestone to water bodies to reduce acidification	108
9.6 Augment ponds with ground water to reduce acidification	110
10 Threat: Climate change and severe weather	111
<i>Key messages</i>	111
10.1 Use irrigation systems for amphibian sites	111
10.2 Maintain ephemeral ponds	112
10.3 Deepen ponds to prevent desiccation	112
10.4 Provide shelter habitat	112
10.5 Artificially shade ponds to prevent desiccation	113
10.6 Create microclimate and microhabitat refuges	113
10.7 Protect habitat along elevational gradients	113
11 Habitat protection	114
<i>Key messages</i>	114
11.1 Protect habitats for amphibians	114
11.2 Retain connectivity between habitat patches	116
11.3 Retain buffer zones around core habitat	116
12 Habitat restoration and creation	119
<i>Key messages – terrestrial habitat</i>	119
<i>Key messages – aquatic habitat</i>	120
Terrestrial habitat	122
12.1 Replant vegetation	122
12.2 Clear vegetation	124
12.3 Change mowing regime	127
12.4 Create refuges	127
12.5 Create artificial hibernacula or aestivation sites	130
12.6 Restore habitat connectivity	131
12.7 Create habitat connectivity	132
Aquatic habitat	132
12.8 Create ponds	132
12.8.1 Frogs	141
12.8.2 Toads	144
12.8.3 Natterjack toads	146
12.8.4 Green toads	148
12.8.5 Salamanders (including newts)	149
12.8.6 Great crested newts	150
12.9 Add nutrients to new ponds as larvae food source	152
12.10 Create wetlands	153
12.11 Restore ponds	158
12.12 Restore wetlands	162
12.13 Deepen, de-silt or re-profile ponds	168

12.14 Create refuge areas in aquatic habitats	171
12.15 Add woody debris to ponds	171
12.16 Remove specific aquatic plants	171
12.17 Add specific plants to aquatic habitats	171
12.18 Remove tree canopy to reduce pond shading	172
13 Species management	173
<i>Key messages – translocate amphibians</i>	173
<i>Key messages – captive breeding, rearing and releases (ex-situ conservation)</i>	173
Translocate amphibians	175
13.1 Translocate amphibians	175
13.1.1 Frogs	176
13.1.2 Wood frogs	181
13.1.3 Toads	182
13.1.4 Natterjack toads	184
13.1.5 Salamanders (including newts)	186
13.1.6 Great crested newts	188
Captive breeding, rearing and releases (ex-situ conservation)	190
13.2 Breed amphibians in captivity	190
13.2.1 Frogs	191
13.2.2 Toads	198
13.2.3 Mallorcan midwife toad	201
13.2.4 Harlequin toads (<i>Atelopus</i> species)	202
13.2.5 Salamanders (including newts)	203
13.3 Use hormone treatment to induce sperm and egg release	205
13.4 Use artificial fertilization in captive breeding	211
13.5 Freeze sperm or eggs for future use	212
13.6 Release captive-bred individuals	216
13.6.1 Frogs	217
13.6.2 Green and golden bell frog	219
13.6.3 Toads	221
13.6.4 Mallorcan midwife toad	222
13.6.5 Salamanders (including newts)	223
13.7 Head-start amphibians for release	224
14 Education and awareness raising	231
<i>Key messages</i>	231
14.1 Raise awareness amongst the general public through campaigns and public information	232
14.2 Provide education programmes about amphibians	234
14.3 Engage volunteers to collect amphibian data (citizen science)	236
	239