

Contents

Foreword

Preface

Acknowledgements

Introduction 1

1 Systematics and Genetic Variation of *Actinidia* 8

1.1 Taxonomic Revision 8

1.1.1 *Actinidia* Lindl. 11

1.1.2 *Clematoclethra* (Franch.) Maxim. 15

1.1.3 *Saurauia* Willdenow 15

1.2 Treatment of Taxa in the Most Recent Revision of *Actinidia* 16

1.2.1 Three Varieties of *Actinidia arguta* (Siebold & Zuccarini) Planchon
ex Miquel 19

1.2.2 *Actinidia melanandra* Franchet, Varieties and Synonyms 19

1.2.3 *Actinidia kolomikta* (Maximowicz & Ruprecht) Maximowicz 19

1.2.4 *Actinidia tetramera* Maximowicz 19

1.2.5 *Actinidia valvata* Dunn 20

1.2.6 *Actinidia callosa* Lindley and *A. umbelloides* C.F. Liang 20

1.2.7 The *Actinidia chinensis* Planchon complex 20

1.2.8 *Actinidia eriantha* Benth 21

1.2.9 Synonymy of *Actinidia fortunatii* Finet & Gagnepain,
A. glaucophylla F. Chun, *A. henryi* Dunn and *A. gracilis* C. F. Liang 21

1.2.10 *Actinidia fulvicoma* Hance, *A. cinerascens* C.F. Liang and
A. fulvicoma f. *hirsuta* (Finet & Gagnepain) C. F. Liang 22

1.2.11 *Actinidia hemsleyana* var. *kengiana* (F. P. Metcalf) C. F. Liang and
A. kengiana F. P. Metcalf 22

1.2.12 *Actinidia carnosifolia* C. Y. Wu, *A. carnosifolia* var. *glaucescens* C. F.
Liang and *A. henryi* var. *polyodonta* Handel-Mazzetti 22

1.2.13 *Actinidia flavofloris* H. Z. Jiang 22

1.2.14 *Actinidia leptophylla* C. Y. Wu, *A. maloides* H. L. Li and *A. maloides*
f. *cordata* C. F. Liang 22

1.2.15 *Actinidia jiangkouensis* S. D. Shi & Z. S. Zhang and *A. laevissima*
var. *floscula* S. D. Shi 22

1.2.16 *Actinidia guilinensis* C. F. Liang 23

1.2.17 *Actinidia linguensis* R. G. Li & X. G. Wang and *A. wantianensis*
R. G. Li & L. Mo 23

1.2.18 *Actinidia longicarpa* R. G. Li & M. Y. Liang and *A. rubrafilamenta*
R. G. Li & J. W. Li 23

1.2.19 *Actinidia petelotii* Diels and *A. rudis* Dunn 23

1.2.20 *Actinidia pentapetala* R. G. Li & J. W. Li 23

1.2.21 *Actinidia zhejiangensis* C.F. Liang and *Actinidia persicina* R. H.
Huang & S. M. Wang 23

1.2.22 *Actinidia vitifolia* C.Y. Wu and *A. rubus* Léveillé 23

1.2.23 *Actinidia rubricaulis* Dunn and *A. fasciculoides* C.F. Liang 23

1.2.24 *Actinidia ulmifolia* C.F. Liang, *A. sorbifolia* C.F. Liang, *A.*
stellato-pilosa C.Y. Chang, *A. obovata* Chun ex C.F. Liang and
A. grandiflora C.F. Liang 23

1.3 Paleopolyploid Origin, Biogeographic Patterns and
Reticulate Evolution 23

1.3.1 Paleopolyploid Origin and Evolution of *Actinidia* 23

1.3.2 Biogeographic Patterns and Reticulate Evolution 26

1.4 *Actinidia* Palynology 29

1.4.1 Pollen Size and Morphology 29

1.4.2 Phylogenetic Relationships in *Actinidia* as Revealed by Pollen
Morphology 30

1.4.3 Applications of Palynology 31

1.5 Flower Morphology and Sex Variation 34

1.6 Ploidy Variation and Breeding Applications 36

1.6.1 Basic Chromosome Number 36

1.6.2 Ploidy Races and Interploidy Hybridization 36

1.6.3 Nuclear DNA Content and Flow Cytometry 41

1.6.4 Ploidy Variation for Kiwifruit Breeding 42

1.7 Genomic Diversity 43

2 Species 44

2.1 *Actinidia arguta* 45

2.1a *Actinidia arguta* var. *arguta* 45

2.1b *Actinidia arguta* var. *giraldii* 47

2.2 *Actinidia callosa* 48

2.2a *Actinidia callosa* var. *callosa* 48

2.2b *Actinidia callosa* var. *acuminata* 50

2.2c *Actinidia callosa* var. *discolor* 51

2.2d <i>Actinidia callosa</i> var. <i>henryi</i>	53	2.26 <i>Actinidia longicarpa</i>	112
2.2e <i>Actinidia callosa</i> var. <i>strigillosa</i>	55	2.27 <i>Actinidia macrosperma</i>	114
2.3 <i>Actinidia chengkouensis</i>	56	2.27a <i>Actinidia macrosperma</i> var. <i>macrosperma</i>	114
2.4 <i>Actinidia chinensis</i>	58	2.27b <i>Actinidia macrosperma</i> var. <i>mumoides</i>	116
2.4a <i>Actinidia chinensis</i> var. <i>Chinensis</i>	58	2.28 <i>Actinidia melanandra</i>	117
2.4b <i>Actinidia chinensis</i> var. <i>deliciosa</i>	60	2.28a <i>Actinidia melanandra</i> var. <i>melanandra</i>	117
2.4c <i>Actinidia chinensis</i> var. <i>setosa</i>	63	2.28b <i>Actinidia melanandra</i> var. <i>glabrescens</i>	120
2.5 <i>Actinidia chrysantha</i>	65	2.29 <i>Actinidia melliana</i>	121
2.6 <i>Actinidia cylindrical</i>	67	2.30 <i>Actinidia obovata</i>	122
2.6a <i>Actinidia cylindrica</i> var. <i>cylindrica</i>	67	2.31 <i>Actinidia persicina</i>	124
2.6b <i>Actinidia cylindrica</i> var. <i>reticulata</i>	69	2.32 <i>Actinidia pilosula</i>	125
2.7 <i>Actinidia eriantha</i>	70	2.33 <i>Actinidia polygama</i>	127
2.8 <i>Actinidia farinosa</i>	73	2.34 <i>Actinidia rongshuiensis</i>	129
2.9 <i>Actinidia fasciculoides</i>	75	2.35 <i>Actinidia rubricaulis</i>	129
2.9a <i>Actinidia fasciculoides</i> var. <i>fasciculoides</i>	75	2.35a <i>Actinidia rubricaulis</i> var. <i>rubricaulis</i>	129
2.9b <i>Actinidia fasciculoides</i> var. <i>cuneata</i>	76	2.35b <i>Actinidia rubricaulis</i> var. <i>coriacea</i>	131
2.9c <i>Actinidia fasciculoides</i> var. <i>orbiculata</i>	77	2.36 <i>Actinidia rubus</i>	133
2.10 <i>Actinidia fortunatii</i>	78	2.37 <i>Actinidia rudis</i>	134
2.11 <i>Actinidia fulvicoma</i>	80	2.37a <i>Actinidia rudis</i> var. <i>rudis</i>	134
2.11a <i>Actinidia fulvicoma</i> var. <i>fulvicoma</i>	80	2.37b <i>Actinidia rudis</i> var. <i>glabricaulis</i>	136
2.11b <i>Actinidia fulvicoma</i> var. <i>climascens</i>	82	2.38 <i>Actinidia rufa</i>	137
2.11c <i>Actinidia fulvicoma</i> var. <i>hirsuta</i>	84	2.39 <i>Actinidia rufotricha</i>	139
2.11d <i>Actinidia fulvicoma</i> var. <i>pachyphylla</i>	85	2.39a <i>Actinidia rufotricha</i> var. <i>rufotricha</i>	140
2.12 <i>Actinidia glaucocallosa</i>	86	2.39b <i>Actinidia rufotricha</i> var. <i>glomerata</i>	141
2.13 <i>Actinidia grandiflora</i>	88	2.40 <i>Actinidia sabiifolia</i>	143
2.14 <i>Actinidia hemsleyana</i>	90	2.41 <i>Actinidia sorbifolia</i>	145
2.15 <i>Actinidia henryi</i>	91	2.42 <i>Actinidia stellatopilosa</i>	146
2.16 <i>Actinidia holotricha</i>	93	2.43 <i>Actinidia styracifolia</i>	147
2.17 <i>Actinidia hubeiensis</i>	95	2.44 <i>Actinidia suberifolia</i>	149
2.18 <i>Actinidia indochinensis</i>	96	2.45 <i>Actinidia tetramera</i>	150
2.18a <i>Actinidia indochinensis</i> var. <i>Indochinensis</i>	97	2.46 <i>Actinidia trichogyna</i>	152
2.18b <i>Actinidia indochinensis</i> var. <i>ovatifolia</i>	98	2.47 <i>Actinidia ulmifolia</i>	153
2.19 <i>Actinidia kolomikta</i>	99	2.48 <i>Actinidia umbelloides</i>	154
2.20 <i>Actinidia laevissima</i>	102	2.48a <i>Actinidia umbelloides</i> var. <i>umbelloides</i>	154
2.21 <i>Actinidia lanceolata</i>	103	2.48b <i>Actinidia umbelloides</i> var. <i>flabellifolia</i>	156
2.22 <i>Actinidia latifolia</i>	105	2.49 <i>Actinidia valvata</i>	156
2.22a <i>Actinidia latifolia</i> var. <i>latifolia</i>	105	2.50 <i>Actinidia venosa</i>	158
2.22b <i>Actinidia latifolia</i> var. <i>mollis</i>	107	2.51 <i>Actinidia vitifolia</i>	160
2.23 <i>Actinidia lianguangensis</i>	108	2.52 <i>Actinidia zhejiangensis</i>	162
2.24 <i>Actinidia lijiangensis</i>	110	2.53 <i>Actinidia hypoleuca</i>	164
2.25 <i>Actinidia linguensis</i>	112	2.54 <i>Actinidia strigosa</i>	166

3 Natural Distribution of Genus <i>Actinidia</i>	167
3.1 Regional Distribution, Natural Habitats, and Wild Production	167
3.1.1 China	167
3.1.2 East Asia and Southeast Asia	181
3.2 Vertical Distribution	183
3.3 Geographic Distribution of Commercially Important Species	183
3.4 Geographically Overlapping Distributions, Natural hybridization and Gene Introgression of Species	187
4 Domestication and Commercialization of <i>Actinidia</i>	189
4.1 Use of <i>Actinidia</i> Natural Resources in Ancient China	189
4.2 Early Western Introductions of <i>Actinidia</i> Species	191
4.3 Domestication and Commercialization of <i>A. chinensis</i> var. <i>chinensis</i> and <i>A. chinensis</i> var. <i>deliciosa</i>	192
4.3.1 First Botanical Specimens	192
4.3.2 Cultivation of <i>A. chinensis</i> var. <i>deliciosa</i> Outside China	193
4.3.3 Commercialization of <i>A. chinensis</i> var. <i>deliciosa</i>	195
4.3.4 Early Attempts to Cultivate <i>A. chinensis</i> var. <i>chinensis</i> Outside China	197
4.4 Domestication and Commercialization of <i>A. chinensis</i> var. <i>chinensis</i> in China	198
4.4.1 Initial Experimental Cultivation	198
4.4.2 Evaluation of Wild <i>Actinidia</i> Germplasm in China	199
4.4.3 Start of Commercial Cultivation of <i>A. chinensis</i> var. <i>chinensis</i> in China	200
4.4.4 Commercialization of <i>A. chinensis</i> var. <i>chinensis</i> Outside China	200
4.5 Domestication and Commercialization of <i>A. kolomikta</i>, <i>A. arguta</i>, <i>A. polygama</i> and <i>A. eriantha</i>	202
4.6 The World Kiwifruit Industry	203
4.6.1 World Plantings of Kiwifruit	203
4.6.2 World Production of Kiwifruit	204
4.6.3 Important Kiwifruit Cultivars in International Trade	204
4.6.4 Segmentation of the Kiwifruit Market	206
5 Genetic Improvements and Cultivar Development of <i>Actinidia</i>	209
5.1 Variation in Important Fruit Characteristics of <i>Actinidia</i>	209
5.1.1 Fruit Size	209
5.1.2 Fruit Shape	211
5.1.3 Fruit Hairs and Skin	211
5.1.4 Fruit Color	215
5.1.5 Ripening Indicators	217
5.1.6 Fruit Texture	217
5.1.7 Fruit Flavor	218
5.1.8 Health Benefits of Kiwifruit	219
5.1.9 Nutrient Composition	219
5.1.10 Other Fruit Characteristics	222
5.2 Progress in the Selection and Breeding of <i>Actinidia</i>	222
5.2.1 Direct Introduction and Selection from the Wild	222
5.2.2 Selection from Seed Collected in the Wild	223
5.2.3 Selection from Open Pollination of Cultivars or Named Selections	223
5.2.4 Clonal Selections	223
5.2.5 Budsport Selections	223
5.2.6 Cultivars Developed from Systematic Breeding Programs	223
5.2.7 Pollenizer Selections	225
5.2.8 Cultivars of <i>A. arguta</i> , <i>A. kolomikta</i> , and <i>A. rufa</i>	225
5.3 Future Cultivars of <i>Actinidia</i>	225
5.3.1 Further Exploration of Wild Genetic Resources	226
5.3.2 Gene Introgression Selection & Breeding from Natural Populations	226
5.3.3 Gene Introgression Breeding: Theoretical and Practical Aspects	227
6 Main Cultivars in Commercial Production	230
6.1 Main Cultivars of <i>A. chinensis</i> var. <i>deliciosa</i>	230
6.1.1 Hayward	230
6.1.2 Qinmei	231
6.1.3 Miliang No. 1	232
6.1.4 Emihoutao No.1 (Jinkui)	233
6.1.5 Xuxiang	234
6.1.6 Bruno	235
6.1.7 Guichang	236
6.1.8 Cuixiang (Ximi No. 9)	236
6.1.9 Yumihoutao No. 2 (Huamei No. 2)	237
6.1.10 Jinxiang	238
6.2 Main Cultivars of <i>A. chinensis</i> var. <i>chinensis</i>	239
6.2.1 Hort16A (Earligold, fruit marketed as Zespri® Gold Kiwifruit)	239
6.2.2 Jintao (Wuzhi 81-1, C6, WIB-C-6, fruit marketed outside China under the names Jingold™ and Kiwita)	240
6.2.3 Hongyang	241

6.2.4 Huayou	242	7.2 Culture and Management	257
6.2.5 Jinyan	243	7.2.1 Orchard Establishment	258
6.2.6 Cuiyu	244	7.2.2 Orchard Management	260
6.2.7 Ganmi No. 1 (Zaoxian)	245	7.2.3 Training and Pruning	263
6.2.8 Ganmi No. 2 (Kuimi)	246	7.2.4 Management of Flowers and Fruit	267
6.2.9 Ganmi No. 3 (Jinfeng)	247	7.3 Pests, Diseases and Control	269
6.2.10 Chuhong	248	7.3.1 The History of Pests and Diseases on Kiwifruit	269
6.2.11 Wuzhi No. 3	248	7.3.2 Important Diseases and Their Control	270
6.3 Pollenizer Cultivars	249	7.3.3 Major Pests, Prevention and Control	279
6.3.1 Tomuri	249	8 Harvest and Storage	284
6.3.2 Matua	250	8.1 Harvest and Postharvest Handling	284
6.3.3 Chieftain	250	8.1.1 Harvesting	284
6.3.4 Moshan No. 4	250	8.1.2 Postharvest Handling	285
6.4 Cultivar of <i>A. eriantha</i>	251	8.2 Storage	289
6.4.1 Huate (White)	251	8.2.1 Storage Methods	289
7 Cultivation and Management	253	8.2.2 Main Factors in Storage and CA Storage Parameters	291
7.1 Kiwifruit Plant Propagation	253	8.2.3 Storage Diseases	293
7.1.1 Seedling Propagation	253	References	295
7.1.2 Grafting	254	Index	313
7.1.3 Vegetative Propagation	256		
7.1.4 Tissue Culture Micropropagation	257		