

Contents

Subfamily Chrysomelinae Lacordaire, 1845	1
(1) Genus <i>Phola</i> Weise, 1890	4
(2) Genus <i>Potania</i> Weise, 1889	4
(3) Genus <i>Suinzona</i> Chen, 1931	4
(4) Genus <i>Taipinus</i> Lopatin, 2007	8
(5) Genus <i>Oreomela</i> Jakobson, 1895	9
(6) Genus <i>Entomoscelis</i> Chevrolat, 1837	16
(7) Genus <i>Cystocnemis</i> Motschulsky, 1860	18
(8) Genus <i>Xenomela</i> Weise, 1884	18
(9) Genus <i>Yunnaedon</i> Daccordi et Medvedev, 1999	18
(10) Genus <i>Sclerophaedon</i> Weise, 1882	19
(11) Genus <i>Sternoplatys</i> Motschulsky, 1860	20
(12) Genus <i>Yulongedon</i> Daccordi et Ge, 2012	21
(13) Genus <i>Neophaedon</i> Jakobson, 1901	21
(14) Genus <i>Odontoedon</i> Ge et Daccordi, 2013	22
(15) Genus <i>Prasocuris</i> Latreille, 1802	25
(16) Genus <i>Phaedon</i> Latreille, 1829	25
(17) Genus <i>Colaphellus</i> Weise, 1916	28
(18) Genus <i>Gastrophysa</i> Chevrolat, 1837	29
(19) Genus <i>Gastrolina</i> Baly, 1859	30
(20) Genus <i>Gastrolinoides</i> Chûjô et Kimoto, 1960	31
(21) Genus <i>Plagioderia</i> Chevrolat, 1837	32
(22) Genus <i>Agasta</i> Hope, 1840	33
(23) Genus <i>Chrysomela</i> Linnaeus, 1758	34
(24) Genus <i>Linaeidea</i> Motschulsky, 1860	36
(25) Genus <i>Asiparopsis</i> Chen, 1934	38
(26) Genus <i>Paropsides</i> Motschulsky, 1860	38
(27) Genus <i>Phratora</i> Chevrolat, 1837	39
(28) Genus <i>Gonioctena</i> Chevrolat, 1837	46
(29) Genus <i>Humba</i> Chen, 1934	55
(30) Genus <i>Crosita</i> Motschulsky, 1860	56
(31) Genus <i>Ambrostoma</i> Motschulsky, 1860	57
(32) Genus <i>Agrosteella</i> Medvedev, 1987	59
(33) Genus <i>Agrosteomela</i> Gistel, 1857	61
(34) Genus <i>Parambrostoma</i> Chen, 1936	62
(35) Genus <i>Chrysolina</i> Motschulsky, 1860	62
(36) Genus <i>Leptinotarsa</i> Chevrolat, 1836	85

Subfamily Galerucinae Chevrolat, 1845	86
I. Tribe Oidini Weise	94
(1) Genus <i>Oides</i> Weber, 1801	94
II. Tribe Galerucini Laboissière	98
(2) Genus <i>Clitena</i> Baly, 1864	98
(3) Genus <i>Periclitena</i> Weise, 1902	98
(4) Genus <i>Clitenella</i> Laboissière, 1927	100
(5) Genus <i>Doryxenoides</i> Laboissière, 1927	101
(6) Genus <i>Zangastr</i> a Chen et Jiang, 1981	101
(7) Genus <i>Sastracella</i> Jacoby, 1899	102
(8) Genus <i>Sastroides</i> Jacoby, 1884	103
(9) Genus <i>Anadimon</i> ia Ogloblin, 1936	104
(10) Genus <i>Menippus</i> Clark, 1864	104
(11) Genus <i>Diorhabda</i> Weise, 1883	106
(12) Genus <i>Radymna</i> Reitter, 1912	107
(13) Genus <i>Atysa</i> Baly, 1864	107
(14) Genus <i>Galerucella</i> Crotch, 1873	109
(15) Genus <i>Pyrrhalta</i> Joannis, 1866	112
(16) Genus <i>Lochmaea</i> Strand, 1935	122
(17) Genus <i>Mimastracella</i> Jacoby, 1903	124
(18) Genus <i>Galeruca</i> Müller, 1764	124
(19) Genus <i>Theone</i> Gistler, 1857	131
(20) Genus <i>Pallasiola</i> Jakobson, 1925	131
(21) Genus <i>Hirtigaleruca</i> Chûjô, 1962	132
(22) Genus <i>Apterogaleruca</i> Chûjô, 1962	132
(23) Genus <i>Pseudadimon</i> ia Duvivier, 1891	132
(24) Genus <i>Pterophthi</i> nus Gressitt et Kimoto, 1963	134
(25) Genus <i>Geinella</i> Strand, 1935	134
(26) Genus <i>Nyctiphantus</i> Semenov, 1895	136
(27) Genus <i>Geinula</i> Ogloblin, 1936	137
(28) Genus <i>Apophyllia</i> Thomson, 1858	139
III. Tribe Metacyclini Leng	144
(29) Genus <i>Erganoides</i> Jacoby, 1903	145
IV. Tribe Hylaspini Silfverberg	146
(30) Genus <i>Dercetina</i> Gressitt et Kimoto, 1963	146
(31) Genus <i>Arthrotus</i> Motschulsky, 1857	149
(32) Genus <i>Taphinella</i> Jacoby, 1889	154
(33) Genus <i>Arthrotidea</i> Chen, 1942	154
(34) Genus <i>Emathea</i> Baly, 1865	155
(35) Genus <i>Dercetisoma</i> Maulik, 1936	156
(36) Genus <i>Proegmena</i> Weise, 1889	156
(37) Genus <i>Sermlyl</i> oides Jacoby, 1884	157

(38)	Genus <i>Aplosonyx</i> Chevrolat, 1837	160
(39)	Genus <i>Sphenoraia</i> Clark, 1865	164
(40)	Genus <i>Agelasa</i> Motschulsky, 1860	166
(41)	Genus <i>Gallerucida</i> Motschulsky, 1860	166
(42)	Genus <i>Laphris</i> Baly, 1864	178
(43)	Genus <i>Meristoides</i> Laboissière, 1929	179
(44)	Genus <i>Meristata</i> Strand, 1935	180
(45)	Genus <i>Paramerista</i> Lopatin, 2011	182
(46)	Genus <i>Yunaspes</i> Chen, 1976	183
(47)	Genus <i>Leptarthra</i> Baly, 1861	183
(48)	Genus <i>Spitiella</i> Laboissière, 1931	184
(49)	Genus <i>Paraspiitiella</i> Chen et Jiang, 1981	184
(50)	Genus <i>Yunnaniata</i> Lopatin, 2009	184
(51)	Genus <i>Doryida</i> Baly, 1865	185
(52)	Genus <i>Haemodoryida</i> Chen, 1942	185
(53)	Genus <i>Doryidomorpha</i> Laboissière, 1931	185
(54)	Genus <i>Capula</i> Jakobson, 1925	186
(55)	Genus <i>Nepalogaleruca</i> Kimoto, 1970	187
(56)	Genus <i>Furusawaia</i> Chûjô, 1962	187
(57)	Genus <i>Himaplosonyx</i> Chen, 1976	187
(58)	Genus <i>Agelastica</i> Chevrolat, 1837	188
(59)	Genus <i>Morphosphaera</i> Baly, 1861	188
(60)	Genus <i>Miltina</i> Chapuis, 1875	191
V.	Tribe Luperini Leng	191
(61)	Genus <i>Aulacophora</i> Chevrolat, 1837	191
(62)	Genus <i>Pseudocophora</i> Jacoby, 1884	196
(63)	Genus <i>Mimagitocera</i> Maulik, 1936	198
(64)	Genus <i>Agetocera</i> Hope, 1840	198
(65)	Genus <i>Paragetocera</i> Laboissière, 1929	201
(66)	Genus <i>Paridea</i> Baly, 1886	203
(67)	Genus <i>Medythia</i> Jacoby, 1886	214
(68)	Genus <i>Kanarella</i> Jacoby, 1896	215
(69)	Genus <i>Shensia</i> Chen, 1964	216
(70)	Genus <i>Shaira</i> Maulik, 1936	216
(71)	Genus <i>Shairella</i> Chûjô, 1962	217
(72)	Genus <i>Xingeina</i> Chen, Jiang et Wang, 1987	217
(73)	Genus <i>Eumelepta</i> Jacoby, 1892	218
(74)	Genus <i>Parexosoma</i> Laboissière, 1932	218
(75)	Genus <i>Hesperomorpha</i> Ogloblin, 1936	219
(76)	Genus <i>Scelolyperus</i> Crotch, 1874	220
(77)	Genus <i>Clerotilia</i> Jacoby, 1885	221
(78)	Genus <i>Phyllobrotica</i> Chevrolat, 1837	223
(79)	Genus <i>Euliroetis</i> Ogloblin, 1936	224

(80)	Genus <i>Japonitata</i> Strand, 1922	225
(81)	Genus <i>Hoplasoma</i> Jacoby, 1884	229
(82)	Genus <i>Mimastra</i> Baly, 1865	230
(83)	Genus <i>Trichomimastra</i> Weise, 1922	235
(84)	Genus <i>Haplosomoides</i> Duvivier, 1890	236
(85)	Genus <i>Charaea</i> Baly, 1878	239
(86)	Genus <i>Sinoluperus</i> Gressitt <i>et</i> Kimoto, 1963	245
(87)	Genus <i>Brachyphora</i> Jacoby, 1890	246
(88)	Genus <i>Liroetis</i> Weise, 1889	246
(89)	Genus <i>Siemssenius</i> Weise, 1922	251
(90)	Genus <i>Cneorane</i> Baly, 1865	252
(91)	Genus <i>Cassena</i> Weise, 1892	255
(92)	Genus <i>Cneoranidea</i> Chen, 1942	257
(93)	Genus <i>Sikkimia</i> Duvivier, 1891	259
(94)	Genus <i>Calomicrus</i> Dillwyn, 1829	259
(95)	Genus <i>Apteromicrus</i> Chen <i>et</i> Jiang, 1981	261
(96)	Genus <i>Ochralea</i> Clark, 1865	261
(97)	Genus <i>Monolepta</i> Chevrolat, 1837	261
(98)	Genus <i>Zangia</i> Chen, 1976	274
(99)	Genus <i>Zizonia</i> Chen, 1976	275
(100)	Genus <i>Atrachya</i> Dejean, 1837	275
(101)	Genus <i>Paleosepharia</i> Laboissière, 1936	278
(102)	Genus <i>Pseudosepharia</i> Laboissière, 1936	281
(103)	Genus <i>Munina</i> Chen, 1976	282
(104)	Genus <i>Trichosepharia</i> Laboissière, 1936	283
(105)	Genus <i>Macrima</i> Baly, 1878	283
(106)	Genus <i>Paraplotes</i> Laboissière, 1933	285
(107)	Genus <i>Doryscus</i> Jacoby, 1887	287
(108)	Genus <i>Trichobalya</i> Weise, 1890	288
(109)	Genus <i>Strobiderus</i> Jacoby, 1884	288
(110)	Genus <i>Cerophysella</i> Laboissière, 1930	289
(111)	Genus <i>Cerophysa</i> Chevrolat, 1837	290
(112)	Genus <i>Hyphaenia</i> Baly, 1865	292
(113)	Genus <i>Hoplosaenidea</i> Laboissière, 1933	293
(114)	Genus <i>Luperus</i> Müller, 1764	296
(115)	Genus <i>Epaenidea</i> Gressitt <i>et</i> Kimoto, 1963	298
(116)	Genus <i>Theopea</i> Baly, 1864	298
(117)	Genus <i>Taumacera</i> Thunberg, 1814	299
(118)	Genus <i>Fleutiauxia</i> Laboissière, 1933	301
(119)	Genus <i>Palpoxena</i> Baly, 1861	302
(120)	Genus <i>Pseudespera</i> Chen, Wang <i>et</i> Jiang, 1985	303
(121)	Genus <i>Taiwanolepta</i> Kimoto, 1989	304
(123)	Genus <i>Lanolepta</i> Kimoto, 1991	305

225	(124) Genus <i>Cneorella</i> Medvedev et Dang, 1981	305
229	Subfamilia Alticinae Chûjô, 1953	307
230	(1) Genus <i>Nonarthra</i> Baly, 1862	314
235	(2) Genus <i>Psylliodes</i> Latreille, 1829	317
236	(3) Genus <i>Chaetocnema</i> Stephens, 1831	323
239	(4) Genus <i>Eutrea</i> Baly, 1875	335
245	(5) Genus <i>Demarchus</i> Jacoby, 1887	335
246	(6) Genus <i>Laboissierea</i> Pic, 1927	335
246	(7) Genus <i>Sangariola</i> Jakobson, 1888	335
251	(8) Genus <i>Lipromorpha</i> Chûjô et Kimoto, 1960	336
252	(9) Genus <i>Taiwanoliprus</i> Komiya, 2006	338
255	(10) Genus <i>Lipromima</i> Heikertinger, 1924	339
257	(11) Genus <i>Epitrix</i> Foudras, 1859	339
259	(12) Genus <i>Orthaltica</i> Crotch, 1873	340
259	(13) Genus <i>Omeiana</i> Chen, 1934	341
261	(14) Genus <i>Leptodibolia</i> Chen, 1941	341
261	(15) Genus <i>Zangaltica</i> Chen et Wang, 1988	341
261	(16) Genus <i>Eudolia</i> Jacoby, 1885	342
274	(17) Genus <i>Laboissierella</i> Chen, 1933	342
275	(18) Genus <i>Microcrepis</i> Chen, 1933	342
275	(19) Genus <i>Novofoudrasia</i> Jakobson, 1901	343
278	(20) Genus <i>Crepidosoma</i> Chen, 1939	344
281	(21) Genus <i>Crepidinema</i> Scherer, 1969	344
282	(22) Genus <i>Pseudodera</i> Baly, 1861	344
283	(23) Genus <i>Crepidoderoides</i> Chûjô, 1942	345
283	(24) Genus <i>Haemaltica</i> Chen, 1933	345
285	(25) Genus <i>Sinocrepis</i> Chen, 1933	346
287	(26) Genus <i>Neocrepidodera</i> Heikertinger, 1911	347
288	(27) Genus <i>Xuthea</i> Baly, 1865	349
288	(28) Genus <i>Crepidodera</i> Chevrolat, 1836	350
289	(29) Genus <i>Ophrida</i> Chapuis, 1875	352
290	(30) Genus <i>Podontia</i> Dalman, 1824	352
292	(31) Genus <i>Asiophrida</i> Medvedev, 1999	353
293	(32) Genus <i>Podagricomela</i> Heikertinger, 1924	354
295	(33) Genus <i>Clitea</i> Baly, 1877	357
298	(34) Genus <i>Amphimela</i> Chapuis, 1875	357
298	(35) Genus <i>Aphthonella</i> Jacoby, 1889	358
299	(36) Genus <i>Minota</i> Kutschera, 1859	359
299	(37) Genus <i>Mantura</i> Stephens, 1831	359
299	(38) Genus <i>Podagricella</i> Chen, 1933	360
299	(39) Genus <i>Euphitrea</i> Baly, 1875	360
299	(40) Genus <i>Nisotra</i> Baly, 1864	365
299	(41) Genus <i>Glaucosphaera</i> Maulik, 1926	366

(42)	Genus <i>Tebalia</i> Fairmaire, 1889	366
(43)	Genus <i>Acrocrypta</i> Baly, 1862	367
(44)	Genus <i>Aphthonoides</i> Jacoby, 1885	368
(45)	Genus <i>Dibolia</i> Latreille, 1829	370
(46)	Genus <i>Priobolia</i> Chen et Wang, 1987	371
(47)	Genus <i>Philopona</i> Weise, 1903	371
(48)	Genus <i>Hyphasis</i> Harold, 1877	373
(49)	Genus <i>Pseudoliprus</i> Chûjô et Kimoto, 1960	375
(50)	Genus <i>Micrespera</i> Chen et Wang, 1987	376
(51)	Genus <i>Orhespera</i> Chen et Wang, 1984	376
(52)	Genus <i>Yunohespera</i> Chen et Wang, 1984	377
(53)	Genus <i>Mellipora</i> Chûjô, 1965	377
(54)	Genus <i>Luperomorpha</i> Weise, 1887	377
(55)	Genus <i>Yunotrichia</i> Chen et Wang, 1980	383
(56)	Genus <i>Hespera</i> Weise, 1889	383
(58)	Genus <i>Clavicornaltica</i> Scherer, 1974	393
(59)	Genus <i>Cangshanaltica</i> Konstantinov, Chamorro, Prathapan, Ge et Yang, 2013	394
(60)	Genus <i>Letzuella</i> Chen, 1933	394
(61)	Genus <i>Laotzeus</i> Chen, 1933	395
(62)	Genus <i>Argopistes</i> Motschulsky, 1860	395
(63)	Genus <i>Maulika</i> Basu et Sengupta, 1980	396
(64)	Genus <i>Pentamesa</i> Harold, 1876	397
(65)	Genus <i>Chilocoristes</i> Weise, 1895	399
(66)	Genus <i>Argopus</i> Fischer, 1824	399
(67)	Genus <i>Omeisphaera</i> Chen et Zia, 1974	402
(68)	Genus <i>Sphaeroderma</i> Stephens, 1831	402
(69)	Genus <i>Bhamoina</i> Bechyné, 1958	407
(70)	Genus <i>Parargopus</i> Chen, 1939	407
(71)	Genus <i>Lesneana</i> Chen, 1933	407
(72)	Genus <i>Jacobyana</i> Maulik, 1926	407
(73)	Genus <i>Halticorcus</i> Lea, 1917	408
(74)	Genus <i>Ivalia</i> Jacoby, 1887	409
(75)	Genus <i>Argopistoides</i> Jacoby, 1892	410
(76)	Genus <i>Parathrylea</i> Duvivier, 1892	411
(77)	Genus <i>Hemipyxis</i> Chevrolat, 1836	411
(78)	Genus <i>Longitarsus</i> Latreille, 1829	420
(79)	Genus <i>Agasicles</i> Jacoby, 1904	429
(80)	Genus <i>Stenoluperus</i> Ogloblin, 1936	429
(81)	Genus <i>Phyllotreta</i> Stephens, 1836	431
(82)	Genus <i>Aphthona</i> Chevrolat, 1836	435
(83)	Genus <i>Trachytetra</i> Sharp, 1886	441
(84)	Genus <i>Batophila</i> Foudras, 1859	444
(85)	Genus <i>Lanka</i> Maulik, 1926	445

366	(86) Genus <i>Sinaltica</i> Chen, 1939.....	447
367	(87) Genus <i>Bikasha</i> Maulik, 1931.....	447
368	(88) Genus <i>Meishania</i> Chen et Wang, 1980.....	448
370	(89) Genus <i>Lipromela</i> Chen, 1933.....	448
371	(90) Genus <i>Pseudargopus</i> Chen, 1933.....	449
371	(91) Genus <i>Manobia</i> Jacoby, 1885.....	449
373	(92) Genus <i>Liprus</i> Motschulsky, 1860.....	451
375	(93) Genus <i>Taiwanorestia</i> Kimoto, 1991.....	451
376	(94) Genus <i>Lypnea</i> Baly, 1876.....	452
376	(95) Genus <i>Hermaeophaga</i> Foudras, 1859.....	452
377	(96) Genus <i>Phygasia</i> Chevrolat, 1836.....	453
377	(97) Genus <i>Lesagealtica</i> Döberl, 2009.....	458
377	(98) Genus <i>Altica</i> Geoffroy, 1762.....	459
383	(99) Genus <i>Aphthonaltica</i> Heikertinger, 1924.....	463
383	(100) Genus <i>Zipanginia</i> Ohno, 1962.....	464

393	References.....	465
-----	-----------------	-----

394	Abbreviations.....	505
-----	--------------------	-----

394	Plate.....	
-----	------------	--

395	Key to the tribes of Chrysomelinae	
395	Tribe Tenebrionini: eggs with focal-like ootheca.....	Tenebrionini
396	Tribe Chrysomelini: eggs without focal-like ootheca.....	Chrysomelini
397	Key to Chinese genera of Chrysomelinae	
399	Procoxal cavity close or almost close behind.....	
402	Procoxal cavity open behind.....	
402	Claws appendiculate, background of elytra dark brown or blackish, on each elytron eight (2, 2, 2, 2) yellow spots.....	
407	Claws simple, the coloration not above.....	
407	Apex of tibiae not angularly dilated.....	
407	Apex of tibiae angularly dilated.....	
408	Fore wing well developed, humeral calli present.....	
409	Brachypterous or apterous, humeral calli absent.....	
410	Elytra subparallel at middle, elytra striae regular close to suture and lateral margin, confused on central disc only.....	
411	Elytra rounded at middle, elytra striae totally confused.....	
420	Body fusiform, dorsum not strongly convex; lateral side of pronotum slightly wider at base, not strongly narrow upward.....	
429	Body almost oval, dorsum strongly convex; lateral side of pronotum wide at base, then strongly narrow upward.....	
431	Fore wing present; outer lateral side of tibial apex without dense pubescence.....	
435	Fore wing absent; outer lateral side of tibial apex with dense pubescence.....	