

CONTENTS

List of Figures	xiii		
List of Plates	xix		
List of Tables	xxi		
List of Appendix Tables	xxiii		
Preface	xxvii		
List of Abbreviations	xxxi		
1 Introduction	1		
2 Habitat Selection and Oviposition	9		
2.1 Habitat Selection	9		
2.1.1 Introduction	9		
2.1.2 The problem	11		
2.1.3 Survey	13		
2.1.4 Cues and their detection	15		
2.1.4.1 The larval habitat	16		
2.1.4.2 The oviposition site	17		
2.1.5 Ultimate factors and proximate cues	20		
2.2 Oviposition	21		
2.2.1 Modes	21		
2.2.2 Variation in mode	22		
2.2.3 Habitat	24		
2.2.4 The behavioral sequence	26		
2.2.5 Guarded oviposition	28		
2.2.6 Group oviposition	30		
2.2.7 Underwater oviposition	30		
2.2.8 Predation	33		
2.2.9 Diel pattern	34		
2.2.10 Rate	35		
2.3 Lifetime Egg Production	36		
2.4 Synopsis	41		
3 The Egg and Prolarva	44		
3.1 The Egg	44		
3.1.1 Obtaining eggs	44		
3.1.2 External morphology	44		
3.1.3 Embryonic development	50		
3.1.3.1 Morphology	50		
3.1.3.2 Duration	52		
3.1.3.2.1 Direct development	52		
3.1.3.2.2 Delayed development	55		
3.1.3.2.3 Facultative diapause	60		
3.1.4 Survivorship	61		
3.1.4.1 Fertility	62		
3.1.4.2 Physical factors	62		
3.1.4.3 Biotic factors	63		
3.1.4.3.1 Parasitoids	63		
3.1.4.3.2 Predators	66		
3.2 Hatching	66		
3.3 The Prolarva	71		
3.4 Synopsis	72		
4 The Larva: Respiration and Foraging	73		
4.1 Introduction	73		
4.2 Respiration	73		
4.2.1 Rectal respiration	74		
4.2.1.1 Anisoptera	74		
4.2.1.2 Zygoptera	76		
4.2.2 Gill tufts	77		
4.2.3 Lateral abdominal gills	78		
4.2.4 Caudal appendages	80		
4.2.5 Other respiratory surfaces	86		
4.2.6 Overview	87		
4.3 Foraging	87		
4.3.1 Modes	88		
4.3.2 Detection of prey	89		
4.3.2.1 Visual receptors	89		
4.3.2.2 Mechanoreceptors	91		
4.3.2.3 Chemoreceptors	95		
4.3.3 Counteradaptations by prey	95		
4.3.4 Handling	96		
4.3.4.1 The predatory sequence	97		
4.3.4.2 Capturing and subduing	102		
4.3.4.3 Processing	104		
4.3.5 Diets	105		
4.3.6 Variables affecting foraging and feeding behavior	107		
4.3.7 Energy transformation	112		
4.3.7.1 Food availability	112		
4.3.7.2 Food intake	113		
4.3.7.3 Assimilation	114		

4.3.7.4 Energy balance	114	6.4.1 Salinity	193
4.3.8 Effects on non-odonate prey	117	6.4.2 pH	196
4.3.8.1 Recorded instances of prey reduction	117	6.5 Dissolved Oxygen, Water Movement, and Depth	198
4.3.8.2 Possible economic importance	119	6.6 Pollution	200
4.4 Synopsis	121	6.6.1 Organic pollutants	201
		6.6.2 Inorganic pollutants and pesticides	201
		6.6.3 Odonata as indicators of environmental quality	204
		6.7 Synopsis	205
5 The Larva: Biotic Environment	124		
5.1 Introduction	124	7 Growth, Metamorphosis, and Emergence	207
5.2 Interaction with Other Organisms	124	7.1 Introduction	207
5.2.1 Commensals	124	7.2 Larval Development	207
5.2.2 Pathogens	125	7.2.1 Molting	207
5.2.3 Parasites	125	7.2.2 Interstadial changes	210
5.2.3.1 Protozoa	126	7.2.3 Intrastadial changes	214
5.2.3.2 Platyhelminthes	127	7.2.4 Sampling to determine larval development	215
5.2.3.2.1 Trematoda	127	7.2.5 Voltinism	217
5.2.3.2.2 Cestoda	131	7.2.5.1 Tropical-centered species	219
5.2.3.3 Aschelminthes	132	7.2.5.2 Temperate-centered species	222
5.2.4 Predators	134	7.2.6 Unregulated development	225
5.2.4.1 Osteichthyes	135	7.2.7 Regulated development	228
5.2.4.2 Amphibia and Reptilia	135	7.2.7.1 Photoperiodic cues	228
5.2.4.3 Aves	137	7.2.7.2 Seasonal regulation	230
5.2.4.4 Odonata	137	7.3 Metamorphosis	234
5.2.5 Survivorship	139	7.4 Emergence	237
5.3 Indirect Effects of Predation	142	7.4.1 The molt	237
5.3.1 Occupancy of habitats	143	7.4.2 Diel pattern	242
5.3.1.1 Terrestrialism	143	7.4.3 Seasonal pattern	244
5.3.1.2 Phytotelmata	144	7.4.4 Total numbers	248
5.3.1.3 Highly saline habitats	146	7.4.5 Emergence date and adult size	249
5.3.1.4 Segregation among water bodies with respect to presence of fish	147	7.4.6 Protandry and protogyny	250
5.3.2 Occupancy of microhabitats	148	7.4.7 Sex ratio	250
5.3.2.1 Zygoptera	150	7.4.8 Mortality	253
5.3.2.2 Anisoptera	150	7.5 Synopsis	255
5.3.2.2.1 Claspers	151		
5.3.2.2.2 Sprawlers	152	8 The Adult: General	257
5.3.2.2.3 Hiders	154	8.1 Introduction	257
5.3.2.2.4 Burrowers	155	8.2 The Prereproductive Period	257
5.3.2.3 Changes of microhabitat during ontogeny	161	8.2.1 Duration	258
5.3.2.4 Color and pattern	163	8.2.1.1 Difference between the sexes	258
5.3.2.5 Macrophytes as refuges	164	8.2.1.2 Duration and the life cycle	260
5.3.2.6 Agonistic behavior	164	8.2.1.2.1 Tropical-centered species	261
5.3.3 Foraging mode	169	8.2.1.2.2 Temperate-centered species	263
5.3.4 Escape and defense	169	8.2.2 Morphological changes	264
5.4 Population Dynamics	173	8.2.2.1 Sexual maturation	264
5.5 Synopsis	176	8.2.2.2 Other changes	268
		8.2.3 External changes	271
6 The Larva: Physical Environment	179	8.2.4 Behavioral changes	271
6.1 Introduction	179	8.2.5 Determination of age and maturity	273
6.2 Temperature	179	8.3 The Reproductive Period	274
6.2.1 Latitude	179	8.3.1 Behavioral repertoires	274
6.2.2 Altitude	183		
6.2.3 Thermal springs	187		
6.2.4 Tolerance of high temperature	188		
6.3 Presence of Free Water	189		
6.4 Ionic Constituents	192		

8.3.2 Color variation	276	9.4.1 Capturing and subduing	357
8.3.2.1 Polychromatism	276	9.4.2 Processing	358
8.3.2.2 Reversible temperature-induced color change	280	9.5 Increasing Foraging Efficiency	360
8.3.2.3 Pruinescence	281	9.5.1 Prey concentration	360
8.4 The Physical Environment	282	9.5.2 Capture success	364
8.4.1 Thermoregulation	282	9.5.3 Beating	365
8.4.1.1 Evaporative cooling	284	9.5.4 Macrophagy	367
8.4.1.2 Ectothermic thermoregulation	285	9.5.5 Site defense	369
8.4.1.3 Endothermy	291	9.5.6 Hoarding	370
8.4.1.4 Overview	293	9.6 Energy Transformation	370
8.4.2 Flying season	294	9.6.1 Food intake and postemergence age	370
8.4.3 Absolute numbers and survivorship	297	9.6.2 Assimilation	372
8.4.4 Diel activity pattern	303	9.6.3 Energy expenditure	375
8.4.5 Roosting	313	9.6.4 Energy balance	377
8.5 Interaction with Other Organisms	319	9.7 Effects of Foraging on Nonodonate Prey	379
8.5.1 Commensals	319	9.7.1 Recorded instances of prey reduction	379
8.5.2 Pathogens	320	9.7.2 Possible economic importance	379
8.5.3 Parasites	320	9.8 Synopsis	382
8.5.4 Predators	327		
8.5.4.1 Angiospermae	327	10 Spatial Displacement by Flight	383
8.5.4.2 Arachnida	327	10.1 Introduction	383
8.5.4.3 Insecta	328	10.1.1 Habitat continuity and spatial displacement	383
8.5.4.4 Osteichthyes	329	10.1.2 Terminology	383
8.5.4.5 Amphibia and Reptilia	329	10.1.3 Methodology	385
8.5.4.6 Aves	329	10.2 Intra-habitat Displacement	386
8.5.4.7 Mammalia	330	10.2.1 The maiden flight	387
8.5.4.8 Counteradaptations	330	10.2.2 Commuting flights	388
8.5.5 Competitors	336	10.2.3 Seasonal refuge flights	389
8.5.5.1 Conspecifics	336	10.2.3.1 Portrait: <i>Sympetrum frequens</i>	390
8.5.5.2 Other species of Odonata	337	10.2.3.2 Perspective	392
8.6 Synopsis	337	10.2.4 Flights to upper reaches of a watercourse	394
9 The Adult: Foraging	339	10.3 Inter-habitat Displacement	394
9.1 Dragonflies as Aerial Predators	339	10.3.1 Attributes of migrating dragonflies	395
9.1.1 The foraging niche	339	10.3.1.1 Mode	395
9.1.2 Aerial agility	340	10.3.1.2 Aggregation	395
9.1.3 Visual acuity	341	10.3.1.3 Maturity	395
9.1.4 Foraging modes	343	10.3.1.4 Time of commencement	396
9.1.5 Diets	344	10.3.1.5 Orientation	396
9.1.5.1 Sources of information	344	10.3.1.6 Energy for flight	397
9.1.5.2 Generalists	345	10.3.2 Displacement by air currents	397
9.1.5.3 Specialists	345	10.3.2.1 Vertical displacement	398
9.2 Midair Foraging	346	10.3.2.2 Horizontal displacement	400
9.2.1 The flier mode	347	10.3.2.3 Population concentration	405
9.2.1.1 Style	347	10.3.3 Obligate migration	408
9.2.1.2 Diel pattern	347	10.3.3.1 Circumventing drought	409
9.2.2 The percher mode	349	10.3.3.1.1 Portrait: <i>Hemianax ephippiger</i>	412
9.2.2.1 Style	349	10.3.3.1.2 Perspective	413
9.2.2.2 Diel pattern	350	10.3.3.2 Circumventing cold	414
9.2.3 Detection of prey	351	10.3.3.2.1 Portrait: <i>Anax junius</i>	414
9.2.4 Counteradaptations of prey	354	10.3.3.2.2 Perspective	417
9.3 Gleaning	354	10.3.4 Facultative migration	418
9.3.1 Style	355	10.3.4.1 Migration beginning in the	
9.3.2 Diel pattern and detection of prey	356		
9.3.3 Counteradaptations of prey	357		
9.4 Handling	357		

prereproductive period	418		
10.3.4.1.1 Portrait: <i>Libellula</i>			
<i>quadrifasciata</i>	418		
10.3.4.1.2 Perspective	420		
10.3.4.2 Migration beginning in the			
reproductive period	420		
10.3.4.2.1 Portrait: <i>Sympetrum</i>			
<i>danae</i>	420		
10.3.4.2.2 Perspective	421		
10.4 Overview	422		
10.5 Synopsis	424		
11 Reproductive Behavior	427		
11.1 Introduction	427		
11.1.1 The reproductive period	427		
11.1.2 The functional framework	428		
11.2 Male-Female Encounter	428		
11.2.1 The rendezvous	428		
11.2.2 The concept of territoriality	430		
11.2.3 Site attachment	431		
11.2.3.1 Localization	433		
11.2.3.2 Site fidelity	435		
11.2.4 Attributes of the territory	436		
11.2.5 Searching behavior of males	438		
11.2.5.1 Modes	438		
11.2.5.2 Patrolling	438		
11.2.5.3 Factors determining			
modes	441		
11.3 Aggressive Behavior	441		
11.3.1 Repertoires	441		
11.3.2 Physical fighting	449		
11.3.3 Interaction with conspecific pairs	450		
11.3.4 Interspecific interaction	450		
11.3.5 Time allocation	452		
11.3.6 The outcome of disputes	452		
11.3.6.1 Asymmetries	452		
11.3.6.2 Escalation	453		
11.3.7 Alternative reproductive			
behaviors	456		
11.3.7.1 Dominance hierarchies	456		
11.3.7.2 Shared occupancy	458		
11.3.7.3 Nonterritorial modes	458		
11.3.8 Density and aggressive behavior	460		
11.3.8.1 Density effects	460		
11.3.8.2 Breakdown of aggressive			
behavior	461		
11.3.8.3 Density regulation	462		
11.4 Visual Communication	463		
11.4.1 Male-male recognition	465		
11.4.2 Recognition of females by males	467		
11.4.3 Recognition of males by females	470		
11.4.4 Female-female recognition	470		
11.4.5 Female refusal behavior	470		
11.4.6 Courtship	474		
11.4.6.1 Calopterygidae	476		
11.4.6.2 Chlorocyphidae	479		
11.4.6.3 Other Zygoptera	481		
11.4.6.4 Anisoptera	481		
11.4.6.5 Functional implications	483		
11.5 Precopulatory Tandem	483		
11.5.1 Formation	483		
11.5.2 Behavior	486		
11.5.3 Linkage	487		
11.5.4 Anomalous connections	490		
11.5.4.1 Types	490		
11.5.4.2 Male-female heterospecific			
connections	490		
11.5.4.3 Male-male and triple			
connections	493		
11.6 Intramale Sperm Translocation	493		
11.7 Copulation	498		
11.7.1 Formation of the wheel	499		
11.7.2 Linkage	501		
11.7.3 Sperm competition	502		
11.7.3.1 Sperm displacement	502		
11.7.3.1.1 Male structures	503		
11.7.3.1.2 Female structures	507		
11.7.3.1.3 Evidence from			
morphology and behavior	509		
11.7.3.1.4 Current hypotheses	519		
11.7.3.2 Insemination	520		
11.7.3.3 Sperm precedence	521		
11.7.4 Duration	523		
11.7.4.1 Intrafamilial variation	523		
11.7.4.2 Intrageneric variation	524		
11.7.4.3 Intraspecific variation	525		
11.7.4.4 Functional implications	526		
11.7.5 Termination	527		
11.8 Postcopulatory Behavior	527		
11.8.1 Unguarded oviposition	527		
11.8.2 Guarded oviposition	528		
11.8.3 Remating and multiple guarding	533		
11.8.4 Functional implications	534		
11.9 Evolution and Mating Systems	535		
11.9.1 Lifetime reproductive success	535		
11.9.1.1 Components for females	537		
11.9.1.2 Components for males	538		
11.9.1.3 Opportunities for sexual			
selection	545		
11.9.2 Mating systems	549		
11.9.2.1 A new classification of			
odonate mating systems	550		
11.9.2.2 Overview	554		
11.10 Synopsis	555		
12 Dragonflies and People	559		
12.1 Interactions between Dragonflies and			
People	559		
12.2 Human Perceptions of Dragonflies	559		
12.3 Odonatology	562		
12.4 Conservation	564		
12.4.1 The need	564		
12.4.2 Environmental impact	567		
12.4.2.1 Symptoms	567		
12.4.2.2 Causes	569		
12.4.3 Protection of dragonflies and			
their habitats	572		
12.4.3.1 Motivation	572		
12.4.3.2 Research	572		
12.4.3.3 Practice	574		

12.4.3.3.1 Conservation of existing biotopes	575
12.4.3.3.2 Creation of biotopes	576
12.4.3.4 The path from theory to practice	577
12.5 Synopsis	579
Glossary	581
Appendix Tables	589

References	671
Supplementary References	788
Author Index	793
Odonata Index	807
Subject Index	818