

CONTENTS

<i>Dedication</i>	v
<i>Preface</i>	xvii
<i>List of Contributors</i>	xix
Chapter 1 Separation-Based Methods Combined with Microdialysis Sampling for Monitoring Neurotransmitters and Drug Delivery to the Brain <i>Rachel A. Saylor, Sara R. Thomas and Susan M. Lunte</i>	1
1.1 Introduction	1
1.2 Probe designs used for microdialysis sampling of brain, blood, and tissue	3
1.2.1 Rigid cannula	4
1.2.2 Flexible cannula	4
1.2.3 Linear probe	6
1.2.4 Shunt probe	6
1.3 Analytical considerations of microdialysis sampling	7
1.3.1 Concentrations of analytes of interest	7
1.3.1.1 Recovery/extraction efficiency	7
1.3.1.2 Calibration methods	10
1.3.1.2.1 <i>In vitro</i> calibration	11
1.3.1.2.2 Retrodialysis	11
1.3.1.2.3 No-net flux and dynamic no-net flux	12
1.3.1.2.4 Ultra-low flow rate	13
1.3.2 Changes in recovery due to biological responses	13
1.3.3 Spatial and temporal resolution considerations	14
1.3.4 On-line <i>versus</i> off-line analysis	16

1.4	Separation-based methods coupled to microdialysis sampling	16
1.4.1	Liquid chromatography	17
1.4.2	Capillary electrophoresis	19
1.4.3	Microchip electrophoresis	20
1.5	Neurochemical applications of microdialysis sampling	23
1.5.1	Blood-brain barrier transport	23
1.5.2	Epilepsy studies	26
1.5.3	Chemobrain studies	28
1.5.4	Neuropeptide metabolism studies	29
1.5.5	Correlating neurotransmitters to behavior in awake animals	31
1.5.5.1	Freely moving animals	31
1.5.5.2	Freely roaming animals	33
1.6	Conclusions and future directions	34
1.6.1	On-animal separation-based sensors	34
1.6.2	Clinical systems employing separation-based sensors	36
1.7	Acknowledgments	38
	References	38
Chapter 2	Microdialysis for Pharmacokinetic and Pharmacodynamic Studies with Focus on the CNS	47
	<i>Margareta Hammarlund-Udenaes</i>	
2.1	Introduction	47
2.2	The microdialysis method in PK and PKPD studies	48
2.2.1	Quantitative microdialysis	48
2.2.1.1	Preparations <i>in vitro</i>	48
2.2.1.2	Recovery estimations	50
2.2.1.3	Protein binding influence	51
2.2.2	<i>In vivo</i> study design	52
2.3	Examples of Preclinical PK and PKPD Studies Utilizing Microdialysis	54
2.3.1	Preclinical PK, including active transport at the BBB	54
2.3.2	Preclinical studies in brain and CSF	55
2.3.3	Preclinical PKPD	56
2.3.4	Dosage form development for the CNS	58
2.3.5	Modeling microdialysis data and translation to humans	59
2.4	Examples of Clinical PK and PKPD Studies Utilizing Microdialysis	60
2.4.1	Clinical PK	60
2.4.2	Clinical PKPD	61
2.5	Conclusions	62

Acknowledgements	63
References	63
Chapter 3 Real Time Neurochemical Monitoring Using Microdialysis	71
<i>Michelle L. Rogers and Martyn G. Boutelle</i>	
3.1 Introduction	71
3.1.1 Clinical microdialysis and brain injury	71
3.1.2 Spreading depolarizations	72
3.2 Methods	73
3.2.1 Where to put the probe?	73
3.2.2 How to place and secure the MD probe	75
3.2.3 How stable is the sampling of the brain tissue?	77
3.2.4 How frequently should you sample?	78
3.2.5 What should you use as a control?	78
3.2.6 Time alignment of data	79
3.2.7 Clinical calibration	81
3.3 Results	81
3.3.1 Where is the probe, actually?	81
3.3.2 Noise and artefacts	82
3.3.3 Differences between clinical and experimental microdialysis	84
3.3.4 How to measure very fast changes?	85
3.3.5 Monitoring spreading depolarisations in the human brain	88
3.4 Conclusion	91
Acknowledgements	91
References	91
Chapter 4 <i>In Vivo</i> Brain Microdialysis Measurements in Human Subjects	95
During Cognitive Tasks	
<i>Robert J. Buchanan, Connor M. Gerace and Klevest Gjini</i>	
4.1 Introduction	95
4.2 Microdialysis: Basic principles and research in humans	96
4.3 Study 1: Brain chemistry measurements during tasks using microdialysis catheters in awake patients with Parkinson's disease	98
4.3.1 Experimental design and methods	100
4.3.1.1 Patient/subject characteristics	100
4.3.1.2 Recruitment and consent of subjects	101
4.3.1.3 Targets	101
4.3.1.4 Overview of the study procedures	102
4.3.1.5 Intra-operative experimental protocols	102
4.3.1.6 Placement of the microdialysis catheters into the STN or GPi	103

4.3.1.7 The non-declarative and declarative memory tasks	104
4.3.1.8 Overview of the conventional neurosurgical procedure for the placement of a deep brain stimulator	105
4.3.2 Risks to subject	107
4.3.3 Special precautions	108
4.3.4 Results	110
4.3.4.1 STN study	110
4.3.4.2 GPi study	110
4.4 Study 2: Microdialysis measurements from the amygdala and hippocampus during tasks	111
4.4.1 Experimental design and methods	112
4.4.1.1 Patient selection and preoperative work-up	112
4.4.1.2 Cognitive testing	113
4.4.1.3 Tasks	114
4.4.1.4 The collection of microdialysate	114
4.4.2 Results	114
4.5 Limitations	115
4.6 Future directions	115
References	115
 Chapter 5 Advanced Microdialysis Approaches Resolve Differences in Serotonin Homeostasis and Signaling <i>Maureen M. Sampson, Hongyan Yang and Anne M. Andrews</i>	119
5.1 Introduction	119
5.2 Fast microdialysis	121
5.3 Fast microdialysis reveals subtle alterations in extracellular serotonin levels in <i>Sert</i> -deficient mice	123
5.4 Microdialysis and mechanisms of SSRIs	128
5.5 Reverse microdialysis reveals differences in overflow and reuptake	131
5.6 Conclusions and future directions	136
References	137
 Chapter 6 Improving Temporal Resolution in Online Microdialysis/ Liquid Chromatography <i>Jing Zhang, Khanh T. Ngo, Stephen R. Groskreutz and Stephen G. Weber</i>	141
6.1 Introduction	141
6.2 History of improvements of the time resolution of microdialysis/LC	142
6.3 The effect of the components of a microdialysis-LC system on the observed time resolution	146

8.2.2	Derivatization of NE with BA	199
8.2.3	Derivatization of DA, NE and 5-HT with DPE and BA	201
8.2.4	Derivatization of HA with PSE	205
8.3	Derivatization chemistries for mass spectrometry	206
8.3.1	Derivatization of neurotransmitters and metabolites with BzCl	208
8.3.2	Derivatization of L- and D-Serine with (S)-NIFE	210
8.4	Summary	212
	References	213
Chapter 9 Microdialysis Contributions to the Understanding of Reward and Addiction		217
<i>Roy A. Wise and Zhi-Bing You</i>		
9.1	Introduction	217
9.2	Nucleus accumbens and ventral tegmental dopamine	217
9.3	Nucleus accumbens and ventral tegmental glutamate and dopamine	220
9.4	NAS, VTA and MPFC norepinephrine and dopamine	222
9.5	VTA acetylcholine and dopamine	223
9.6	NAS and VTA cholecystokinin, glutamate and dopamine	224
9.7	Dorsal hippocampal dopamine and memory consolidation	225
9.8	Retrodialysis: Manipulating drug satiety	225
9.9	Continued importance of microdialysis in behavioral studies	226
	Acknowledgments	227
	References	227
Chapter 10 Voltammetry Reveals How Mesolimbic Dopamine Relates to Instrumental Reward Seeking		231
<i>Kate M. Wassum</i>		
10.1	Introduction	231
10.2	Dopamine and reward seeking	232
10.3	Dopamine and cue-motivated instrumental behavior	233
10.4	Dopamine and self-initiated instrumental action	238
10.5	Conclusions and future considerations	241
	Acknowledgments	242
	References	242
Chapter 11 <i>In Vivo</i> Neurochemical Monitoring of the Crab <i>Cancer borealis</i> via Microdialysis and Mass Spectrometry		249
<i>Zhidan Liang and Lingjun Li</i>		
11.1	Introduction	249
11.2	Crustacean neuroendocrine organs	250

11.3	Mass spectrometry-based neuropeptide identification	251
11.4	Microdialysis on jonah crab <i>Cancer borealis</i>	253
11.4.1	Secreted NP identification	253
11.4.2	NPs dynamics measured by microdialysis coupled with MS	256
11.5	Novel perspectives and future outlook	260
11.6	Conclusions	261
	Acknowledgments	262
	References	262
Chapter 12	<i>In Vivo</i> Microdialysis Coupled with Selective Online Electrochemical Systems to Study Ascorbate Dynamics in the Rat Brain	267
	<i>Meining Zhang, Fei Wu and Lanqun Mao</i>	
12.1	Introduction	267
12.2	Electrochemical detection of ascorbate with <i>in vivo</i> microdialysis	269
12.2.1	Chemical properties and physiological functions of ascorbate	269
12.2.2	Electrochemistry of ascorbate	270
12.2.3	An OECS for ascorbate	271
12.2.4	A microfluidic OECS for multiple analyses	273
12.3	Application to biological systems	276
12.3.1	Ischemia	276
12.3.2	Vertigo	280
12.3.3	Olfactory dysfunction	281
12.4	Summary/conclusion/future prospects	283
	Acknowledgments	284
	References	284
Chapter 13	Open Volume Microfluidic Probes	291
	<i>Gavin D. M. Jeffries, Anna A. Kim, Kiryl Kustanovich and Aldo Jesorka</i>	
13.1	Introduction	291
13.2	Microfluidic probes	292
13.3	Multifunctional pipette	294
13.4	Direct probe fabrication	295
13.4.1	SU-8 as a device material	297
13.4.2	Multilayer processing of SU-8	298
13.4.3	Bonding strategies	299
13.4.4	Alignment considerations	300
13.4.5	The MF π in SU-8	301
13.5	Integration of sensing components into probes	302
13.6	A microfluidic probe for microdialysis	305

13.6.1	Dialysis membrane technology	307
13.6.2	Design, modeling, and fabrication of a microdialysis probe	308
13.6.2.1	Device design	308
13.6.2.2	Fabrication	310
13.7	Challenges for prototyping and upscaling	311
13.7.1	Planarization defects	311
13.7.2	Collapse of structures and resist de-bonding	312
13.7.3	Layout consideration	313
13.8	Interfacing to external components	313
13.9	Future outlook	315
	Acknowledgments	315
	References	316
Chapter 14	Push-Pull Perfusion Sampling of Thin Neuronal Tissues	321
	<i>Scott A. Shippy and Geovannie Ojeda-Torres</i>	
14.1	Introduction	321
14.2	Push-pull perfusion of the rat retina	322
14.2.1	Sampling from the rat vitreoretinal interface <i>in vivo</i>	322
14.2.2	Pharmacological manipulation of the rat retina	325
14.2.3	Low-flow push-pull perfusion of the <i>in vivo</i> rat retina with online detection	326
14.2.4	Sampling of isolated rat retina	327
14.2.4.1	Experimental procedures	327
14.2.4.2	Low-flow push-pull perfusion of isolated retinas	328
14.2.4.3	Direct sampling of isolated retinas	329
14.2.4.4	Time-resolved low-flow push-pull perfusion of bath perfused isolated retina	329
14.3	Low flow push-pull perfusion of tissue slices	330
14.3.1	Perfusion sampling utilizing electrogenerated flow	331
14.3.2	Pressure-generated low-flow push-pull perfusion	332
14.4	Future prospects	333
	Acknowledgments	333
	References	333
Chapter 15	Microdialysis Flux Considerations	337
	<i>Julie A. Stenken and Samuel L. Patton</i>	
15.1	Analyte mass transport in living systems	337
15.2	Microdialysis sampling overview	339
15.3	Flux overview	341
15.4	Processes that contribute to analyte flux through brain tissue	343

15.4.1	Geometry	343
15.4.2	Generation or entry	344
15.4.2.1	Catecholamine neurotransmitters	344
15.4.2.2	Glucose	344
15.4.2.3	Glutamate sources and sinks	345
15.4.2.4	Xenobiotics/pharmaceuticals	345
15.4.3	Removal	345
15.4.3.1	Catecholamines	345
15.4.3.2	Glutamate	346
15.4.3.3	Efflux transporters	346
15.4.3.4	Glucose	347
15.4.4	Pathological conditions and alteration	347
15.4.5	Bulk flow in the brain	347
15.5	Microdialysis sampling mass transport	348
15.5.1	<i>In vitro</i> calibration importance to understanding <i>in vivo</i> analyte flux	349
15.5.2	Dialysate in the membrane lumen	351
15.5.3	Membrane diffusivity	352
15.5.4	Trauma	354
15.5.5	Undamaged tissue	355
15.5.6	Comparing <i>in vitro</i> versus <i>in vivo</i> relative recovery/extraction efficiency	357
15.5.7	Steady-state concentrations during microdialysis sampling	358
15.5.7.1	Cytokines	359
15.6	Localized substrate delivery followed by product recovery	359
15.7	Affinity agents in microdialysis perfusion fluids	361
15.7.1	Cyclodextrins	363
15.7.2	Antibodies	364
15.8	Summary/conclusion/future prospects	364
	Acknowledgments	365
	References	365
Chapter 16	Advancing Intracranial Microdialysis Sampling and Measurements	375
	<i>Andrea Jaquins-Gerstl, Erika L. Varner, Kathryn M. Nesbitt and Adrian C. Michael</i>	
16.1	Introduction	375
16.2	The traumatic penetration injury (TPI)	378
16.2.1	Histological studies	378
16.2.2	FSCV next to microdialysis probes	380

16.3 Mitigation of TPI: Dexamethasone-enhanced microdialysis	3
16.3.1 Histology	3
16.3.2 FSCV next to microdialysis probes	3
16.4 Conclusion	3
Acknowledgments	3
References	3