

Contents

Preface

xv

SECTION I QM AND QM/MM METHODS

1 A Modified Divide-and-Conquer Linear-Scaling Quantum Force Field with Multipolar Charge Densities	3
<i>Timothy J. Giese and Darrin M. York</i>	
1.1 Introduction	3
1.2 Linear-Scaling Quantum Force Fields	5
1.3 Methods	7
1.3.1 The Modified Divide-and-Conquer Method	7
1.3.2 Models	9
1.3.3 Computational Details	10
1.4 Results and Discussion	13
1.5 Conclusion	17
1.6 Appendices	18
1.6.1 Complex Harmonics and the Spherical Tensor Gradient Operator	18
1.6.2 Real-Valued Harmonics	21
1.6.3 Gaussian Multipole Expansions	23
1.6.4 Point Multipole Expansions	24
1.6.5 Real-Valued Spherical Harmonic Gaunt Coefficients	26
2 Explicit Polarization Theory	33
<i>Yingjie Wang, Michael J. M. Mazack, Donald G. Truhlar, and Jiali Gao</i>	
2.1 Introduction	34
2.2 Theoretical Background	36

2.2.1	Approximation of the Total Wave Function and Total Energy	37
2.2.2	Approximation on the Electrostatic Interaction between Fragments	38
2.2.3	Approximations to Interfragment Exchange-Dispersion Interactions	40
2.2.4	Double Self-Consistent Field	41
2.3	Computational Details	44
2.4	Illustrative Examples	45
2.4.1	Multilevel X-Pol as a Quantum Chemical Model for Macromolecules	45
2.4.2	The XP3P Model for Water as a Quantum Mechanical Force Field	50
2.5	Conclusions	55
3	Quantum Mechanical Methods for Quantifying and Analyzing Non-Covalent Interactions and for Force-Field Development	65
	<i>C. David Sherrill and Kenneth M. Merz, Jr.</i>	
3.1	Introduction	65
3.2	Testing Force Fields Against High-Accuracy Quantum Mechanics	67
3.2.1	Coupled-Cluster Benchmarks for Non-Bonded Interactions	67
3.2.2	Comparison of Force Fields to Quantum Mechanical Benchmarks	73
3.2.3	Performance of Force Fields for π -Interactions	74
3.2.4	Error Analysis for the Indinavir/HIV-II Protease Complex	75
3.2.5	Error Analysis for Ubiquitin Folding	78
3.2.6	The Bio-Fragment Database	79
3.3	Understanding and Quantifying Intermolecular Interactions using Symmetry-Adapted Perturbation Theory	81
3.3.1	Using SAPT to Investigate Challenges for Current Force Fields	86
3.3.2	Atomic-Partitioned Symmetry-Adapted Perturbation Theory	90

3.4	Force Fields Fit to High-Quality Quantum Mechanical Data	92
3.4.1	Force Fields Fit to SAPT	94
3.5	Conclusions	100
4	Force Field Development with Density-Based Energy Decomposition Analysis	121
	<i>Nengjie Zhou, Qin Wu, and Yingkai Zhang</i>	
4.1	Introduction	121
4.2	Density-Based Energy Decomposition Analysis	122
4.2.1	The DEDA Approach	123
4.2.1.1	The frozen density energy	124
4.2.1.2	The electronic relaxation energy	124
4.2.1.3	The total binding energy	124
4.2.1.4	The implementation of DEDA	125
4.2.2	DEDA vs. EDA	125
4.2.3	Directional Dependence of Hydrogen Bonding	126
4.3	Smeared Charge Multipole Model for Electrostatics and Its Parameterization Protocol	129
4.3.1	Brief Summary of Current Electrostatic Models	129
4.3.2	Going Beyond Point Charges: The Smeared Charge with Multipole Model	129
4.4	Examination and Parameterization of Interatomic Potentials for Rare Gas Dimers	131
4.4.1	Van der Waals Descriptions by Atomic Force Fields	131
4.4.2	DEDA and the Born–Mayer-D3 van der Waals Model	133
4.5	Outlook	135
5	Effective Fragment Potential Method	147
	<i>Lyudmila V. Slipchenko</i>	
5.1	Introduction	147
5.2	Overview of the EFP Theory	148
5.3	Accuracy of the EFP Method for Describing Intermolecular Interactions	151
5.4	Chemistry of Non-Covalent Interactions	153

5.4.1	Competition between H-Bonding, π - π Bonding, and π -H Bonding	153
5.4.2	Many-Body Interactions in Mixed Systems	154
5.4.3	Role of Polarization Energy Increases from Dimers to Bulk	156
5.4.4	Affinity of Ions to Hydrophobic Interfaces	159
5.5	QM/EFP Schemes	162
5.6	Excited State Chemistry in the Condensed Phase	168
5.6.1	Solvatochromic Shifts and Photodynamics of Para-Nitroaniline	168
5.6.2	Thymine in Water	173
5.7	Technical Details and Implementation	176
5.8	Future Directions and Outlook	177

SECTION II ATOMISTIC MODELS

6	Explicit Inclusion of Induced Polarization in Atomistic Force Fields Based on the Classical Drude Oscillator Model	191
	<i>Alexey Savelyev, Benoît Roux, and Alexander D. Mackerell, Jr.</i>	
6.1	Introduction	191
6.2	Classification of Polarizable Models	193
6.2.1	Induced Dipole Models	193
6.2.2	Fluctuating Charge Models	195
6.2.3	Classical Drude Oscillator Model	196
6.2.4	Molecular Dynamics Simulations with the Classical Drude Polarizable Model via an Extended Lagrangian Integrator	202
6.3	Parametrization of the Drude Polarizable Force Field in CHARMM	207
6.3.1	Optimization of Electrostatic Parameters	207
6.3.2	Optimization of Lennard-Jones and Intramolecular Parameters	210
6.3.3	Optimization at the Macromolecular Level	212
6.4	Historical Overview of the CHARMM Drude Polarizable Force Field for Small Molecules and Biological Polymers	214
6.5	Conclusion	216

7 Multipolar Force Fields for Atomistic Simulations 233

Tristan Bereau and Markus Meuwly

7.1	Introduction	233
7.2	Describing Electrostatics in Atomistic Force Fields	234
7.2.1	Multipolar Interactions	235
7.2.2	Reference Axis Systems and Symmetries	239
7.2.3	Fluctuating and Conformationally Dependent Multipoles	240
7.3	Examples of MTP Implementations	242
7.3.1	Discrete Multipoles	243
7.3.2	Gaussian Multipoles	245
7.4	Parametrization of MTPs	246
7.4.1	Distributed Multipole Analysis	247
7.4.2	ESP-Based Fitting Methods	248
7.5	Molecular Simulations with MTPs	249
7.5.1	Energy Conservation	249
7.5.2	Long-Range Electrostatics	250
7.5.3	Performance Issues	250
7.6	Applications	253
7.6.1	Spectroscopy	253
7.6.2	Free-Energy Calculations	256
7.6.3	Dynamical Properties	258
7.7	Conclusions and Outlook	261

8 Status of the Gaussian Electrostatic Model, a Density-Based Polarizable Force Field 269

Jean-Philip Piquemal and G. Andrés Cisneros

8.1	Introduction	269
8.2	Density Fitting Methods	272
8.2.1	Analytical Fitting	272
8.2.2	Numerical Fitting	273
8.3	Distributed Multipoles	274
8.4	Reciprocal Space Methods for Integral Evaluation	276
8.5	The GEM and GEM* Force Fields	278
8.5.1	The GEM Functional Form	278
8.5.2	GEM*: molecular Dynamics with Fitted Densities	280
8.6	Combining SIBFA and GEM: S/G-1	284
8.7	Conclusion and Perspective	290

9	Water Models: Looking Forward by Looking Backward	301
	<i>Toshiko Ichiye</i>	
9.1	Introduction	301
9.2	Potential Energy Functions for Liquid Water	305
9.2.1	Multisite Models	306
9.2.2	Molecular Multipole Models	309
9.2.3	Summary	311
9.3	The Pure Liquid	312
9.3.1	The Water Molecule in the Liquid Phase	312
9.3.2	Liquid Water	315
9.3.3	Summary	320
9.4	Aqueous Solutions	320
9.4.1	Hydrophobic Solvation	321
9.4.2	Polar Solvation	324
9.4.3	Ionic Solvation	325
9.4.4	Summary	327
9.5	Conclusions	327
10	Quantum Mechanics–Based Polarizable Force Field for Proteins	337
	<i>Changge Ji, Ye Mei, and John Z. H. Zhang</i>	
10.1	Fragment Quantum Chemistry Calculation of Proteins	337
10.2	Protein Solvation	341
10.3	Polarized Protein-Specific Charge	344
10.4	Dynamically Adapted Hydrogen Bond Charge	347
10.5	Effective Polarizable Bond Method	350
10.6	Applications	354
10.6.1	Thermodynamics of Proton Binding in Protein	354
10.6.2	Protein Ligand Binding	355
10.6.3	Protein Folding	356
11	Polarizable Continuum Models for (Bio)Molecular Electrostatics: Basic Theory and Recent Developments for Macromolecules and Simulations	363
	<i>John M. Herbert and Adrian W. Lange</i>	
11.1	Overview	363

11.2	Theoretical Background	367
11.2.1	Continuum Electrostatics	367
11.2.2	Practical Considerations	373
11.2.2.1	Matrix equations	373
11.2.2.2	Cavity construction and discretization	375
11.2.2.3	Beyond electrostatics	377
11.3	New Models and Insights	378
11.3.1	Generalized Debye–Hückel Theory	378
11.3.1.1	Alternative derivation of C-PCM/GCOSMO	379
11.3.1.2	DESMO and ion exclusion	379
11.3.2	Connections to Generalized Born Models	382
11.4	Advances in Algorithms	387
11.4.1	Intrinsically Smooth Discretization	388
11.4.2	Linear Scaling and Parallelization	392
11.4.2.1	Conjugate gradient solvers	394
11.4.2.2	Fast multipole method	396
11.4.2.3	Parallelization strategies	399
11.4.2.4	Surface construction strategies	402
11.4.2.5	Scalability tests	403
11.5	Summary and Future Directions	407
12	Differential Geometry-Based Solvation and Electrolyte Transport Models for Biomolecular Modeling: A Review	417
	<i>Guo Wei Wei and Nathan A. Baker</i>	
12.1	Background	417
12.2	Differential Geometry-Based Solvation Models	419
12.2.1	Nonpolar Solvation Model	424
12.2.2	Incorporating Polar Solvation with a Poisson–Boltzmann Model	427
12.2.3	Improving Poisson–Boltzmann Model Charge Distributions with Quantum Mechanics	430
12.3	Differential Geometry-Based Electrolyte Transport Models	435
12.3.1	A Differential Geometry-Based Poisson–Nernst–Planck Model	436

12.3.2	Quantum Mechanical Charge Distributions in the Poisson–Nernst–Planck Model	441
12.4	Concluding Remarks	444

SECTION III COARSE-GRAINED MODELS

13	A Physics-Based Coarse-Grained Model with Electric Multipoles	465
	<i>Guohui Li and Hujun Shen</i>	
13.1	Introduction	465
13.2	Model	471
13.2.1	GBEMP Energy Function	471
13.2.2	Gay–Berne Potential	472
13.2.3	Electric Multipole Potential	475
13.3	GBEMP Model for Molecular Solvents	476
13.4	GBEMP Model for Proteins	480
13.5	Summary	486
14	Coarsened-Grained Membrane Force Field Based on Gay–Berne Potential and Electric Multipoles	495
	<i>Dejun Lin and Alan Grossfield</i>	
14.1	Introduction	495
14.2	GBEMP: A Coarse-Grained Model Based on the Gay–Berne Potential and Electric Multipoles	498
14.3	Application of the GBEMP Model to Lipid Membranes	499
14.3.1	Group Neighboring Heavy Atoms into CG Particles	500
14.3.2	Derive Initial Parameters from Gas-Phase Calculations	502
14.3.3	Validate and Adjust Parameters by Liquid-Phase Simulations	504
14.4	Implement the GBEMP Force Field in LAMMPS	505
14.5	Discussion	506
15	RNA Coarse-Grained Model Theory	515
	<i>David Bell and Pengyu Ren</i>	
15.1	Introduction	516

15.2	Primary and Secondary Structure	517
15.3	Three-Dimensional Structure	518
15.4	Fragment Library-Based Models	521
15.5	Coarse-Grained Force field	523
15.6	Physics-Based Models	525
15.7	Conclusion	529
16	Perspectives on the Coarse-Grained Models of DNA	535
	<i>Ignacia Echeverria and Garegin A. Papoian</i>	
16.1	Introduction	535
16.2	Methods	539
16.2.1	Model 1: One-Bead Double-Stranded DNA Model by molecular Renormalization Group Coarse-Graining	541
16.2.2	Model 2: Three-Collinear Bead DNA Model for Applications in Nanotechnology	546
16.2.3	Model 3: Three-Bead DNA Model to Reproduce Melting Temperatures	550
16.2.4	Other Models	555
16.3	Results	558
16.3.1	Reproducing DNA's Structural Properties from CG Models	558
16.3.2	Reproducing DNA's Thermodynamic Properties from CG Models	560
16.3.3	Example 1: Salt-Dependent Buckling of Circular DNA Molecules	560
16.3.4	Example 2: Obtaining the Hybridization Rate Constants	561
16.3.5	Example 3: Toehold-Mediated DNA Strand Displacement	562
16.3.6	Modeling of Chromatin	563
16.4	Conclusions and Outlook	564
	<i>Index</i>	571