

Contents

Preface XV

List of Contributors XIX

Color Plates XXIII

I	Cell Shape Modulations and Cell Surface-Nucleus Connections: Prerequisites for Cell Migration	1
1	Functional Phases in Cell Attachment and Spreading	3
	<i>Michael P. Sheetz, Benjamin J. Dubin-Thaler, Gregory Giannone, Guoying Jiang, and Hans-Günther Döbereiner</i>	
1.1	Introduction	4
1.2	Fibroblast Spreading on Matrices	5
1.3	Summary of Spreading Process	5
1.3.1	Steps in Cell Spreading	6
1.3.1.1	Basal Motility Phase (Cells in Suspension)	7
1.3.1.2	Adhesion to the Surface	7
1.3.1.3	Initiation of Actin Assembly and Spreading (Rate-limiting Step)	7
1.3.1.4	Continued Spreading	8
1.3.1.5	Transition to Fully Spread State	9
1.3.2	Binding to Rigid Matrices Causes Strengthening of Cytoskeleton-Integrin Linkages	9
1.3.2.1	Initial Binding of Fibronectin Multimers at the Leading Edge and Over Actin Cables	10
1.3.2.2	Force-dependent Activation of the ECM-Integrin Complexes	10
1.3.2.3	Additional Steps in the Spreading Process	11
1.3.3	MTs and Motility	12
1.3.4	Conclusion	12
1.4	References	12

2	Polarized Cell Motility: Microtubules Show the Way	15
	<i>J. Victor Small and Irina Kaverina</i>	
2.1	Introduction	15
2.1.1	The Vasiliev Conundrum	15
2.1.2	Cell Polarity and Adhesion	15
2.2	Microtubules Meet the Actin Cytoskeleton at Focal Adhesions	17
2.3	Microtubule Targeting Promotes Focal Adhesion Turnover	20
2.4	Contractility, the Functional Link	21
2.5	Kinesin and Signal Transmission	22
2.6	Tip Complexes Meet Adhesion Complexes	23
2.7	Focal Adhesions Influence Microtubule Dynamics	24
2.8	Actin Talks Back: Tension and Microtubule Guidance	25
2.9	Conclusions and Perspectives	27
2.10	Acknowledgments	28
2.11	References	28
3	Mechanisms of Eukaryotic Chemotaxis	33
	<i>Chris Janetopoulos, Yu Long, and Peter Devreotes</i>	
3.1	Chemotaxis is a Fundamental Cellular Response	33
3.2	Directional Sensing Occurs Downstream of G Protein Activation and Upstream of the Accumulation of PI(3,4,5)P ₃	35
3.3	Input-Output Relationships Reveal Gradient Amplification in Polarized and Unpolarized Cells	37
3.4	Increase in Local PI(3,4,5)P ₃ Precedes Actin Polymerization Responses	40
3.5	Positive Feedback and the Actin Cytoskeleton May Stabilize Directional Sensing and Establish Polarity	41
3.6	References	43
4	Dual Location Proteins:	
	Communication Between Cell Adhesions and the Nucleus	47
	<i>Erin G. Cline and W. James Nelson</i>	
4.1	Introduction	47
4.2	LIM Protein Family	49
4.2.1	Zyxin Subfamily	49
4.2.1.1	Zyxin	49
4.2.1.2	LPP (Lipoma-Preferred Partner)	50
4.2.1.3	Trip6	51
4.2.1.4	WTIP (Wilms Tumor protein 1 Interaction Protein)	51
4.2.1.5	Ajuba	51
4.2.2	Paxillin Subfamily	52
4.2.2.1	Paxillin	52

4.2.2.2	Hic-5	53
4.3	MAGUK Protein Family	54
4.3.1	ZO-1	54
4.3.2	ZO-2	55
4.3.3	CASK	56
4.4	Armadillo Repeat Protein Family	56
4.4.1	β -catenin Armadillo Repeat Subfamily	57
4.4.1.1	β -catenin	57
4.4.1.2	Plakoglobin	58
4.4.2	p120 Armadillo Repeat Subfamily	58
4.4.2.1	p120	59
4.4.2.2	ARVCF	59
4.4.2.3	Plakophilins	60
4.5	Other Proteins – Symplekin	60
4.6	Dual Location	61
4.6.1	Sequestration of Transcriptional Regulators	61
4.6.2	mRNA Localization	62
4.6.3	Scaffolding	63
4.7	Conclusion	64
4.8	Acknowledgments	65
4.9	References	65
II	Classical Examples of Cell Migration in Development	71
5	Cell Migration During Zebrafish Gastrulation	73
	<i>Irinka Castanon and Carl-Philipp Heisenberg</i>	
5.1	Introduction	73
5.2	Cellular and Molecular Mechanisms	74
5.2.1	Epiboly	75
5.2.1.1	Epiboly Movements	75
5.2.1.2	Epiboly Mutants	76
5.2.2	Internalization	76
5.2.2.1	Internalization Movements	76
5.2.2.2	Internalization Mutants	77
5.2.3	Convergence and Extension	79
5.2.3.1	Convergence and Extension Movements	79
5.2.3.2	Convergence and Extension: Mutants and Molecules	80
5.3	Discussion	89
5.3.1	Germ Layer Formation	89
5.3.2	Cellular Polarity	92
5.3.3	Cellular Adhesion	94
5.3.4	Molecular Topics: Non-canonical Wnt Signaling	96
5.4	Concluding Remarks	98
5.5	References	98

8.6.4	Lateral Glia Development and Migration	146
8.7	PNS Glia Embryo and Larvae	147
8.7.1	Genetic Analysis of PNS Glia Migration	148
8.8	Conclusion	149
8.9	References	149
9	The Neural Crest: Migrating from the Border	155
	<i>Marianne Bronner-Fraser</i>	
9.1	Introduction	155
9.2	Different Populations of Neural Crest Cells along the Rostrocaudal Axis	157
9.3	Both Intrinsic and Extrinsic Cues Influence Neural Crest Migration	159
9.4	Trunk and Hindbrain Neural Crest Migrate in a Segmental Fashion	160
9.5	Attraction and Repulsion in Neural Crest Cell Guidance	162
9.5.1	Extracellular Matrix and Adhesion Molecules	162
9.5.2	Eph Receptor/Ephrin Interactions	163
9.5.3	Chondroitin Sulfate and other Molecules may Inhibit Neural Crest Cells from the Perinotochordal Region	164
9.5.4	Erb4/Neuregulin	164
9.5.5	Slit/Robo Interactions	165
9.6	Conclusions	167
9.7	References	167
10	Primordial Germ Cell Migration in Zebrafish	173
	<i>Erez Raz</i>	
10.1	Introduction	173
10.2	PGC Migration in Zebrafish: Hints from Embryological Studies	173
10.3	Guidance Cues for Zebrafish PGCs	177
10.4	PGC Migration: Cellular Behavior Aspects	181
10.4.1	Migration of PGCs as Individual Cells	181
10.4.2	PGC Behavior in the Clustering Positions	183
10.4.3	PGC Behavior when Migrating as a Cluster	184
10.4.4	PGC Behavior compared with that of other Migrating Cell Types	184
10.5	Signaling Pathways Controlling Primordial Germ Cell Migration in Zebrafish	185
10.6	Conclusions and Future Directions	186
10.7	References	187

11	HGF/SF c-Met Signaling in the Epithelial–Mesenchymal Transition and Migration of Muscle Progenitor Cells 191 <i>Ute Schaeper and Walter Birchmeier</i>
11.1	Introduction: Hepatocyte Growth Factor/scatter Factor (HGF/SF) is a Pleiotropic Growth Factor 191
11.2	HGF/SF is the Ligand for the Proto-oncogene c-Met 193
11.3	HGF/SF acts as a Paracrine Growth Factor in Normal Tissue 196
11.4	Functional Role of HGF/SF and c-Met in the Development of Skeletal Muscles 197
11.5	c-Met Substrates are Required for Migration of Muscle Progenitor Cells 199
11.6	Evolution of Migratory Muscle Progenitor Cells 201
11.7	Outlook 201
11.8	Acknowledgments 202
11.9	References 202
III	Cell Migration Crucial for Immune Response, Wound Healing, and Tumorigenesis 207
12	Host–Pathogen Interactions and Cell Motility: Learning from Bacteria 205 <i>Theresia E. B. Stradal, Silvia Lommel, Jürgen Wehland, and Klemens Rottner</i>
12.1	Introduction 207
12.2	Concepts for Bacterial Entry: ‘Trigger’ versus ‘Zipper’ 210
12.2.1	Triggered Entry by <i>Salmonella</i> and <i>Shigella</i> : Variations on a Common Theme 210
12.2.2	The ‘Zipper’ Mechanism of Bacterial Entry 213
12.2.3	Other Mechanisms of Bacterial Invasion 214
12.3	Intracellular Actin-based Motility 215
12.3.1	<i>Listeria</i> 215
12.3.2	<i>Shigella</i> 218
12.3.3	<i>Rickettsia</i> 220
12.3.4	Intracellular Motility of less-well Characterized Bacterial Pathogens 222
12.4	Actin Pedestal Formation by Pathogenic <i>E. coli</i> : Directing Cytoskeletal Organization across the Plasma Membrane 223
12.5	Conclusions 228
12.6	Acknowledgments 228
12.7	References 229

13	Transendothelial Migration of Leukocytes	237
	<i>William A. Muller and Alan R. Schenkel</i>	
13.1	Sequential Adhesive Events in Leukocyte Emigration	237
13.1.1	Tethering and Rolling	239
13.1.2	Arrest and Adhesion	239
13.1.3	Locomotion: Migration on the Endothelial Surface	240
13.1.4	Diapedesis	241
13.2	Locomotion	242
13.3	Diapedesis	243
13.3.1	PECAM/CD31	244
13.3.2	CD99	244
13.3.3	Mechanistic Insights	245
13.4	Acknowledgments	247
13.5	References	248
 14	 Chemokine-controlled Migration in Lymphoid Organogenesis and the Systemic Organization of Immunity	 251
	<i>Martin Lipp</i>	
14.1	Introduction	251
14.2	Lymphoid Organogenesis	254
14.2.1	The Chemokine Receptors CXCR5 and CCR7 in Lymph Node and Peyer's Patch Development	255
14.2.2	A Positive Feedback Loop Drives the Initial Phase of Lymphoid Organ Development	256
14.3	Organization of Lymph Node and Splenic Micro-architecture by Homeostatic Chemokines	259
14.3.1	The Homeostatic Chemokine System in the Formation of the Splenic Micro-architecture	259
14.3.2	Lessons from CXCR5 and CCR7 Double Deficient Mice	260
14.4	Chemokine-controlled Migration of Lymphocytes and Dendritic Cells during Immune Responses	261
14.5	Concluding Remarks	267
14.6	Acknowledgments	269
14.7	References	269
 15	 Keratinocyte Migration in Wound Healing	 275
	<i>Cord Brakebusch</i>	
15.1	The Skin	275
15.2	Wound Healing	276
15.3	Models for Wound Healing	278
15.3.1	<i>In vivo</i> Models	279
15.3.2	<i>In vitro</i> Models	279
15.4	Initiation of Wound Healing and Keratinocyte Activation	280
15.5	Growth Factors and Cytokines	281
15.5.1	EGF Family of Growth Factors	282

15.5.2	FGF Family of Growth Factors	282
15.5.3	Extracellular Matrix Proteins	282
15.5.4	TGF, Chemokines and Cytokines	283
15.6	Transcription Factors	284
15.6.1	AP-1 Transcription Factor Family	284
15.6.2	E2F Transcription Factor Family	285
15.6.3	Activation of Stat3	285
15.6.4	NFkB	285
15.6.5	Peroxisome Proliferator Activated Receptors	286
15.6.6	Transcription Factor Smad3	286
15.7	Integrin Receptors	286
15.7.1	Keratinocyte Migration	287
15.7.2	Redistribution of Integrin Receptors	288
15.8	Extracellular Matrix	289
15.8.1	Fibrin and Plasmin	289
15.8.2	Fibronectin	290
15.8.3	Laminin	291
15.8.4	Matrix Metalloproteinases	291
15.9	Directed Migration of Keratinocytes	292
15.10	Migration Stopping and Deactivation	292
15.11	Conclusion	293
15.12	Acknowledgment	293
15.13	References	293
16	From Tumorigenesis to Tumor Progression:	
	Signaling Pathways Driving Tumor Invasion and Metastasis	299
	<i>Klaudia Giehl, Andre Menke, Doris Wedlich, Michael Beil and Thomas Seufferlein</i>	
16.1	Introduction	299
16.2	Oncogenic Ras Proteins in Tumor Progression and Metastasis	300
16.2.1	Ras GTPases: Basic Properties	300
16.2.2	Oncogenic Ras Proteins: Signaling Specificity	302
16.2.3	Ras-mediated Signal Transduction in Tumorigenesis, Migration, and Invasion	303
16.2.3.1	Activation of the Raf-MEK-ERK Cascade	304
16.2.3.2	Extracellular Matrix Degradation	305
16.2.3.3	Activation of Phosphatidylinositol 3-Kinase and Rho GTPases	305
16.3	Signals Controlling Cellular Adhesion Complexes	306
16.3.1	Tyrosine Phosphorylation Induces E-cadherin/catenin Complex Disassembly	308
16.3.2	Extracellular Matrix-induced Inhibition of E-cadherin-mediated Cell Adhesion	309
16.3.3	The Protein p120 ^{ctn}	310

16.4	Switching from Cell-cell Adhesion to Migration: a Role for β -Catenin as Nuclear Wnt-signal Transducer?	312
16.4.1	The Contribution of Canonical Wnt/ β -Catenin Signaling to Cell Migration	314
16.4.2	Is Non-canonical Wnt Signaling Important for Tumor Invasion and Tumor Cell Dissemination?	315
16.5	The HGF/SF Signaling Cascade Mediated via the c-Met Receptor	315
16.5.1	c-Met, RON and Alternate Receptors are Important for Motility Induction	316
16.5.2	Cellular Targets of HGF/SF Signaling in Cell Scattering	317
16.5.3	Bypassing Ligand Binding in c-Met Activation	317
16.6	Bioactive Lipids	318
16.6.1	The Receptors of Bioactive Lipids	320
16.6.2	Signal Transductions Pathways of Bioactive Lipids Stimulating Motility	320
16.7	Keratin Regulation by Sphingolipids – a Key to Metastasis?	321
16.7.1	Keratins Define the Structural Integrity and the Mechanical Properties of Epithelial Cells	322
16.7.2	Sphingosylphosphorylcholine: A Naturally Occurring Bioactive Lipid Regulating Multiple Biological Processes	323
16.7.3	SPC: A Promoter of Metastasis?	324
16.7.3.1	Keratin Reorganization in Epithelial Tumor Cells by SPC	324
16.7.3.2	SPC Treatment Changes Cell Shape Independently from other Cytoskeletal Components	325
16.7.3.3	SPC Changes the Elastic Properties of Epithelial Tumor Cells	325
16.7.3.4	SPC Facilitates Migration of Epithelial Tumor Cells through Size-limiting Pores	326
16.8	References	327

Subject Index	341
----------------------	------------

16.4	Switching from Cell-cell Adhesion to Migration: a Role for β -Catenin as Nuclear Wnt-signal Transducer?	312
16.4.1	The Contribution of Canonical Wnt/ β -Catenin Signaling to Cell Migration	314
16.4.2	Is Non-canonical Wnt Signaling Important for Tumor Invasion and Tumor Cell Dissemination?	315
16.5	The HGF/SF Signaling Cascade Mediated via the c-Met Receptor	315
16.5.1	c-Met, RON and Alternate Receptors are Important for Motility Induction	316
16.5.2	Cellular Targets of HGF/SF Signaling in Cell Scattering	317
16.5.3	Bypassing Ligand Binding in c-Met Activation	317
16.6	Bioactive Lipids	318
16.6.1	The Receptors of Bioactive Lipids	320
16.6.2	Signal Transductions Pathways of Bioactive Lipids Stimulating Motility	320
16.7	Keratin Regulation by Sphingolipids – a Key to Metastasis?	321
16.7.1	Keratins Define the Structural Integrity and the Mechanical Properties of Epithelial Cells	322
16.7.2	Sphingosylphosphorylcholine: A Naturally Occurring Bioactive Lipid Regulating Multiple Biological Processes	323
16.7.3	SPC: A Promoter of Metastasis?	324
16.7.3.1	Keratin Reorganization in Epithelial Tumor Cells by SPC	324
16.7.3.2	SPC Treatment Changes Cell Shape Independently from other Cytoskeletal Components	325
16.7.3.3	SPC Changes the Elastic Properties of Epithelial Tumor Cells	325
16.7.3.4	SPC Facilitates Migration of Epithelial Tumor Cells through Size-limiting Pores	326
16.8	References	327

Subject Index	341
----------------------	------------