

Contents

Preface VII

List of Contributors XIX

Part 1 How Lipids Shape Proteins

1 Lipid Bilayers, Translocons and the Shaping of Polypeptide Structure 3

Stephen H. White, Tara Hessa, and Gunnar von Heijne

- 1.1 Introduction 3
- 1.2 Membrane Proteins: Intrinsic Interactions 5
 - 1.2.1 Physical Determinants of Membrane Protein Stability: The Bilayer Milieu 5
 - 1.2.2 Physical Determinants of Membrane Protein Stability: Energetics of Peptides in Bilayers 9
 - 1.2.3 Physical Determinants of Membrane Protein Stability: Helix–Helix Interactions in Bilayers 13
- 1.3 Membrane Proteins: Formative Interactions 14
 - 1.3.1 Connecting Translocon-assisted Folding to Physical Hydrophobicity Scales: The Interfacial Connection 14
 - 1.3.2 Connecting Translocon-assisted Folding to Physical Hydrophobicity Scales: Transmembrane Insertion of Helices 16
- 1.4 Perspectives 21
 - References 22

2 Folding and Stability of Monomeric β -Barrel Membrane Proteins 27

Jörg H. Kleinschmidt

- 2.1 Introduction 27
- 2.2 Stability of β -Barrel Membrane Proteins 29
 - 2.2.1 Thermodynamic Stability of FepA in Detergent Micelles 29
 - 2.2.2 Thermodynamic Stability of OmpA in Phospholipids Bilayers 30

2.2.3	Thermal Stability of FhuA in Detergent Micelles	31
2.3	Insertion and Folding of Transmembrane β -Barrel Proteins	32
2.3.1	Insertion and Folding of β -Barrel Membrane Proteins in Micelles	32
2.3.2	Oriented Insertion and Folding into Phospholipid Bilayers	32
2.3.3	Assemblies of Amphiphiles Induce Structure Formation in β -Barrel Membrane Proteins	33
2.3.4	Electrophoresis as a Tool to Monitor Insertion and Folding of β -Barrel Membrane Proteins	34
2.3.5	pH and Lipid Headgroup Dependence of the Folding of β -Barrel Membrane Proteins	35
2.4	Kinetics of Membrane Protein Folding	35
2.4.1	Rate Law for β -Barrel Membrane Protein Folding and Lipid Acyl Chain Length Dependence	35
2.4.2	Synchronized Kinetics of Secondary and Tertiary Structure Formation of the β -Barrel OmpA	36
2.4.3	Interaction of OmpA with the Lipid Bilayer is Faster than the Formation of Folded OmpA	36
2.5	Folding Mechanism of the β -Barrel of OmpA into DOPC Bilayers	37
2.5.1	Multistep Folding Kinetics and Temperature Dependence of OmpA Folding	37
2.5.2	Characterization of Folding Intermediates by Fluorescence Quenching	38
2.5.3	The β -Barrel Domain of OmpA Folds and Inserts by a Concerted Mechanism	40
2.6	Protein-Lipid Interactions at the Interface of β -Barrel Membrane Proteins	42
2.6.1	Stoichiometry of the Lipid-Protein Interface	42
2.6.2	Lipid Selectivity of β -Barrel Membrane Proteins	42
2.7	Orientation of β -Barrel Membrane Proteins in Lipid Bilayers	43
2.7.1	Lipid Dependence of the β -Barrel Orientation Relative to the Membrane	43
2.7.2	Inclination of the β -Strands Relative to the β -Barrel Axis in Lipid Bilayers	44
2.7.3	Hydrophobic Matching of the β -Barrel and the Lipid Bilayer	44
2.8	<i>In vivo</i> Requirements for the Folding of OMPs	45
2.8.1	Amino Acid Sequence Constraints for OmpA Folding <i>in vivo</i>	45
2.8.2	Periplasmic Chaperones	45
2.8.3	Insertion and Folding of the β -Barrel OmpA is Assisted by Skp and LPS	46
2.8.4	Role of Omp85 in Targeting or Assembly of β -Barrel Membrane Proteins	48
2.9	Outlook	51
	References	52

3	A Paradigm of Membrane Protein Folding: Principles, Kinetics and Stability of Bacteriorhodopsin Folding	57
	<i>Paula J. Booth</i>	
3.1	Introduction	57
3.2	Principles of Transmembrane α -Helical Membrane Protein Folding: A Thermodynamic Model for Bacteriorhodopsin	59
3.3	Bacteriorhodopsin Stability	60
3.3.1	Side-chain Contributions to Helix Interactions and the Role of Pro	61
3.3.2	Helix-connecting Loops	62
3.4	Pulling the Protein Out of the Membrane	63
3.5	Bacteriorhodopsin Folding Kinetics	64
3.5.1	Cotranslational Insertion	65
3.5.2	Retinal Binding Studies to Apomembrane	65
3.5.3	Unfolding, Refolding and Kinetic Studies <i>in vitro</i>	67
3.6	Controlling Membrane Protein Folding	69
3.7	Conclusions	71
3.7.1	Summary of Bacteriorhodopsin Folding	71
3.7.2	Implications for Transmembrane α -Helical Membrane Protein Folding	73
	<i>References</i>	75
4	Post-integration Misassembly of Membrane Proteins and Disease	81
	<i>Charles R. Sanders</i>	
4.1	Introduction	81
4.2	A Given IMP May be Subject to Numerous Disease-linked Mutations	82
4.3	Ligand Rescue of Misassembly-prone Membrane Proteins: Implications	84
4.4	What IMP Properties Affect Folding Efficiency in the Cell?	87
4.5	Common Mutations in Transmembrane Domains That Lead to Misassembly and Disease	89
4.6	Correlating Biophysical, Cell-biological and Biomedical Measurements	90
	<i>References</i>	91
Part 2	How Proteins Shape Lipids	
5	A Census of Ordered Lipids and Detergents in X-ray Crystal Structures of Integral Membrane Proteins	97
	<i>Michael C. Wiener</i>	
5.1	Introduction	97
5.2	Results	98

5.3	Illustrative Examples of Selected Bound Lipids, Detergents and Related Molecules	103
5.3.1	Integral Membrane Protein Structures Contain Ordered Native Lipids	103
5.3.2	Structures of Lipids in Membrane Protein Co-crystals Differ from Those in Pure Lipid Crystals	107
5.3.3	Native Lipids can Stabilize and Preserve Protein-Protein Interfaces	108
5.3.4	Multiple Acyl Chain Conformations Exist for Efficient Packing with Protein Interfaces	108
5.3.5	Lipid Acyl Chains Interact Primarily with Aliphatic and Aromatic Amino Acid Side-chains	109
5.3.6	Unusual Lipid/Detergent Conformations Occur at the Protein-Lipid Interface	109
5.3.7	A Bilayer Structure is Present in Crystals Grown from the LCP	112
5.4	Conclusion	114
	References	115
6	Lipid and Detergent Interactions with Membrane Proteins Derived from Solution Nuclear Magnetic Resonance	119
	<i>Ashish Arora</i>	
6.1	Introduction	119
6.2	Heteronuclear Solution NMR of Protein/Detergent Complexes	120
6.3	Choice of Detergents	122
6.4	Size and Shape of Pure Detergent Micelles and Detergent/Protein Complexes	124
6.5	Sample Preparation for Solution NMR Measurements	125
6.6	Protein/Detergent Interactions Monitored by NMR Spectroscopy	128
6.7	Dynamics and Conformational Transitions of Membrane Proteins in Detergent Micelles	130
6.8	MD Simulations of Protein/Detergent Complexes	131
6.9	Implications on the Structure and Function of Membrane Proteins in Biological Membranes	133
	References	134
Part 3	Membrane Penetration by Toxins	
7	Lipid Interactions of α-Helical Protein Toxins	141
	<i>Gregor Anderluh and Jeremy H. Lakey</i>	
7.1	Introduction	141
7.1.1	The Two Secondary Structures Compared	141
7.1.2	Lessons from a Potassium Channel	145
7.2	Pore-forming Colicins	145
7.2.1	Outer Membrane Interactions	146

7.2.2	Colicin A Requires Acidic Lipids	147
7.2.3	The Open Channel	148
7.2.4	The Colicin-Phospholipid Complex	149
7.2.5	Other Similar Proteins	150
7.3	Actinoporins	151
7.3.1	Initial Lipid Binding	152
7.3.2	Helix Insertion	154
7.3.3	The Oligomeric Pore	155
7.4	Conclusion	156
	References	157

8 Membrane Recognition and Pore Formation by Bacterial Pore-forming Toxins 163

Alejandro P. Heuck and Arthur E. Johnson

8.1	Introduction	163
8.2	Classification of Bacterial PFTs	163
8.2.1	α -PFTs	164
8.2.2	β -PFTs	166
8.3	A General Mechanism of Pore Formation?	166
8.4	Membrane Recognition	169
8.4.1	Recognition of Specific Membrane Lipids	170
8.4.2	Recognition of Membrane-anchored Proteins or Carbohydrates	172
8.4.3	The Role of Membrane Lipid Domains	173
8.5	Oligomerization on the Membrane Surface	175
8.5.1	Oligomerization Triggered by Lipid-induced Conformational Changes	176
8.5.2	Oligomerization Following Proteolytic Activation of Toxins	178
8.6	Membrane Penetration and Pore Formation	179
8.7	Unresolved Issues	181
	References	183

9 Mechanism of Membrane Permeation and Pore Formation by Antimicrobial Peptides 187

Yechiel Shai

9.1	Introduction	187
9.2	The Cell Membrane is the Major Binding Site for Most Cationic Antimicrobial Peptides	188
9.2.1	Non-receptor-mediated Interaction of Antimicrobial Peptides with their Target Cells	189
9.2.2	A Receptor-mediated Interaction of Antimicrobial Peptides with their Target Cells	191
9.3	Parameters Involved in the Selection of Target Cells by Antimicrobial Peptides	192

- 9.3.1 The Role of the Composition of the Cell Wall and the Cytoplasmic Membrane 193
- 9.3.2 The Role of the Peptide Chain and Its Organization 194
- 9.3.2.1 The Extent of Hydrophobicity and Distribution of Positively-charged Amino Acids Along the Peptide Chain 194
- 9.3.2.2 The Stability of the Amphipathic Structure 194
- 9.3.2.3 The Ability of a Peptide to Self-associate in Solution and/or in Membranes 195
- 9.3.2.4 Fatty Acid Modification can Compensate for the Hydrophobicity and Amphipathicity of the Peptide Chain 200
- 9.4 The Lethal Event Caused by Antimicrobial Peptides 201
- 9.5 How do Antimicrobial Peptides Damage the Integrity of the Target Cell Membrane? 202
- 9.5.1 Membrane-imposed Amphipathic Structure 202
- 9.5.2 Molecular Mechanisms of Membrane Permeation 204
- 9.5.2.1 Pore Formation via the Barrel-Stave Model 204
- 9.5.2.2 The Carpet Model 205
- 9.5.3 The Molecular Architecture of the Permeation Pathway 208
- 9.5.3.1 Toroidal Pores 208
- 9.5.3.2 Channel Aggregates/Hydrophobic Pores 208
- 9.6 Summary and Conclusions 209
- References 210

Part 4 Mechanisms of Membrane Fusion

- 10 Cell Fusion in Development and Disease 221
Benjamin Podbilewicz and Leonid V. Chernomordik
- 10.1 Introduction 221
- 10.2 Developmental Cell Fusion for Health 221
- 10.2.1 Muscles 222
- 10.2.1.1 Vertebrates 222
- 10.2.1.2 *Drosophila* 223
- 10.2.2 *C. elegans* 226
- 10.2.2.1 Epithelial Cell Fusion Assay in *C. elegans* 227
- 10.2.2.2 Control of Cell Fusion 227
- 10.2.2.3 Developmental Genetics of Cell Fusion in *C. elegans* 227
- 10.2.2.4 *eff-1* Mutant Epidermal Cells do not Initiate Cell Membrane Fusion 228
- 10.2.2.5 *eff-1*-mediated Cell Fusion is Essential for Healthy Organogenesis 228
- 10.2.2.6 *eff-1* Encodes Novel Type I Membrane and Secreted Proteins 230
- 10.2.2.7 *eff-1* is Highly Expressed in Epidermal Cells Ready to Fuse 230
- 10.2.2.8 *eff-1* is Sufficient for Cell Membrane Fusion *in vivo* 230
- 10.2.2.9 Tissue-specific Fusogenic Activity of *eff-1* in Pharyngeal Muscles 231

10.2.3	Comparison between Cell Fusion in a Worm, a Fly and Vertebrates	231
10.3	Cell Fusion in Diseases	233
10.3.1	Cell Fusion Mediated by Enveloped Viruses	233
10.3.1.1	Dissection of Viral Membrane Fusion	234
10.3.1.2	Initiation and Expansion of Membrane Fusion	234
10.3.1.3	Protein-Protein and Protein-Lipid Interactions in Membrane Fusion	235
10.3.1.4	The Role of Fusion Proteins Outside the Fusion Site	236
10.3.1.5	HA Insiders Initiate Hemifusion and HA Outsiders Expand Fusion Pores	236
10.3.1.6	Models for Final Expansion of Fusion Pores	237
10.4	Dissection of Developmental Fusion Based on Viral Fusion Analogies	239
10.4.1	Activation of a Developmental Fusogen	239
10.4.2	Dissection of Developmental Cell Fusion	239
10.4.3	Direct Cell Fusion Promotion or Indirect Relaxation of Fusion Blocks	240
10.5	Concluding Remarks	240
	<i>References</i>	241
11	Molecular Mechanisms of Intracellular Membrane Fusion	245
	<i>Olga Vites and Reinhard Jahn</i>	
11.1	Introduction	245
11.2	Intracellular Fusion Reactions – An Overview	246
11.3	Tethering and Docking	247
11.4	SNARE Proteins – The Fusion Catalysts?	249
11.4.1	Assembly-Disassembly Cycle of SNARE Proteins	249
11.4.2	N-terminal Domains of SNAREs – Recruiting Proteins or Regulating SNARE Function?	251
11.4.3	“Zippering” Model for SNARE-mediated Membrane Fusion	252
11.4.4	Trans-complexes – Intermediates in the Fusion Pathway?	253
11.4.5	Acceptor Complexes, Topology and Specificity	256
11.4.5.1	SNARE Acceptor Complexes	256
11.4.5.2	Topology of SNAREs	257
11.4.5.3	Specificity of SNAREs	258
11.4.6	Challenges of the SNARE Hypothesis	259
11.4.6.1	Persistence of Fusion in Spite of SNARE Deletions	260
11.4.6.2	Late-acting Factors Uncovered in Yeast Vacuolar Fusion	260
11.4.6.3	Exocytosis of Cortical Granules in Sea Urchin Oocytes	262
11.5	SM Proteins and Other Regulators	262
11.5.1	SM Proteins	263
11.6	Fusion Pores	264
11.6.1	Measuring Fusion Pore Opening and Closure	265

11.6.2	The Role of Proteins in Controlling Fusion Pore Opening	266
11.7	Concluding Remarks	267
	List of Abbreviations	267
	References	268
12	Interplay of Proteins and Lipids in Virus Entry by Membrane Fusion	279
	<i>Alex L. Lai, Yinling Li, and Lukas K. Tamm</i>	
12.1	Introduction	279
12.2	Fusion of Pure Lipid Bilayers	281
12.3	Viral Protein Sequences that Mediate Lipid Bilayer Fusion	284
12.3.1	Fusion Peptides	284
12.3.2	Transmembrane Domains	285
12.3.3	Other Regions of the Fusion Protein	285
12.4	Interactions of Fusion Peptides with Lipid Bilayers	286
12.4.1	HIV Fusion Peptide-Bilayer Interactions	287
12.4.2	Influenza Fusion Peptide Structure	288
12.4.3	Influenza Fusion Peptide Mutants	290
12.4.4	Binding of Fusion Peptides to Lipid Bilayers	290
12.4.5	Sendai, Measles and Ebola Fusion Peptide-Bilayer Interactions	290
12.4.6	Perturbation of Bilayer Structure by Fusion Peptides	291
12.5	Interactions of Transmembrane Domains with Lipid Bilayers	292
12.6	Structure-Function (Fusion) Relationships of Membrane-interactive Viral Fusion Protein Domains	294
12.6.1	Fusion Peptide Mutants	294
12.6.2	Transmembrane Domain Mutants	295
12.7	Possible Mechanisms for Initiating the Formation of Viral Fusion Pores	296
	References	300
Part 5	Cholesterol, Lipid Rafts, and Protein Sorting	
13	Protein-Lipid Interactions in the Formation of Raft Microdomains in Biological Membranes	307
	<i>Akihiro Kusumi, Kenichi Suzuki, Junko Kondo, Nobuhiro Morone, and Yasuhiro Umemura</i>	
13.1	Many Plasma Membrane Functions are Mediated by Molecular Complexes, Microdomains and Membrane Skeleton-based Compartments	307
13.2	Timescales, Please!	309
13.3	Four Types of Membrane Domains	310
13.4	The Cell Membrane is a Two-dimensional Non-ideal Liquid Containing Dynamic Structures on Various Time-Space Scales	314
13.5	A Definition of Raft Domains	315

13.6	The Original Raft Hypothesis	316
13.7	Are there Raft Domains in Steady-state Cells in the Absence of Extracellular Stimulation?	316
13.7.1	Standard Immunofluorescence or Immunoelectron Microscopy Failed to Detect Raft-like Domains in the Plasma Membrane of Steady-state Cells	317
13.7.2	The Recovery of a Molecule in Detergent-resistant Membrane (DRM) Fractions Might Infer its Raft Association in the Cell Membrane, but the Relationship between DRM Fractions and Raft Domains is Complicated	317
13.7.3	The Size of Rafts in Plasma Membranes of Steady-state Cells may be 10 nm or Less	319
13.7.4	Mushroom Model for the Steady-state Raft	322
13.8	Stabilized Rafts Induced by Protein Clustering in Plasma and Golgi Membranes	324
13.8.1	Clustering of Raft Molecules by Ligand Binding or Crosslinking Induces Stabilized Rafts ("Receptor-cluster Rafts")	324
13.8.2	How can Raft Molecule Clustering Induce Stabilized Rafts?	324
13.9	Can Receptor-cluster Rafts Work as Platforms to Facilitate the Assembly of Raftophilic Molecules?	326
13.9.1	Benchmarks for Experiments Examining the Colocalization of Raftophilic Molecules	326
13.9.2	Simultaneous Crosslinking of Two GPI-anchored Receptors	327
13.9.3	Sequential Crosslinking of One Species of GPI-anchored Receptors Followed by Crosslinking of a Second Species without Fixation	328
13.9.4	Examination of the Recruitment of Non-crosslinked Second Raftophilic Molecules to Crosslinked GPI-anchored Receptor Clusters	328
13.9.5	Difficulty in Colocalization Experiments using Raftophilic Molecules: Low Levels of Colocalization and Quantitative Reproducibility Due to Sensitivity to Subtle Differences in Experimental Conditions and Protocols	329
13.10	Timescales Again! Transient Colocalization of Raftophilic Molecules	329
13.11	Modified Raft Hypothesis	331
	<i>References</i>	332
14	Protein and Lipid Partitioning in Locally Heterogeneous Model Membranes	337
	<i>Petra Schwille, Nicoletta Kahya, and Kirsten Bacia</i>	
14.1	Introduction: Why Should We Use Simple Model Membranes to Gain Insight into Complex Membrane Organization?	337
14.1.1	Relation of Domain Structure to a Biological Function	337
14.1.2	An Accessible Detection Method	338