

CONTENTS

Preface

xiii

Contributors

xvii

1 Neurophysiology

1.1	Fabrication of Patch Pipets	1-3
	Basic Protocol 1: Pulling Single-Channel and Whole-Cell Electrodes with an Automated Puller	1-3
	Support Protocol 1: Obtaining Optimal Tip Geometry	1-4
	Support Protocol 2: Calibrating the Puller Filament	1-5
	Support Protocol 3: Cleaning the Glass	1-7
	Support Protocol 4: Noise Considerations for Single-Channel Patch Pipets	1-7
	Support Protocol 5: Considerations for Whole-Cell Pipets	1-9
	Basic Protocol 2: Preparing Pipet Tips with Elastomer Coating	1-10
	Support Protocol 6: Considerations for Pipet Coating	1-12
	Basic Protocol 3: Fire Polishing the Pipet	1-13
	Support Protocol 7: Constructing Fire-Polishing Apparatus Components	1-14
	Basic Protocol 4: Pipet Filling	1-17
	Basic Protocol 5: Mounting and Testing the Pipet Setup	1-18
1.2	Whole-Cell Voltage Clamp Recording	1-18
	Strategic Planning	1-19
	Basic Protocol 1: Patch-Clamp Technique Setup	1-22
	Basic Protocol 2: Data Acquisition and Pulse Sequences	1-25
	Basic Protocol 3: Analysis of Patch Clamp Data	1-28
1.3	Preparation of Hippocampal Brain Slices	1-29
	Basic Protocol: Preparation of Acute Mammalian Hippocampal Slices	1-29
1.4	Synaptic Plasticity in the Hippocampal Slice Preparation	1-33
	Types of Synaptic Plasticity	1-33
	The Use of Field Potential Recording to Study LTP	1-36
	The Use of Field Potential Recording to Study LTD	1-41
	Metaplasticity	1-42
	Basic Protocol: Extracellular LTP in the Hippocampal Slice Preparation	1-42
	Studying LTP and LTD Using Intracellular Recording	1-45
	Special Considerations When Working with Transgenic Mice	1-49
	Data Acquisition and Analysis	1-49
1.5	Recording Synaptic Currents and Synaptic Potentials	1-50
	Basic Protocol: Recording Synaptic Events in Brain Slices	1-51
1.6	Voltage Clamp Recordings from <i>Xenopus</i> Oocytes	1-52
	Basic Protocol 1: Two-Electrode Voltage Clamp (TEVC) Recording	1-53
	Support Protocol: Fabrication of Agarose Cushion Microelectrodes (ACEs) and Agarose/KCl Bridges for TEVC	1-56
	Basic Protocol 2: Patch Clamp Recordings from Oocytes	1-58
1.7	Preparation and Maintenance of Organotypic Slice Cultures of CNS Tissue	1-60
	Basic Protocol: Roller-Tube Cultures	1-61
	Alternate Protocol: Interface Cultures	1-62
1.8	Patch-Pipet Recording in Brain Slices	1-64
	Basic Protocol 1: The Blind Technique	1-64
	Basic Protocol 2: The DIC Technique	1-65
1.9	Single-Channel Recording	1-68
	Strategic Planning	1-68
	Basic Protocol 1: Patch Formation for Single-Channel Recording	1-71
	Basic Protocol 2: Data Acquisition and Pulse Sequences	1-73

1.10	Acute Isolation of Neurons from the Mature Mammalian Central Nervous System	1-74
	Basic Protocol: Acute Isolation of Neurons from the Mature Mammalian Central Nervous System	1-74
1.11	Patch-Clamp Recording from Neuronal Dendrites	1-76
	Basic Protocol 1: Dendritic Recording	1-76
	Basic Protocol 2: Simultaneous Dendritic and Somatic Recording	1-79
	Support Protocol: Preparation of Brain Slices	1-80

2 Neurochemistry/Neuropharmacology

2.1	Scintillation Proximity Assay	2-2
	Basic Protocol 1: Saturation Analysis of [³ H]5-HT Binding to the 5-HT _{1E} Receptor	2-2
	Support Protocol 1: Optimization of Membrane Protein Concentration	2-5
	Support Protocol 2: Optimization of Amount of WGA SPA Beads	2-6
	Support Protocol 3: Optimization of Incubation Time	2-7
	Basic Protocol 2: Pharmacological Profile for the 5-HT _{1E} Receptor Using SPA	2-7
	Basic Protocol 3: Rapid Measurement of cAMP Accumulation in CHO Cells Stably Expressing the Muscarinic M ₁ Receptor	2-10
	Basic Protocol 4: Time-Course Analysis of Rhinovirus 3C Protease Using SPA	2-13
	Basic Protocol 5: Uptake of [¹⁴ C] _p -Hydroxy-Loracarbef Using Cytostar-T Plates	2-14
	Basic Protocol 6: Muscarinic M ₁ Receptor-Mediated [γ - ³⁵ S]GTP Binding: An SPA Approach Using a Specific Anti-G Protein Antibody	2-16
	Basic Protocol 7: Miniaturization of Receptor-Radioligand Interactions Using 384-Well FlashPlates	2-20
2.2	Methods for Sample Preparation for Direct Immunoassay Measurement of Analytes in Tissue Homogenates: ELISA Assay of Amyloid β-Peptides	2-25
	Basic Protocol 1: Isolation and Homogenization of Tissues for Analysis of Amyloid β -Peptides	2-25
	Basic Protocol 2: Example of ELISA Technique for the Analysis of Amyloid Peptides A β (1-x) and A β (1-42) from Brain Homogenates	2-26
2.3	Assessment of Cell Viability in Primary Neuronal Cultures	2-28
	Basic Protocol 1: Assay of Cell Viability by Measurement of Mitochondrial Activity (MTT Reduction)	2-30
	Basic Protocol 2: Assay of Cell Viability by Measurement of Lactate Dehydrogenase Release into the Bathing Medium	2-30
	Alternate Protocol 1: Simplified LDH Assay for Cells Grown in 96-Well Plates	2-31
	Basic Protocol 3: Assay of Cell Viability by Colloidal Dye (Trypan Blue) Exclusion	2-32
	Alternate Protocol 2: Rapid Trypan Blue Staining	2-32
	Basic Protocol 4: Assay of Cell Viability Using Propidium Iodide	2-32
	Alternate Protocol 3: Live/Dead Staining with Standard Epifluorescence Microscopy	2-33
	Support Protocol: Preservation of Stained Cells	2-33
2.4	Measurement of NO and NO Synthase	2-36
	Basic Protocol 1: Chemiluminescent Detection of NO	2-36
	Support Protocol 1: Preparation of a Reducing Agent for Conversion of Nitrite to NO	2-38
	Support Protocol 2: Preparation of Nitrate Reducing Agent	2-39
	Support Protocol 3: Deproteinization of Samples for Nitrate/Nitrite Assay	2-39
	Basic Protocol 2: Nitrite and Nitrite/Nitrate Assay by the Griess Method	2-40
	Basic Protocol 3: L-Citrulline Assay for Nitric Oxide Synthase (NOS) Activity	2-41
	Support Protocol 4: Preparation and Regeneration of Cation-Exchange Columns	2-43

	Support Protocol 5: Purification of Radiolabeled L-Arginine	2-44
	Support Protocol 6: Nitric Oxide Synthase (NOS) Preparation	2-45
2.5	Measurement of Oxygen Radicals and Lipid Peroxidation in Neural Tissues	2-46
	Basic Protocol 1: Salicylate Trapping and HPLC Assay of Hydroxyl Radical	2-46
	Basic Protocol 2: Spectrophotometric Assay of Lipid-Conjugated Dienes	2-48
	Basic Protocol 3: HPLC Assay of Vitamin E	2-49
	Basic Protocol 4: HPLC Assay of Glutathione	2-51
	Basic Protocol 5: HPLC-Chemiluminescence Assay of Lipid Hydroperoxides	2-53
	Support Protocol: Xylenol Orange Determination of Hydroperoxide Content in Standards	2-55
	Basic Protocol 6: Thiobarbituric Acid Assay of Malondialdehyde	2-56
	Basic Protocol 7: HPLC Assay of Malondialdehyde Using UV Detection	2-56
	Alternate Protocol: HPLC Assay of TBA-Malondialdehyde Adduct Using Fluorescence Detection	2-58
	Basic Protocol 8: Immunoassay of 8-Isoprostaglandin $F_{2\alpha}$	2-59
2.6	Overview of Microdialysis	2-60
	Description of the Microdialysis Process	2-60
	Empirical Methods for Determining in Vivo Relative Recovery	2-62
	Factors Affecting in Vivo Recovery	2-64
	Perfusate Composition	2-67
	Strategy for Determining Experimental Design	2-68
2.7	Microdialysis in Rodents	2-70
	Basic Protocol 1: Preparation of Dialysis Probe/Guide Cannula Assembly: Construction of a Concentric Probe (Design 1)	2-70
	Alternate Protocol 1: Construction of a Side-by-Side Probe (Design 2)	2-71
	Alternate Protocol 2: Construction of a Horizontal Probe	2-74
	Basic Protocol 2: Implantation and Tethering of Dialysis Probe/Guide Cannula Assembly in the Rat: Implantation of Concentric or Loop Probe/Guide Assemblies	2-74
	Alternate Protocol 3: Implantation of a Horizontal Probe	2-77
	Basic Protocol 3: Surgical Implantation of Dialysis Probe/Guide Cannula Assembly in the Mouse	2-79
	Basic Protocol 4: Microdialysis in Vitro	2-80
	Basic Protocol 5: In Vivo Microdialysis	2-81
	Support Protocol 1: In Vivo Determination of Extracellular Concentration	2-83
	Support Protocol 2: Determining Extracellular Concentration (C_{Ext})	2-83
2.8	Microdialysis in Nonhuman Primates	2-84
	Basic Protocol 1: Preparation of Dialysis Probe	2-84
	Basic Protocol 2: Attachment of Guide Assembly to the Monkey Skull	2-88
	Support Protocol 1: Determination of Skull Coordinates by MRI	2-90
	Support Protocol 2: Postoperative Verification of Guide Assembly Position by MRI	2-91
	Basic Protocol 3: In Vivo Microdialysis	2-91
	Support Protocol 3: Anatomical Verification of the Probes	2-94
	Alternate Protocol: Modifications for Using In Vivo Microdialysis in the Awake Monkey	2-94
2.9	Detection and Quantification of Neurotransmitters in Dialysates	2-95
	Basic Protocol 1: Detection and Quantification of Dopamine and Serotonin by HPLC/EC	2-96
	Basic Protocol 2: Detection and Quantification of Acetylcholine by HPLC/EC	2-97
	Alternate Protocol: HPLC/EC Detection of Acetylcholine Using Acetylcholine/Choline Assay Kit	2-99
	Support Protocol: Preparation of Immobilized Enzyme Reactor (IMER) for Detection of Acetylcholine	2-99
	Basic Protocol 3: Detection of Amino Acids in Microdialysates by HPLC and Fluorometric Labeling with <i>o</i> -Phthaldialdehyde	2-100

2.10	Saturation Assays of Radioligand Binding to Receptors and Their Allosteric Modulatory Sites	2-103
	Basic Protocol 1: Saturation Analysis of Ligand Binding to the Benzodiazepine Site	2-103
	Basic Protocol 2: Saturation Analysis of Ligand Binding to the GABA _A Receptor	2-106
2.11	Uptake and Release of Neurotransmitters	2-109
	Basic Protocol 1: Study of Uptake and Release of Dopamine in Intact Attached Cells Expressing the Recombinant Dopamine Receptor	2-109
	Alternate Protocol 1: Study of Dopamine Uptake in Detached Cells	2-111
	Basic Protocol 2: Study of Dopamine Uptake in Synaptosomes	2-111
	Basic Protocol 3: Study of Dopamine Release from Synaptosomes	2-112
	Alternate Protocol 2: Detection of Uptake or Release of Dopamine by HPLC with Electrochemical Detection (HPLC-EC)	2-113
	Alternate Protocol 3: Using a Superfusion Apparatus for Time Sampling	2-114
	Basic Protocol 4: Examination of the Dopamine Transporter with Radioligands	2-116
	Support Protocol: Establishing Initial Binding-Assay Parameters	2-117
2.12	Measurement of Chloride Movement in Neuronal Preparations	2-119
	Basic Protocol 1: Uptake/Efflux of Radioisotopic Cl ⁻ in Synaptoneurosomes	2-119
	Basic Protocol 2: Uptake of Radioisotopic Cl ⁻ in Primary Cultures	2-122
	Basic Protocol 3: Efflux of Cl ⁻ in Synaptoneurosomes Measured with Fluorescent Dyes and Photometry	2-123
	Support Protocol 1: Preparation of Synaptoneurosomes	2-124
	Basic Protocol 4: Efflux of Cl ⁻ in Primary Cultures Measured with Fluorescent Dyes and Photometry	2-125
	Basic Protocol 5: Uptake of Cl ⁻ in the Acute Brain Slice Measured with Fluorescent Dye and Epifluorescence Imaging	2-126
	Alternate Protocol: Uptake of Cl ⁻ in the Acute Brain Slice Measured with Fluorescent Dye and Confocal Imaging	2-127
	Support Protocol 2: Preparation of MEQ-Loaded Acute Brain Slices	2-128
	Support Protocol 3: Calibration of Fluorescent Dye in Synaptoneurosomes and Cultured Cells	2-129
	Support Protocol 4: Calibration of Fluorescent Dye in Brain Slices	2-130
2.13	Measurement of Cation Movement in Primary Cultures Using Fluorescent Dyes	2-131
	Strategic Planning	2-131
	Basic Protocol: Measurement of [Ion ⁺] _i Using Ratiometric Dyes	2-132
	Calibration for Ratiometric Dyes	2-133
	Support Protocol 1: Cell-Free Calibration of Ca ²⁺ Dyes	2-134
	Support Protocol 2: In Situ Calibration of Ca ²⁺ Dyes	2-135
	Support Protocol 3: In Situ Calibration of Na ⁺ Dyes	2-136
	Support Protocol 4: Cell-Free Calibration of Mg ²⁺ Dyes	2-137
	Alternate Protocol: Calibration and Measurement Using Nonratiometric [Ca ²⁺] _i Dyes	2-137
2.14	Measurement of Second Messengers in Signal Transduction: cAMP and Inositol Phosphates	2-138
	Basic Protocol 1: Determination of Cyclic Amp Concentration in Cultured Cells	2-138
	Basic Protocol 2: Measurement of [³ H]Cyclic Amp Accumulation in Synaptoneurosomes After Prelabeling with [³ H]Adenine	2-140
	Basic Protocol 3: Measurement of Phosphoinositide Turnover in Synaptoneurosomes	2-141
2.15	In Vivo Measurement of Blood-Brain Barrier Permeability	2-143
	Basic Protocol 1: Blood-Brain Barrier Influx Measurement: In Situ Brain Perfusion Procedure for Rats	2-143
	Alternate Protocol: Blood-Brain Barrier Influx Measurement: Simplified In Situ Brain Perfusion for Rats	2-149
	Basic Protocol 2: Blood-Brain Barrier Influx Measurement: In Situ Brain Perfusion Procedure for Mice	2-149

Support Protocol 1: Construction of PE50-Stainless Steel Connectors and Cut 22-G Hypodermic Needles	2-151
Support Protocol 2: Construction of In Situ Perfusion Cannulas	2-152
Support Protocol 3: Experimental Determination of Intravascular Capillary Volume Using Radiolabeled Inulin	2-152
Support Protocol 4: Experimental Determination of Cerebral Perfusion Fluid Flow Using Radiolabeled Diazepam	2-153
Support Protocol 5: Use of the In Situ Perfusion Technique for Mechanistic Assessment of Carrier-Mediated or Saturable Transport	2-154
Basic Protocol 3: Blood-Brain Barrier Influx Measurement: Intravenous Administration/Multiple Time Point Procedure for Rats	2-154
Support Protocol 6: Construction of Jugular Vein Catheters	2-160
Support Protocol 7: Capillary Depletion Method	2-160
Basic Protocol 4: Blood-Brain Barrier Efflux Measurement: The Brain Efflux Index Method	2-161
Support Protocol 8: Construction of Cerebrospinal Fluid Collection Units	2-165

3 Behavioral Neuroscience

3.1 Assessment of Developmental Milestones in Rodents	3-2
Strategic Planning	3-2
Basic Protocol 1: Physical Landmarks of Rodent Development	3-2
Basic Protocol 2: Developmental Reflexes in Rodents	3-5
Basic Protocol 3: Development of Locomotor Behavior in Rodents	3-7
3.2 Locomotor Behavior	3-8
Basic Protocol: Locomotor Assessment by Direct Observation Using Interval and Ordinal Scales	3-9
Alternate Protocol: Locomotor Quantification by Photocell-Based Systems	3-11
Support Protocol: Data Analysis	3-12
3.3 Motor Coordination and Balance in Rodents	3-12
Basic Protocol 1: Assessing Balance Using a Rotarod	3-13
Basic Protocol 2: Beam Walking	3-14
Basic Protocol 3: Footprint Analysis	3-16
Support Protocol: Data Analysis	3-17
3.4 Basic Measures of Food Intake	3-19
Basic Protocol	3-19
3.5 Sexual and Reproductive Behaviors	3-22
Basic Protocol 1: Assessment of Mounts, Intromissions, and Ejaculations in Male Rats	3-23
Basic Protocol 2: Assessment of Lordosis in Female Rats	3-25
Support Protocol 1: Castration	3-26
Support Protocol 2: Ovariectomy	3-28
Support Protocol 3: Testosterone Treatment Using Subcutaneous Implant	3-30
Support Protocol 4: Testosterone Treatment by Subcutaneous Injection	3-31
Support Protocol 5: Estradiol and Progesterone Treatment	3-31
3.6 Parental Behaviors in Rats and Mice	3-32
Description of Parental Behaviors	3-32
Assessment of Parental Behaviors	3-33
Basic Protocol 1: Assessment of Parental Behaviors Using Direct Periodic Spot-Check Observation	3-33
Basic Protocol 2: Assessment of Parental Behavior Using Continuous Observation	3-34
Basic Protocol 3: Assessment of Nest Construction	3-35
Alternate Protocol: Assessment of Nest Construction—Mice	3-36
Basic Protocol 4: Assessment of Retrieval	3-36

	Basic Protocol 5: Induction and Assessment of Parental Behavior in Nonlactating Rats and Mice (Sensitization)	3-37
	Basic Protocol 6: Hormonal Induction of Maternal Behavior in Virgin Rats	3-37
	Assessment of Maternal Preferences and Motivation in Rats and Mice	3-38
	Basic Protocol 7: Test of the Unconditioned Preference for Pups or Pup-Related Cues	3-38
	Basic Protocol 8: Conditioned Place Preference Tests	3-41
	Basic Protocol 9: Tests of Operant Responding	3-42
	Basic Protocol 10: Using a T-Maze Extension of the Home Cage to Assess Maternal Motivation	3-45
3.7	Application of Experimental Stressors in Laboratory Rodents	3-46
	Strategic Planning	3-46
	Basic Protocol 1: Restraint Stressor	3-47
	Basic Protocol 2: Electric Footshock Stressor	3-48
	Basic Protocol 3: Swim Stressor	3-48
	Basic Protocol 4: Social Isolation Stressor	3-49
	Basic Protocol 5: Resident/Intruder Stressor	3-50
	Basic Protocol 6: Maternal Separation Stressor	3-50
	Basic Protocol 7: Sleep Deprivation Stressor	3-51
	Support Protocol 1: Colony Maintenance	3-52
	Support Protocol 2: Rat Handling	3-52
	Support Protocol 3: ACTH/Corticosterone Determinations	3-53
3.8	Rodent Models of Depression: Forced Swimming and Tail Suspension Behavioral Despair Tests in Rats and Mice	3-54
	Basic Protocol: Behavioral Despair Test in the Rat	3-54
	Alternate Protocol 1: Forced Swimming Test in the Mouse	3-55
	Alternate Protocol 2: Tail Suspension Test in Mice	3-56
3.9	Rodent Models of Depression: Learned Helplessness Induced in Mice	3-58
	Basic Protocol: Induction of a Learned Helplessness Effect in Mice	3-58
	Alternate Protocol: Administration of Uncontrollable Shock	3-60
	Support Protocol: Description and Fundamental Characteristics of Shuttle Boxes for Escape Testing	3-61
3.10	Animal Tests of Anxiety	3-62
	Basic Protocol 1: Geller-Seifter Conflict	3-62
	Basic Protocol 2: Social Interaction	3-63
	Basic Protocol 3: Light/Dark Exploration	3-64
	Basic Protocol 4: Elevated Plus-Maze Test	3-64
	Basic Protocol 5: Defensive Burying	3-67
	Basic Protocol 6: Thirsty Rat Conflict	3-69
3.11	Assessment of Spatial Memory Using the Radial Arm Maze and Morris Water Maze	3-70
	Basic Protocol 1: Use of Radial Arm Maze Task to Test Basic Working Memory	3-70
	Alternate Protocol 1: Use of Radial Arm Maze Task to Test Working Versus Reference Memory	3-72
	Basic Protocol 2: Use of Morris Water Maze Task to Test Spatial Memory	3-73
	Alternate Protocol 2: Use of Water Maze Task for Spatial Probe Trial	3-74
	Alternate Protocol 3: Use of Water Maze Task to Test Working Memory	3-75
3.12	Cued and Contextual Fear Conditioning in Mice	3-76
	Basic Protocol: One-Trial Cued and Contextual Fear Conditioning in Mice	3-76
	Alternate Protocol 1: Pre-Exposure Experiments	3-80
	Alternate Protocol 2: Discrimination Protocol	3-82
	Alternate Protocol 3: Contextual Learning without the Auditory Cue	3-82
	Alternate Protocol 4: Immediate Shock Control Protocol	3-82
3.13	Conditioned Flavor Aversions: Assessment of Drug-Induced Suppression of Food Intake	3-83
	Basic Protocol	3-83

3.14	Measurement of Startle Response, Prepulse Inhibition, and Habituation	3-84
	Strategic Planning	3-84
	Basic Protocol 1: Basic Test of Acoustic Startle Reactivity	3-86
	Alternate Protocol 1: Between-Subjects Tests of Startle Reactivity	3-87
	Alternate Protocol 2: Between-Subjects Tests of Startle Habituation	3-88
	Basic Protocol 2: Testing Prepulse Inhibition of Startle	3-88
	Support Protocol: Rat Handling	3-89
3.15	Latent Inhibition	3-91
	Basic Protocol 1: Latent Inhibition (LI) in the Conditioned Emotional Response (CER) Procedure	3-91
	Alternate Protocol 1: Adding Drugs, Lesions, or Other Manipulations: Disruption and Potentiation of LI	3-96
	Basic Protocol 2: LI in a Two-Way Active Avoidance Procedure	3-98
	Alternate Protocol 2: LI in Two-Way Avoidance with Context Shift	3-99
	Alternate Protocol 3: Adding Treatments in the Two-Way Avoidance Procedure: Disruption and Potentiation of LI	3-100
4	Preclinical Models of Neurologic and Psychiatric Disorders	
4.1	Preclinical Models of Parkinson's Disease	4-3
	Strategic Planning	4-3
	Basic Protocol 1: Combined ICA and Intravenous Administration of MPTP: The Overlesioned (Bilateral Asymmetric) Primate Model	4-4
	Alternate Protocol 1: Systemic MPTP Lesion in Primates	4-7
	Basic Protocol 2: Unilateral 6-OHDA Lesion in Primates	4-9
	Support Protocol 1: Evaluation of Changes in Motor Behavior in Response to L-Dopa	4-11
	Support Protocol 2: Monitoring Activity to Assess MPTP-Treated Monkeys	4-12
	Support Protocol 3: Rotational Behavior as a Measure of Unilateral Nigrostriatal Lesions	4-13
	Basic Protocol 3: 6-OHDA Lesions in Rats	4-13
	Basic Protocol 4: MPTP Lesion in Mice	4-15
	Support Protocol 4: Monitoring Activity in MPTP-Treated Mice	4-16
4.2	Rodent Models of Global Cerebral Ischemia	4-16
	Basic Protocol 1: Gerbil Bilateral Carotid Artery Occlusion (BCAO) Model to Test Systemically Active Neuroprotective Agents	4-17
	Alternate Protocol 1: Gerbil BCAO Model to Test Neuroprotective Agents that Do Not Penetrate the Brain	4-21
	Alternate Protocol 2: Gerbil BCAO to Induce Ischemic Tolerance	4-22
	Basic Protocol 2: Use of 4-Vessel Occlusion (4-VO) Model to Study Neuronal Degeneration and Test the Effects of Neuroprotective Agents Against Global Cerebral Ischemia	4-22
	Support Protocol 1: Hematoxylin and Eosin Staining of Brain Tissue	4-24
	Support Protocol 2: Measurement of Locomotor Activity After Ischemia in Gerbils	4-25
	Support Protocol 3: Fabrication of Atraumatic Clasps for Rat 4-VO	4-25
4.3	Rodent Models of Focal Cerebral Ischemia	4-28
	Basic Protocol 1: The Intraluminal Suture Model of Middle Cerebral Artery Occlusion (MCAO) to Test Neuroprotective Agents	4-28
	Support Protocol 1: Fabrication of Intraluminal Monofilament Occluders	4-32
	Basic Protocol 2: Middle Cerebral Artery Occlusion (MCAO) Using Stereotaxic Infusion of Endothelin 1	4-33
	Support Protocol 2: Use of Horizontal and Inclined Balance Beam to Assess Sensorimotor Performance After Et-1 MCAO	4-35
	Support Protocol 3: Use of the Staircase Test to Measure Skilled Paw Use After Et-1 MCAO	4-36

	Basic Protocol 3: The Tamura Model of Middle Cerebral Artery Occlusion (MCAO) to Test Neuroprotective Agents	4-37
	Basic Protocol 4: The Spontaneously Hypertensive Rat Model of Middle Cerebral Artery Occlusion (MCAO) to Test Neuroprotective Agents	4-39
	Support Protocol 4: Cresyl Violet Staining of Brain Tissue	4-41
4.4	Inducing Photochemical Cortical Lesions in Rat Brain	4-44
	Basic Protocol	4-44
4.5	Traumatic Brain Injury in the Rat Using the Fluid-Percussion Model	4-52
	Basic Protocol	4-52
4.6	Models of Neuropathic Pain in the Rat	4-57
	Basic Protocol 1: The Chronic Constriction Injury (CCI) Model of Neuropathic Pain	4-58
	Basic Protocol 2: The Partial Sciatic Ligation (PSL) Model of Neuropathic Pain	4-60
	Basic Protocol 3: The Spinal Nerve Ligation (SNL) Model of Neuropathic Pain	4-60
	Support Protocol 1: Behavioral Assays: Heat-Hyperalgesia	4-61
	Support Protocol 2: Behavior Assays: Mechano-Hyperalgesia	4-63
	Support Protocol 3: Behavioral Assays: Mechano-Allodynia	4-63
	Support Protocol 4: Behavioral Assays: Cold Allodynia	4-64
4.7	Dural Inflammation Model of Migraine Pain	4-65
	Basic Protocol: Assessment of Dural Extravasation in Rats as a Model of Migraine Pain	4-65
	Alternate Protocol: Assessment of Dural Extravasation in Guinea Pigs	4-69
4.8	Animal Models of Painful Diabetic Neuropathy: The STZ Rat Model	4-71
	Basic Protocol: Induction of Diabetes with STZ	4-71
4.9	Models of Nociception: Hot-Plate, Tail-Flick, and Formalin Tests in Rodents	4-72
	Basic Protocol 1: Measurement of Acute Pain Using the Hot-Plate Test	4-72
	Basic Protocol 2: Measurement of Acute Pain Using the Tail-Flick Test	4-73
	Basic Protocol 3: Measurement of Persistent Pain Using the Formalin Test	4-75
4.10	Place Preference Test in Rodents	4-78
	Basic Protocol 1: Place Preference Test in Rats	4-78
	Basic Protocol 2: Place Preference Test in Mice	4-79
4.11	Intravenous Self-Administration of Ethanol in Mice	4-83
	Basic Protocol	4-83
4.12	Preclinical Models to Evaluate Potential Pharmacotherapeutic Agents in Treating Alcoholism and Studying the Neuropharmacological Bases of Ethanol-Seeking Behaviors in Rats	4-87
	Basic Protocol 1: Train Rats to Initiate Ethanol-Maintained Responding on an FR-4 Schedule	4-87
	Support Protocol 1: Blood Alcohol Content (BAC)	4-90
	Basic Protocol 2: Train Rats to Initiate Saccharin-Maintained Responding on an FR-4 Schedule	4-90
	Basic Protocol 3: Train Rats to Lever Press Concurrently for Ethanol and Saccharin Under an FR-4 Schedule	4-91
	Basic Protocol 4: Train Rats to Lever Press Concurrently for Alcohol and an Isocaloric Alternative Solution Under an FR-4 Schedule	4-91
4.13	Experimental Autoimmune Encephalomyelitis (EAE)	4-93
	Strategic Planning	4-93
	Basic Protocol: Active Induction of EAE in Mice	4-95
	Alternate Protocol: Adoptive Transfer of EAE in Mice	4-96
4.14	Models of Amyotrophic Lateral Sclerosis	4-98
	Basic Protocol 1: Spinal Cord Organotypic Cultures	4-99
	Basic Protocol 2: Assessment of the Clinical Efficacy of Therapeutic Agents in a Mutant SOD1 Transgenic Mouse Model of Amyotrophic Lateral Sclerosis	4-103

4.15	Measurement of Panic-Like Responses Following Intravenous Infusion of Sodium Lactate in Panic-Prone Rats	4-107
	Basic Protocol 1: Priming of Anxiety in Rats by Administration of Urocortin in the Basolateral Nucleus of the Amygdala	4-107
	Alternate Protocol: Lactate Challenge in Bicuculline Methiodide-Primed Rats	4-112
	Basic Protocol 2: Developing Panic-Prone State in Rats by Administration of L-Allylglycine in the Dorsomedial Hypothalamus	4-112
	Support Protocol: Behavioral Assessment of Rats in the Social Interaction Test	4-115
4.16	Chemoconvulsant Model of Chronic Spontaneous Seizures	4-116
	Basic Protocol: Kainate Induction of Chronic Spontaneous Seizures in Rats	4-116

Appendices

1	Reagents and Solutions	A1-1
2	Animal Techniques	A2-1
	2A High Precision Stereotaxic Surgery in Mice	A2-1
	Basic Protocol: Site-Specific Central Microinjection in the Anesthetized Mouse	A2-1
	Alternate Protocol: Cannula Implantation and Central Microinjection in the Behaving Mouse	A2-3
	Support Protocol: Cannula, Wire Plug, and Injection Needle Manufacture	A2-4
	2B Mouse and Rat Anesthesia and Analgesia	A2-6
	Basic Protocol 1: Injectable Anesthesia for Mouse and Rat	A2-6
	Basic Protocol 2: Inhalant Anesthesia Using Isoflurane for Mouse and Rat	A2-8
	Basic Protocol 3: Analgesia for Mice and Rats	A2-10
	2C Animal Health Assurance	A2-16
	Quarantine and Stabilization	A2-16
	Health Monitoring	A2-16
	Testing of Biological Material	A2-17
	2D Handling and Restraint	A2-19
	Basic Protocol 1: Mouse Handling and Manual Restraint	A2-19
	Basic Protocol 2: Rat Handling and Manual Restraint	A2-19
	Alternate Protocol 1: Rodent Restainers	A2-20
	2E Animal Identification	A2-21
	Basic Protocol 1: Ear Notch or Punch for Mouse, Rat, and Hamster	A2-21
	Basic Protocol 2: Ear Tag for Mouse, Rat, and Hamster	A2-21
	Basic Protocol 3: Tattoo for Mouse and Rat	A2-22
	Basic Protocol 4: Subcutaneous Transponder for Mouse and Rat	A2-22
3	Selected Suppliers of Reagents and Equipment	A3-1
	References	

Index