

TABLE OF CONTENTS

CHAPTER XL

GINKGOALES. Pp. 1—60.

	PAGE
A. RECENT	1-8
B. FOSSIL	8-60
i. Petrified wood 8-10; ii. Leaves 10-50, 58-60; GINK- GOITES 10-33; <i>Ginkgoeladus</i> 33; BAIERA 33-50; iii. Flowers and Seeds 50-58; STENORACHIS 54-58. ERETMOPHYLLUM 58-60.	

CHAPTER XLI

GENERA BELIEVED TO BELONG TO THE GINKGOALES
BUT WHICH ON THE AVAILABLE EVIDENCE CANNOT
BE REFERRED WITHOUT HESITATION TO THAT GROUP.

Pp. 61—75.

GINKGODIUM 61, 62; **CZEKANOWSKIA** 62-68; **FEILD-**
ENIA 68, 69; **PHOENICOPSIS** and **DESMIO-**
PHYLLUM 69-75.

CHAPTER XLII

GENERA OF UNCERTAIN POSITION. Pp. 76—105.

GLOTTOPHYLLUM 76; **GINKGOPSIS** 77; **NEPHROPSIS**
 77, 78; **PSYGMOPHYLLUM** 79-90; **RHIPIDOPSIS**
 90-92; **SAPORTAEA** 92, 93; **DICRANOPHYLLUM**
 93-101; **TRICHOPITYS** 101-103; **SEWARDIA** 103-105.

CHAPTER XLIII

CONIFERALES (RECENT). Pp. 106—164.

CHAPTER XLIV

CONIFERALES (FOSSIL). Pp. 165—244.

FOSSIL GYMNOSPERMIOUS WOOD (Coniferales)	167-172
CLASSIFICATION OF FOSSIL CONIFEROUS WOOD	172-176
I. DADOXYLON (and <i>Araucarioxylon</i>) 176-186; II. OU- PRESSINOXYLON 186-202; III. TAXOXYLON 202, 203; IV. MESEMBRIOXYLON 203-212; V. PARA- CEDROXYLON 212, 213; VI. CEDROXYLON 213-219;	

VII. PITYOXYLON 219-231; VIII. PROTOPICE-
 OXYLON 231-234; IX. WOODWORTHIA 234, 235;
 X. ARAUCARIOPITYS 235, 236; XI. PROTO-
 CEDROXYLON 236-238; XII. XENOXYLON 238-
 242; XIII. ANOMALOXYLON 242, 243; XIV. THYL-
 LOXYLON 243; XV. PLANOXYLON 244.

CHAPTER XLV

CONIFERALES (CONTINUED). Pp. 245-301.

	PAGE
ARAUCARINEAE	245-277
DAMMARITES, PROTODAMMARA 245-252; Conites 252-256; ARAUCARITES 256-270; ELATIDES 270-274; PAGIOPHYLLUM 274-277.	
PALAEOZOIC CONIFERS EXHIBITING CERTAIN FEATURES SUG- GESTIVE OF ARAUCARIAN AFFINITY BUT WHICH CANNOT BE DEFINITELY ASSIGNED TO THAT OR TO ANY OTHER FAMILY OF CONIFERALES ON THE EVIDENCE AT PRESENT AVAILABLE	277-301
WALCHIA 277-282; SCHIZODENDRON (<i>Tylodendron</i>) 282-286; HAPALOXYLON 286, 287; GOMPHOSTRO- BUS 287, 288; VOLTZIA 289-295; SWEDENBORGIA 295, 296; Strobilites 296; ULLMANNIA 296-299; ALBERTIA 300, 301.	

CHAPTER XLVI

CONIFERALES (CONTINUED). Pp. 302-335.

CUPRESSINEAE	302-335
CUPRESSINOCLADUS 303, 304, 307-310; THUITES 305; CUPRESSITES 305-307; ATHROTAXITES 311-315; BRACHYPHYLLUM 315-322, 324-328; BRACHYOXYLON 322-324; TAXODITES 328-331; CUNNINGHAMIOSTROBUS 331, 332; MORICONIA 332, 333; CRYPTOMERITES 334, 335; CRYPTO- MERIOPSIS 335.	

CHAPTER XLVII

CONIFERALES (CONTINUED). Pp. 336-367.

CALLITRINEAE	336-346
CALLITRITES 337-342; FRENELOPSIS 342-346.	
SEQUOINEAE	346-365
SEQUOITES 349-351, 352-357; Conites 351, 352; GEI- NITZIA 357-361; EUGEINITZIA 361, 362; PSEUDO- GEINITZIA 362; SPHENOLEPIDIUM 363-365.	
SCIADOPITINEAE	365-366
SCIADOPITYTES 366, 367.	

CHAPTER XLVIII

CONIFERALES (CONTINUED). Pp. 368—404.

	PAGE
ABIETINEAE	368-404
PITYITES 370-376; PITYOCLADUS 377-380; PITYO-	
PHYLLUM 380, 381; PITYOSTROBUS 381-395;	
PITYANTHUS 395, 396; PITYOSPERMUM 396-398;	
PITYOSPORITES 398, 399; ENTOMOLEPIS 399;	
CROSSOTOLEPIS 400; PREPINUS 400-404.	

CHAPTER XLIX

CONIFERALES (CONTINUED). Pp. 405—423.

PODOCARPINEAE	405-413
PODOCARPITES 406-409; STACHYOTAXUS 410-412;	
Strobilites 412, 413; Saxegothopsis 413.	
PHYLLOCLADINEAE	413-417
PHYLLOCLADITES 413, 414; <i>Protophyllocladus</i> 415, 416;	
<i>Palaeocladus</i> 417; <i>Phyllocladopsis</i> 417.	
TAXINEAE	417-423
TAXITES 417-419; TORREYITES 419-421; VESQUIA	
422; CEPHALOTAXOPSIS 422, 423.	

CHAPTER L

CONIFERALES INCERTAE SEDIS. Pp. 424—446.

TRIOOLEPIS 424; MASCOULOSTROBUS 424-426; PA-
LISSYA 426-428; ELATOCCLADUS 429-432, 435, 436;
RETINOSPORITES 432, 433; ANDROVETTIA 436-
438; DACTYOLEPIS 438; RARITANIA 438, 439;
SCHIZOLEPIS 439-442; DREPANOLEPIS 442; SCHI-
ZOLEPIDELLA 442, 443; CYPARISSIDIUM 443-445;
BENSTEDTIA 445, 446.

CHAPTER LI

PODOZAMITES AND NAGEIOPSIS: GENERA
INCERTAE SEDIS. Pp. 447—458.

PODOZAMITES and CYCADOCARPIDIUM 447-456;
NAGEIOPSIS 456-458.

CHAPTER LII

GNETALES. Pp. 459—472.

I. RECENT	459-468
II. FOSSIL	469-472