

TABLE OF CONTENTS

Preface: Organising knowledge on aquatic plants: the European Weed Research Society and scientific networks

J.M. Caffrey, A. Dutartre, J. Haury, K.J. Murphy, P.M. Wade

ix–xi

BIOLOGY AND SPECIES ECOLOGY

Genetics and biological traits

Invasive river plants from Portuguese floodplains: What can species attributes tell us?

I. Bernez, F. Aguiar, C. Violle, T. Ferreira

3–9

Relationships between macrophytic vegetation and physical features of river habitats: the need for a morphological approach

H. Daniel, I. Bernez, J. Haury

11–17

Morphological variation in *Eichhornia azurea* (Kunth) and *Eichhornia crassipes* (Mart.) Solms in relation to aquatic vegetation type and the environment in the floodplain of the Rio Paraná, Brazil

J.M. Milne, K.J. Murphy, S.M. Thomaz

19–25

Physiology and production

Changes in the allocation of some chemical compounds in structures of *Oryza glumaepatula* (Steud) in an Amazonian lake subjected to an anthropic impact (Lake Batata, Porto Trombetas)

P.R. Brum, A.E. Prast, F.A. Esteves

27–33

Primary production of *Utricularia foliosa* L., *Egeria densa* Planchon and *Cabomba furcata* Schult & Schult.f from rivers of the coastal plain of the State of São Paulo, Brazil

A.F.M. Camargo, M.M. Pezzato, G.G. Henry-Silva, A.M. Assumpção

35–39

An experimental study of the plastic responses of *Ranunculus peltatus* Schrank to four environmental parameters

C. Garbey, G. Thiébaud, S. Muller

41–46

The response of *Ceratophyllum demersum* L. and *Myriophyllum spicatum* L. to reduced, ambient, and enhanced ultraviolet-B radiation

M. Germ, Z. Mazej, A. Gaberščik, T.T. Sedej

47–51

Effect of reservoir drawdown on biomass of three species of aquatic macrophytes in a large sub-tropical reservoir (Itaipu, Brazil)

S.M. Thomaz, T.A. Pagioro, L.M. Bini, K.J. Murphy

53–59

Ecology and ecotoxicology

Populations of *Myriophyllum alterniflorum* L. as bioindicators of pollution in acidic to neutral rivers in the Limousin region

P. Chatenet, D. Froissard, J. Cook-Moreau, P. Hourdin, A. Ghestem, M. Botineau, J. Haury 61–65

Aquatic plant bioassays used in the assessment of water quality in German rivers

U. Feiler, F. Krebs, P. Heininger 67–71

The relationship between *Callitriche* L. clones and environmental variables using genotyping

L. Triest, An Mannaert 73–77

Assessing and predicting the success of *Najas flexilis* (Willd.) Rostk. & Schmidt, a rare European aquatic macrophyte, in relation to lake environmental conditions

R. Wingfield, K.J. Murphy, M. Gaywood 79–86

COMMUNITY AND BIOINDICATION

Relationships between plants and other organisms

Seasonal variability in the palatability of freshwater macrophytes: a case study

A. Elger, M.H. Barrat-Segretain, N.J. Willby 89–93

Recovery of *Potamogeton pectinatus* L. stands in a shallow eutrophic lake under extreme grazing pressure

S. Hilt 95–99

Plant community ecology

Shoreline vegetation of Lake Nubia, Sudan

M.M. Ali 101–105

Stoneworts (*Characeae*) and associated macrophyte species as indicators of water quality and human activities in the Pays-de-la-Loire region, France

E. Lambert-Servien, G. Clemenceau, O. Gabory, E. Douillard, J. Haury 107–115

Habitat variability of the *Littorelletea uniflorae* plant communities in Polish *Lobelia* lakes

M. Szańkowski, S. Kłosowski 117–126

The possibility of submerged macrophyte recovery from a propagule bank in the eutrophic Lake Mikołajskie (North Poland)

T. Ozimek 127–131

Bioindication

Factors influencing the distribution of aquatic plant communities in Irish canals

J.M. Caffrey, C. Monahan, D. Tierney 133–139

Evaluation of the status of lakes located in the City of Olsztyn (Masurian Lake District, N-E Poland) by the macrophytoindication method (MPHI)

H. Ciecierska 141–146

Aquatic plants as environmental indicators of ecological condition in New Zealand lakes	
J. Clayton, T. Edwards	147–151
A new method to assess water trophy and organic pollution – the Macrophyte Biological Index for Rivers (IBMR): its application to different types of river and pollution	
J. Haury, M.-C. Peltre, M. Trémolières, J. Barbe, G. Thiébaud, I. Bernez, H. Daniel, P. Chatenet, G. Haan-Archipof, S. Muller, A. Dutartre, C. Laplace-Treyture, A. Cazaubon, E. Lambert-Servien	153–158
Comparison of different biological indices for the assessment of river quality: application to the upper river Moselle (France)	
G. Thiébaud, G. Tixier, F. Guérol, S. Muller	159–164
A comparison of macrophyte indices in headwaters of rivers in Flanders (Belgium)	
L. Triest	165–171
 SOLVING PROBLEMS?	
Management	
The prediction of macrophyte species occurrence in Swiss ponds	
D.A. Joye, B. Oertli, A. Lehmann, R. Juge, J.-B. Lachavanne	175–182
Risk assessment method for submerged weeds in New Zealand hydroelectric lakes	
J. Clayton, P. Champion	183–188
Predicting interactions between wetland vegetation and the soil-water and surface-water environment using diversity, abundance and attribute values	
M.P. Kennedy, K.J. Murphy, D.J. Gilvear	189–196
Richness and structure of plant communities in temporary pools from western Morocco: influence of human activities	
L. Rhazi, M. Rhazi, P. Grillas, D.E. Khyari	197–203
Ecological management of aquatic plants: effects in lowland streams	
H. Vereecken, J. Baetens, P. Viaene, F. Mostaert, P. Meire	205–210
 Control	
Control of <i>Myriophyllum verticillatum</i> L. in Irish canals by turion removal	
J.M. Caffrey, C. Monahan	211–215
The potential for biological control of invasive alien aquatic weeds in Europe: a review	
A. Gassmann, M.J.W. Cock, R. Shaw, H.C. Evans	217–222
Factors influencing the distribution of <i>Hydrocharis morsus-ranae</i> L. and <i>Rumex hydrolapathum</i> Huds. in a mowed low-lying marshland, Réserve de Cheyres, lac de Neuchâtel, Switzerland	
L. Sager, C. Clerc	223–229
Evaluating the necessity of additional aquatic plant testing by comparing the sensitivities of different species	
M. Vervliet-Scheebaum, K. Knauer, S.J. Maund, R. Grade, E. Wagner	231–236

Invasion

Plasticity of *Lythrum salicaria* and *Phragmites australis* growth characteristics across a European geographical gradient

D. Bastlová, M. Bastl, H. Čížková, J. Květ

237–242

Use of Geographic Information Systems to monitor and predict non-native aquatic plant dispersal through north-eastern North America

C.W. Boylen, L.W. Eichler, J.S. Bartkowski, S.M. Shaver

243–248

Present distribution of the genus *Elodea* in the Alsatian Upper Rhine floodplain (France) with a special focus on the expansion of *Elodea nuttallii* St. John during recent decades

S. Greulich, M. Trémolières

249–255

Invasibility of four plant communities in the Llobregat delta (Catalonia, NE of Spain) in relation to their historical stability

J. Pino, J.M. Seguí, N. Alvarez

257–263