

Contents

Contributors	xiii
Preface	xv
1 Plasmodesmal structure and development	1
ALISON G. ROBERTS	
1.1 Introduction	1
1.2 Structure of plasmodesmata	1
1.2.1 Formation of plasmodesmata	1
1.2.2 General structure	2
1.2.3 Historical notes on plasmodesmatal research	5
1.2.4 The advent of electron microscopy	6
1.2.5 Intercellular transport	8
1.3 Additional components of plasmodesmata	10
1.3.1 The cytoskeleton and cytoskeletal-associated proteins	10
1.3.2 Callose	14
1.3.3 Additional components of plasmodesmata	16
1.4 Developmental changes to plasmodesmata	18
1.4.1 Branched plasmodesmata	18
1.4.2 Loss, reduction or occlusion of plasmodesmata	20
1.4.3 Formation of secondary plasmodesmata	21
1.4.4 The future	23
Acknowledgements	23
References	23
2 Evolution of plasmodesmata	33
JOHN A. RAVEN	
2.1 Introduction	33
2.2 The distribution of plasmodesmata among extant photosynthetic organisms	33
2.3 The phylogeny of photosynthetic organisms and its relation to the occurrence of plasmodesmata	37
2.4 Functional aspects of the distribution and evolution of plasmodesmata	39
2.4.1 Background	39
2.4.2 Cyanobacteria	40
2.4.3 Chlorophyta	41
2.4.4 Heterokontophyta	42
2.4.5 Conclusions	43

2.5	Functioning of complex photosynthetic organisms which lack plasmodesmata	43
2.5.1	Introduction	43
2.5.2	Multicellular algae lacking plasmodesmata or analogues of plasmodesmata	43
2.5.3	Rhodophyta and pit plugs: (trans)mission impossible?	44
2.5.4	Morphologically complex acellular macroalgae	46
2.5.5	Symbioses of (mainly) unicellular algae with fungi and metazoan	48
2.6	Conclusions	49
	Note	50
	References	50
3	Plasmodesmata: protein transport signals and receptors	53
	FRIEDRICH KRAGLER	
3.1	Introduction	53
3.2	Components of the PD transport pathway	53
3.2.1	Principles of signal-mediated protein transport	53
3.2.2	Putative PD pathway components	56
3.2.3	NCAPP1 – the initial PD receptor	58
3.2.4	Potential role of the cytoskeleton in the PD transport pathway	59
3.2.5	HSP70-related proteins and the PD transport pathway	60
3.2.6	Potential role of ISE1 – a mutant plant with impaired PD function	61
3.2.7	A PD pathway model	62
3.3	Identifying PD transport signal(s)	63
3.3.1	Definition of a targeting signal	63
3.3.2	KNOTTED1 – existence of a PD-targeting and SEL increase signal	63
3.3.3	Phloem Thioredoxin h – charged amino acids as PD motifs	65
3.3.4	Proteolytic processing facilitates transport of CmPP36	65
3.3.5	A short PD-targeting motif in phloem HSC70	65
3.3.6	The elusive nature of PD-targeting signals	66
3.4	Conclusions and future prospects	67
	Acknowledgements	67
	References	68
4	Comparative structures of specialised monocotyledonous leaf blade plasmodesmata	73
	C.E.J. BOTHA, R.H.M. CROSS and L. LIU	
4.1	Introduction	73
4.2	Maturity-related changes in plasmodesmatal structure	74
4.3	The plasmodesmatal cell wall interfaces in monocot leaves	75

4.4	Plasmodesmata crossing the suberin lamella – constrictions and asymmetry	77
4.5	Regulation at the neck – structural considerations	85
4.6	Changes in wall structure and plasmodesmatal form – secondary modification	86
	References	87
5	Plasmodesmata and plant morphogenesis	90
	KEN KOBAYASHI, INSOON KIM, EUNA CHO and PATRICIA ZAMBRYSKI	
5.1	Introduction	90
5.2	Role of PD and symplasmic domain boundaries during plant development	90
5.3	Generic changes in structure and function of PD during different developmental processes	92
5.3.1	PD type and frequency	93
5.3.2	PD are dynamic	94
5.3.3	PD are passageways for nontargeted and targeted transport	95
5.4	Changes in PD conductivity during vegetative development	97
5.5	Changes in PD conductivity during floral induction	98
5.6	Changes in PD conductivity during embryogenesis	100
5.7	Importance of intercellular communication: roles of transported macromolecules in plant development	105
5.8	Concluding remarks	107
	Acknowledgements	109
	References	109
6	Transcription factor movement through plasmodesmata	113
	DAVID JACKSON	
6.1	Introduction	113
6.2	Plant TFs	114
6.3	Evidence for cell-to-cell trafficking of TFs	114
6.4	Plant TFs that traffic cell to cell	115
6.4.1	Homeobox proteins – KNOTTED1 and homologs	115
6.4.2	MADS box proteins	118
6.4.3	FLORICAULA and LEAFY	120
6.4.4	Shortroot	122
6.4.5	Caprice	125
6.4.6	Other candidate cell-to-cell trafficking TFs	126
6.5	Long-distance signaling by TFs, TF mRNAs and miRNAs	127
6.6	Mechanisms of TF movement	128
6.7	Perspectives	130

Acknowledgements	130
References	130
7 Role of plasmodesmata in solute loading and unloading	135
ALEXANDER SCHULZ	
7.1 Introduction	135
7.2 Role of plasmodesmata in collection phloem	136
7.2.1 Pre-phloem transport	137
7.2.2 The two modes of phloem loading	138
7.2.2.1 Symplasmic loading	140
7.2.2.2 Apoplasmic loading	141
7.2.2.3 The evolution of minor vein phloem loading	141
7.2.2.4 The default mode of phloem loading	143
7.2.2.5 Symmetrical and asymmetrical branching of plasmodesmata in the loading pathway	144
7.3 Role of PPUs between SE and CCs	145
7.4 Role of plasmodesmata in the transport phloem	147
7.5 Role of plasmodesmata in release phloem	148
7.5.1 General considerations	149
7.5.2 Unloading in permanent sinks	150
7.5.3 Unloading in temporary sinks	152
7.5.4 Unloading in storage sinks	153
7.6 Concluding remarks	155
References	156
8 Plasmodesmata and the phloem: conduits for local and long-distance signaling	162
ROBERT L. GILBERTSON, MARIA R. ROJAS and WILLIAM J. LUCAS	
8.1 Introduction	162
8.2 Phloem is well suited for long-distance trafficking of macromolecules	162
8.2.1 Sieve elements are the building blocks of a network of dynamic living tubes for macromolecular trafficking	162
8.2.2 Specialized companion cells maintain living enucleate SEs	164
8.2.3 SEs and CCs are interconnected by specialized PD	164
8.3 Macromolecular trafficking in the phloem	165
8.3.1 Source to sink: there is a strong directional movement in the phloem translocation stream	165
8.3.2 Do all long-distance signals in the phloem move in a source-to-sink direction?	166

8.3.3	P-proteins and the wound response	166
8.3.4	A large and diverse population of proteins can be detected in SEs	166
8.3.5	Synthesis and trafficking of macromolecules across the SE-CC PD	167
8.3.6	Green fluorescent protein as a reporter for both trafficking in the phloem and SE-CC SEL	167
8.3.7	Phloem proteins can increase the SEL of mesophyll PD	169
8.3.8	What is the function of the nonstructural phloem proteins?	170
8.3.9	Phloem proteins as molecular chaperones	170
8.4	Nucleic acids in the phloem and their role in long-distance signaling	171
8.4.1	Why do most plant viruses have RNA genomes?	171
8.4.2	Going with the flow: phloem-mediated delivery of viral reporters	171
8.4.3	Endogenous mRNAs in the phloem: possible long-distance developmental signals	172
8.4.4	Phloem translocation of small RNAs	173
8.4.5	Are small RNAs the long-distance signal involved in PTGS?	174
8.4.6	Do miRNAs serve as long-distance developmental signals?	175
8.5	Developmental regulation influences the number and properties of PD: impacts on long-distance trafficking in the phloem	175
8.6	Signaling and systemic defense responses	176
8.6.1	Signaling in the wound response: the challenges of identifying the long-distance signal	177
8.6.2	The systemin receptor: unexpected homolog of the brassinosteroid hormone receptor	177
8.6.3	Is JA the long-distance signal involved in the systemic wound response?	179
8.6.4	A JA biosynthesis pathway in the phloem is poised for a rapid wounding response	179
8.6.5	Prosystemin in phloem parenchyma cells: compartmentalization of different signals?	180
8.6.6	Systemic acquired resistance: similar challenges in the identification of the long-distance signal	180
8.6.7	A need to better understand trafficking of lipid-based signals	181
8.6.8	Cross-talk in systemic signaling systems	181
8.7	Prospectives	182
	References	183

9	Movement of viruses to and through plasmodesmata	188
	RICHARD S. NELSON	
9.1	Introduction	188
9.2	Virus cell-to-cell movement	189
9.2.1	Potexviruses and Hordeiviruses	190
9.2.2	Tobamoviruses	193
9.2.3	Comoviruses, Nepoviruses and Tospoviruses	201
9.2.4	Other viruses	204
9.2.5	Summary	205
	Note	206
	Acknowledgements	206
	References	206
10	Systemic RNA silencing	212
	MANFRED HEINLEIN	
10.1	Introduction	212
10.2	The RNA silencing pathway	213
10.3	Virus-induced RNA silencing	218
10.4	Systemic silencing	219
10.5	Nature of the systemic silencing signal	223
10.6	Pathway of the silencing signal in plants – plasmodesmata	226
10.7	Concluding remarks	228
	Acknowledgements	230
	References	230
11	Techniques for imaging intercellular transport	241
	KARL OPARKA and PETRA BOEVINK	
11.1	Introduction	241
11.2	Microinjection	241
11.2.1	Pressure injection	242
11.2.2	Iontophoretic injection	243
11.2.3	Iontophoretic versus pressure injection	243
11.2.4	Some milestones in microinjection	243
11.2.5	Dye loading	245
11.2.6	Caged probes	245
11.3	Fluorescent reporter proteins	246
11.3.1	GFP	246
11.4	Red fluorescent proteins	247
11.4.1	DsRed	247
11.4.2	mRFP	247
11.5	Biolistic bombardment	248
11.6	Viral vectors	250
11.7	Tissue or cell-specific promoters	250
11.8	Photoactivatable GFP	251
11.8.1	Other photoactivatable proteins	252

11.9	Fluorescence recovery after photobleaching	253
11.10	FlAsH and ReAsH	254
11.11	Ablation techniques	257
	11.11.1 Laser ablation	257
	11.11.2 Diphtheria toxin	257
11.12	Quantum dots	258
11.13	Summary	258
	References	259
12	Electrical signalling via plasmodesmata	263
	AART J.E. VAN BEL and KATRIN EHLERS	
12.1	Introduction	263
12.2	Electrical coupling as an initial probe for symplasmic cell coupling	263
12.3	Physical essentials of electrical coupling measurements	264
12.4	Membrane potential mapping as a tool for recognition of symplasmic domain borders	265
12.5	Interrelations between current injection and plasmodesmatal permeability	266
12.6	Potential functions of electrical cell-cell (un)coupling	267
12.7	Relationships between electropotential waves, plasmodesmatal conductance and physiological activities	269
12.8	Role of plasmodesmata in the propagation of electropotential waves and long-distance signalling	270
12.9	Are integrated electrical and chemical long-distance signals mediated by plasmodesmata during systemic induced resistance?	272
12.10	Concluding remarks	274
	References	274
13	Regulation of plasmodesmal conductance	279
	TERENA L. HOLDAWAY-CLARKE	
13.1	Introduction	279
13.2	Monitoring plasmodesmal conductance	279
	13.2.1 Terminology	279
	13.2.2 Monitoring plasmodesmata as diffusion conduits	280
	13.2.3 Transport through the desmotubule	280
	13.2.4 Dye and GFP-fusion studies	281
	13.2.5 Inferences from electron microscopy	281
	13.2.6 Measuring plasmodesmal conductance/electrical resistance	282
	13.2.7 Time resolution	283
	13.2.8 Difficulties and some solutions	283

13.2.9	Coupling ratio	283
13.2.10	Patch-clamping?	284
13.3	Regulation of plasmodesmal conductance	285
13.3.1	Algal plasmodesmata	285
13.3.2	Plasmodesmata in higher plants	286
13.3.3	Factors decreasing conductance	287
13.3.3.1	Divalent cations/ $[Ca^{2+}]_{\text{cyt}}$	287
13.3.3.2	Plasmolysis and pressure differentials	289
13.3.4	Factors increasing plasmodesmal conductance	289
13.3.4.1	Deplasmolysis	289
13.3.4.2	Metabolic inhibition	289
13.3.5	Other possibilities	290
13.3.5.1	Cytoplasmic pH	290
13.3.5.2	Voltage gating	290
13.4	Mechanisms	290
13.4.1	Myosin	291
13.4.2	Centrin and Ca^{2+}/pH_{cyt} regulation of plasmodesmata	291
13.4.3	How do plasmodesmata dilate?	292
13.5	Conclusion	292
	References	293
	Appendix	298
13.6	Solving the electric circuit model of a sister-cell pair	298
13.6.1	Model for cytoplasmic location of current-injecting electrode in a sister-cell pair	298
13.6.1.1	Model for vacuolar location of electrode tip in a sister-cell pair	299
13.6.2	Solution of the circuit model for a single-ended file	300
	Index	303