

## Contents

|                  |    |
|------------------|----|
| Introduction     | 11 |
| Acknowledgements | 16 |

|   |                                            |     |
|---|--------------------------------------------|-----|
| 1 | THE FRUITS                                 | 17  |
|   | The seasonal pattern of fruiting           | 18  |
|   | Holly <i>Ilex aquifolium</i>               | 22  |
|   | Yew <i>Taxus baccata</i>                   | 28  |
|   | Ivy <i>Hedera helix</i>                    | 31  |
|   | Mistletoe <i>Viscum album</i>              | 35  |
|   | Dog rose <i>Rosa canina</i>                | 41  |
|   | Other roses                                | 44  |
|   | Haws <i>Crataegus</i> spp.                 | 45  |
|   | Rowan <i>Sorbus aucuparia</i>              | 49  |
|   | Whitebeam <i>Sorbus aria</i>               | 51  |
|   | Wild service tree <i>Sorbus torminalis</i> | 54  |
|   | Wild cherry <i>Prunus avium</i>            | 55  |
|   | Bird cherry <i>Prunus padus</i>            | 56  |
|   | Blackthorn <i>Prunus spinosa</i>           | 58  |
|   | Blackberry <i>Rubus fruticosus</i>         | 60  |
|   | Wild raspberry <i>Rubus idaeus</i>         | 63  |
|   | Crab-apple <i>Malus sylvestris</i>         | 64  |
|   | Elder <i>Sambucus nigra</i>                | 65  |
|   | Wayfaring tree <i>Viburnum lantana</i>     | 68  |
|   | Guelder rose <i>Viburnum opulus</i>        | 70  |
|   | Honeysuckles <i>Lonicera</i> spp.          | 72  |
|   | Dogwood <i>Cornus sanguinea</i>            | 75  |
|   | Privet <i>Ligustrum vulgare</i>            | 77  |
|   | Buckthorn <i>Rhamnus catharticus</i>       | 79  |
|   | Spindle <i>Euonymus europaeus</i>          | 81  |
|   | Wild currant <i>Ribes rubrum</i>           | 84  |
|   | Wild gooseberry <i>Ribes uva-crispi</i>    | 85  |
|   | Woody nightshade <i>Solanum dulcamara</i>  | 86  |
|   | Black nightshade <i>Solanum nigrum</i>     | 88  |
|   | Deadly nightshade <i>Atropa belladonna</i> | 89  |
|   | White bryony <i>Bryonia dioica</i>         | 90  |
|   | Black bryony <i>Tamus communis</i>         | 92  |
|   | Spurge laurel <i>Daphne laureola</i>       | 94  |
|   | Mezereon <i>Daphne mezereum</i>            | 95  |
|   | Juniper <i>Juniperus communis</i>          | 96  |
|   | Lords and ladies <i>Arum maculatum</i>     | 98  |
|   | Some minor fruits                          | 100 |
|   | Introduced and cultivated plants           | 102 |
| 2 | THE FRUIT-EATERS                           | 109 |
|   | Blackbird <i>Turdus merula</i>             | 111 |
|   | Song Thrush <i>Turdus philomelos</i>       | 120 |
|   | Mistle Thrush <i>Turdus viscivorus</i>     | 125 |
|   | Fieldfare <i>Turdus pilaris</i>            | 133 |

## 6 Contents

|                                    |     |
|------------------------------------|-----|
| Redwing <i>Turdus iliacus</i>      | 138 |
| Robin <i>Erithacus rubecula</i>    | 142 |
| Blackcap <i>Sylvia atricapilla</i> | 147 |
| Other warblers and flycatchers     | 154 |
| Starling <i>Sturnus vulgaris</i>   | 158 |
| The Corvidae                       | 163 |
| Occasional or scarce fruit-eaters  | 166 |
| Waxwing <i>Bombycilla garrulus</i> | 168 |
| Woodpigeon <i>Columba palumbus</i> | 171 |
| Seed-predators and pulp-predators  | 175 |
| The finches                        | 176 |
| The sparrows                       | 182 |
| The tits                           | 183 |

## 3 INTERPRETATION 188

|                                                                               |     |
|-------------------------------------------------------------------------------|-----|
| Physical characteristics of fruits: size and seed burden                      | 189 |
| The colour and taste of fruits                                                | 194 |
| Competition between plants for dispersers                                     | 198 |
| Adaptation of fruiting seasons and fruit quality to changing bird populations | 202 |
| Seed-predators and the plants' defences                                       | 206 |
| Physical limitations to fruit-eating                                          | 210 |
| Adaptations for a fruit diet                                                  | 214 |
| Fruit preferences                                                             | 219 |
| Foraging strategies of fruit-eaters                                           | 227 |
| Fruit as a component of the total diet                                        | 231 |
| Time and energy budgets for fruit-eaters                                      | 235 |
| The question of coevolution                                                   | 239 |

### Appendices

- 1 Plants with fleshy fruits native to England and Wales 245
- 2 Design components of native bird-dispersed fruits, southern England 247
- 3 Design components of some introduced and cultivar bird-dispersed fruits, southern England 249
- 4 Nutritive values of some bird-dispersed fruits, southern England 250
- 5 Monthly totals of timed watches at wild fruits, southern England 1980-85 251

### References 253

### Index 261