

Contents

Preface

vii

1. Improvement of Crop Species

1.1

1.1 Plant Character

1.1

1.1.1 Seed characters

1.1

1.1.2 Root characters

1.10

1.1.3 Characters associated with resistance to element toxicity

1.11

1.1.4 Stem characters

1.11

1.1.5 Characters associated with drought resistance

1.12

1.1.6 Character associated with heat resistance

1.12

1.1.7 Chilling or cold resistance

1.12

1.1.8 Flood tolerance

1.13

1.1.9 Photosynthesis

1.13

1.1.10 Respiration

1.15

1.1.11 Translocation

1.16

1.2 Environmental Factors

1.16

References

1.16

2. Incompatibility and Male Sterility

2.1

2.1 Incompatibility

2.1

2.1.1 Genetic basis of incompatibility

2.1

2.1.2 Utility of self-incompatibility

2.4

2.2 Physiological/Biochemical Basis of Incompatibility

2.4

2.3 Gene Function in Incompatibility

2.6

2.4 Identification of S-allele Genotype

2.6

2.4.1 Reciprocal cross procedure

2.7

2.4.2 Compatibility/incompatibility reaction

2.9

2.5 Evolution of Incompatibility Mechanism

2.10

2.6 Break Down of Incompatibility

2.10

2.6.1 *In vitro* fertilization

2.11

2.7 Male Sterility

2.11

2.7.1	Genetic male sterility	2.11
2.7.2	Cytoplasmic male sterility	2.12
	<i>References</i>	2.13
3.	Enzymes/Isozymes	3.
3.1	Definition, Types and Banding Pattern	3.1
3.2	Separation and Identification of Isozymes	3.4
3.3	Enzymes to be Studied	3.4
3.4	Types of Material to be used in the Analysis	3.4
3.5	Genetic Control of Metabolism	3.5
3.6	Isozymes in the Study of Quantitative Variation	3.5
3.7	Limitations of Isozymes in Assessing Quantitative Variation	3.6
3.8	Isozymes as Selection Criteria in Heterosis Breeding	3.7
	<i>References</i>	3.7
4.	Evolution	4.1
4.1	Theories of Evolution	4.1
4.2	Speciation	4.2
4.3	Founder Induced Speciation	4.4
4.4	Reproductive Isolation	4.5
4.5	Geographical or Spatial Isolation	4.5
4.5.1	Allopatric speciation	4.5
4.5.2	Sympatric speciation	4.5
4.6	Adaptation	4.6
4.7	Cytological and Molecular Basis of Evolution	4.7
4.7.1	Translocations and inversion	4.7
4.7.2	Duplication	4.7
4.7.3	Molecular evolution	4.8
4.8	Crop Evolution	4.9
4.9	Domestication of Crop Species	4.9
4.10	Centres of Diversity and Centres of Domestication	4.10
	<i>References</i>	4.11
5.	Modes of Reproduction	5.1
5.1	Sexual Reproduction	5.1
5.2	Breeding System	5.3
5.3	Mechanism for Ensuring Inbreeding or Outbreeding	5.3
5.4	Evolution of Inbreeders	5.3
5.5	Rate of Outcrossing	5.6

5.6	Variability Pattern	5.6
5.6.1	Factors affecting the genetic structure	5.7
5.7	Apomixis or Pseudo-sexual Reproduction	5.7
5.7.1	Identification of apomictic plants	5.8
5.7.2	Genetics of apomixis	5.8
5.8	Asexual Reproduction	5.9
	<i>References</i>	5.9
6	Breeding Methods in Self Fertilizing Species	6.1
6.1	Pedigree Method	6.1
6.2	Bulk Method	6.3
6.3	Single Seed Descent	6.6
6.4	Dihaploidy	6.7
6.5	Composition of the Genetical Variation of Inbreeding Generation	6.7
6.5.1	Comparison of the distribution of F_2 population and F_6 lines	6.8
6.6	Properties of the Breeding Lines Produced by SSD and Dihaploidy	6.9
6.7	Comparison of Efficiency of Different Methods	6.9
6.8	Effects of Competition on Selection	6.11
6.9	Effects of Genotype $\times$ Environment Interaction	6.12
6.10	Visual Selection	6.12
6.11	Early vs Late Selection	6.13
6.12	Direct vs Indirect Selection for Yield	6.14
6.13	Method of Increasing the Efficiency of Early Generation Testing	6.14
6.13.1	Individual or mass selection	6.14
6.13.2	Grid selection	6.15
6.13.3	Rhombic grid selection	6.16
6.13.4	Honey comb selection	6.16
6.13.5	Pedigree selection	6.17
6.14	Intermating	6.18
6.15	Genotype Assessment	6.20
6.16	Breeding for Stability/Adaptability	6.21
6.17	Physiological and Biochemical Characters as Selection Criteria	6.21
6.18	Ideotype Breeding	6.22
6.19	Prediction of Breeding Potential of Parents and Crosses	6.22
6.20	Different Approaches to Prediction	6.22
6.20.1	Parental performance	6.22
6.20.2	Diallel analysis	6.23
6.20.3	Comparison of means and variances of early segregating generation population	6.24

6.20.4	Use of both parental performance and F_2 population mean	6.2
6.20.5	Correlation between F_1 and mid-parent	6.2
6.20.6	Selecting material for pedigree/single seed descent	6.2
6.20.7	Use of estimate of genetic divergence	6.3
6.20.8	Information from F_3 families	6.3
6.20.9	Prediction of performance of superior recombinant line	6.2
6.21	Prediction of the Outbreeding Potential of a Cross between Two Pure Breeding Lines	6.3
6.21.1	Theory	6.3
6.22	Recurrent Selection in Self-fertilizing Species	6.3
6.22.1	Use of bi-parental mating	6.3
6.22.2	Use of male sterility	6.3
6.23	Reciprocal Recurrent Selection	6.3
	<i>References</i>	6.3
7.	Breeding Methods in Cross Fertilizing Species	7.
7.1	Estimates of Variance Components	7.
7.2	Intra-Population Improvement Methods	7.
7.2.1	Mass selection	7.
7.2.2	Family selection	7.
7.2.3	Combined selection	7.
7.2.4	Top cross progeny selection	7.
7.3	Inter-Population Selection Schemes	7.1
7.3.1	Half-sib reciprocal recurrent selection (RRS-HS)	7.1
7.3.2	Full-sib reciprocal recurrent selection (RRS-FS)	7.1
7.3.3	Modified reciprocal recurrent selection-1 (Modified RRS-1)	7.1
7.3.4	Modified reciprocal recurrent selection-2 (Modified RRS-2)	7.1
7.4	Information Required for Success of Selection	7.1
7.5	Calculation of Expected Progress using Change in Gene Frequency	7.1
7.6	Prediction of F_1 Performance in Reciprocal Recurrent Selection	7.1
7.6.1	Expected mean of the hybrids	7.1
7.7	Developing Breeding Population	7.1
7.8	Selected vs Unselected Population	7.1
7.9	Methods of Recombination	7.1
7.10	Measurement of Response	7.2
7.10.1	Means	7.2
7.10.2	Variances	7.2
7.11	Problems Associated with Evaluation of the Progress	7.2
7.12	Characters to be Improved	7.2

7.13	Role of Visual Selection	7.23
7.14	Expected Progress vs Realized Progress	7.23
7.15	Inbred line vs. Random Mating Population as Tester in RRS	7.24
7.16	When to Terminate the Selection	7.24
7.17	Factors Affecting the Efficiency of Breeding Methods	7.25
7.17.1	Selection intensity	7.26
7.17.2	Control of parents	7.26
7.17.3	Phenotypic variance	7.27
7.17.4	Number of years per cycle of selection	7.27
7.18	Comparative Efficiency of Various Methods	7.27
7.18.1	Comparison of methods of intra-population improvement	7.27
7.18.2	Comparison of inter-population improvement schemes	7.28
	References	7.28
8.	Hybrid Breeding	8.1
8.1	When to Go for Hybrids	8.1
8.2	Types of Hybrids	8.2
8.3	Development of Hybrids	8.2
8.3.1	Development of inbred lines	8.2
8.3.2	Methods of developing inbreds	8.2
8.3.3	Testing of general combining ability	8.3
8.3.4	Testing of specific combining ability	8.4
8.4	Prediction of Performance of Hybrids	8.4
8.4.1	Single cross hybrid	8.4
8.4.2	Three-way cross hybrid	8.6
8.4.3	Double cross hybrid	8.6
8.5	Comparison of Different Hybrids	8.8
8.6	Breeding for Stability/and Adaptability	8.8
8.7	Individual Buffering vs. Population Buffering	8.9
8.8	Use of Self-incompatibility Mechanism in the Production of Hybrids	8.9
8.8.1	Single cross hybrid	8.9
8.8.2	Double cross hybrid	8.10
8.8.3	Three-way cross hybrid	8.10
8.8.4	Triple cross hybrid	8.10
8.8.5	Top cross hybrid	8.10
8.8.6	Development of inbred line	8.11
8.8.7	Hybrid production with two locus system of incompatibility	8.11
8.9	Use of Male Sterility in the Development of Hybrids	8.12
8.9.1	Development of A line	8.12
8.9.2	Production of female parent seed (A line) and B line	8.12

8.9.3	Development of restorer line	8.12
8.9.4	Production of male parent seed (<i>R</i> line)	8.13
8.9.5	Genetic male sterility system	8.13
8.9.6	Testing of combining ability	8.16
8.9.7	Testing of experimental hybrids	8.16
8.9.8	Isolation distance	8.17
8.9.9	New sources of male sterility and fertility restorer gene(s)	8.17
8.10	Problem Associated with Self-incompatibility and Male Sterility	8.17
8.11	Other Mechanisms for Producing Hybrids	8.18
8.11.1	Chemical hybridizing agents (CHAs)	8.19
8.12	Hybrids between Diploid and Tetraploid	8.19
8.13	Modified Breeding Method	8.19
	<i>References</i>	8.21
9.	Backcross Method of Breeding	9.1
9.1	Theory of Transfer of Alleles	9.1
9.2	Population Size in Backcross Generation Population	9.4
9.3	Prediction of Proportion of Superior Recombinant Line	9.5
	<i>References</i>	9.6
10.	Multiple Crosses in Plant Breeding	10.1
10.1	Necessity for Making Multiple Crosses	10.1
10.2	Diallel Selective Mating	10.1
10.3	Composite Cross Breeding	10.2
10.4	Prediction of Proportion of Superior Recombinant Pure Breeding Lines from Three-way or Double Crosses	10.4
10.5	Prediction of Proportion of Superior Hybrids from Inbreds Extracted from Three-way and Double Crosses	10.4
	<i>References</i>	10.5
11.	Synthetics and Composites	11.1
11.1	Synthetics	11.1
11.2	Prediction of Yield of Synthetics	11.1
11.3	Factors Affecting the Yield of Synthetics	11.2
11.4	Optimum Number of Parents	11.3
11.5	Identification of Parents	11.3
11.5.1	Mating designs	11.3
11.6	Development of Synthetics	11.5
11.7	Composites	11.6
11.8	Prediction of Performance of Composite	11.6

11.9	Criterion for Selection Among Composites	11.7
11.10	Number of Generations of Intermating Required for Stabilization of Mean of Population	11.9
11.11	Development of Composites	11.9
	<i>References</i>	<i>11.9</i>
12.	Clone Breeding	12.1
12.1	Breeding Method	12.1
12.2	Multistage Selection Strategy	12.3
12.3	Selection of Potential Parents and Prediction of Performance of Superior Clone	12.3
	<i>References</i>	<i>12.4</i>
13.	Mutation Breeding	13.1
13.1	Mutagenic Agents	13.1
13.2	Materials to be Treated	13.2
13.3	Factors Affecting the Radio Sensitivity	13.2
13.4	Isolation of Useful Mutant(s)	13.3
	13.4.1 Steps involved in mutation breeding	13.3
13.5	Mutation Breeding in Vegetatively Propagated Crops	13.4
13.6	Chimeras	13.5
13.7	Applications of Mutation Breeding	13.6
	<i>References</i>	<i>13.6</i>
14.	Study of Host-Parasite Interaction	14.1
14.1	Importance of Host-Parasite Interaction	14.1
	14.1.1 Host-pathogen specialization	14.2
	14.1.2 Means of controlling diseases/insects	14.2
14.2	Physiological Races and Race Classification	14.4
	14.2.1 Identification of physiological race	14.4
14.3	Biotypes of Insects	14.5
14.4	Environmental/Ecological Biotypes	14.6
14.5	Virulence Analysis and Race Survey	14.6
	14.5.1 Virulence analysis	14.6
	14.5.2 Race survey	14.7
14.6	Host-Resistance	14.8
	14.6.1 Vertical resistance	14.8
	14.6.2 Horizontal resistance	14.9
	14.6.3 Field resistance	14.10
	14.6.4 Non-host resistance	14.10

- 14.7 Mechanism of Resistance
 - 14.7.1 Hypersensitive response
 - 14.7.2 Defence mechanism
 - 14.7.3 Non-hypersensitive response
- 14.8 Resistance to Insects
- 14.9 Induced Resistance
- 14.10 Genetics of Resistance
 - 14.10.1 Monogenic/Oligogenic resistance
 - 14.10.2 Polygenic resistance
 - 14.10.3 Dominance reversal
 - 14.10.4 Distribution of genes
 - 14.10.5 Test of allelism
 - 14.10.6 Cytoplasmic determination
- 14.11 Hypovirulence
- 14.12 Genetical Analysis
 - 14.12.1 Assessment of resistance
 - 14.12.2 Screening of resistant genotype
- 14.13 Disease Progress Curve
 - 14.13.1 Logistic model
 - 14.13.2 Factors affecting epidemic
- 14.14 Polycyclic and Monocyclic Diseases
- 14.15 Deviations from Logarithmic Spread
 - 14.15.1 Difference between monocyclic and polycyclic disease spread
 - 14.15.2 Poor fitting of curves
 - 14.15.3 Experimental size
 - 14.15.4 Multiple infections and spatial effects
- 14.16 Disease Assessment
 - 14.16.1 Problems with disease assessment
 - 14.16.2 Polycyclic test
 - 14.16.3 Monocyclic test
 - 14.16.4 Assessment of yield losses
- 14.17 Virulence and Aggressiveness
 - 14.17.1 Virulence
 - 14.17.2 Components of aggressiveness
 - 14.17.3 Relationship between virulence and aggressiveness
 - 14.17.4 Inheritance of virulence and aggressiveness
- 14.18 Gene-for-gene hypothesis
- 14.19 Host-insect Interaction

14.20	Analysis of Aggressiveness	14.46
14.21	Specificity of Resistance	14.47
14.22	Variability in Pathogen Populations	14.51
14.22.1	Mutation	14.52
14.22.2	Sexual recombination	14.53
14.22.3	Asexual recombination	14.54
14.22.4	Parasexual recombination	14.54
14.22.5	Developmental variation	14.54
14.23	Variability in insect	14.55
14.23.1	Host-plant specificity	14.55
14.23.2	Insect vector-pathogen specificity	14.56
14.23.3	Interaction between pathogen and insect vector	14.56
14.23.4	Reproduction in insects	14.56
14.23.5	Ploidy level	14.57
14.24	Selection	14.57
14.24.1	Disruptive selection	14.59
14.24.2	Weak/strong resistance gene	14.59
14.25	Race Competition and Adaptability	14.60
14.26	Genetic Structure of Pathogen Population	14.62
14.26.1	Evolution of gene of virulence	14.63
14.26.2	Models of fitness of pathogen genotype	14.64
14.26.3	Varietal mixture	14.66
14.26.4	Evolution of complex race/super race	14.67
14.27	Resistance Breeding	14.67
14.27.1	Use of single resistance gene	14.68
14.27.2	Deployment	14.68
14.27.3	Pyramiding of genes	14.69
14.28	Breeding for Race Specific Resistance	14.71
14.28.1	Vertifolia effect	14.72
14.29	Breeding for Non-specific Resistance	14.73
14.29.1	Problems associated with breeding for HR	14.74
14.29.2	Where to use HR?	14.74
14.30	Multilines/Mixtures	14.75
14.30.1	Development of multiline variety	14.76
14.30.2	Mixture	14.76
14.30.3	Mixing strategies	14.77
14.30.4	Advantages and disadvantages	14.77
14.30.5	Disease control in multiline/mixture	14.78
14.30.6	Effects on epidemiological parameters	14.78

- 14.31 Breeding for Durable Resistance
 - 14.31.1 Criteria of durability
 - 14.31.2 Genetics of durable resistance
 - 14.31.3 Breeding method for durable resistance
 - 14.32 Breeding for Resistance to Virus
 - 14.32.1 Mechanisms of resistance to plant viruses
 - 14.32.2 Cross protection
 - 14.32.3 Bio-control of insects
 - 14.33 Breeding for Resistance to Nematodes
 - 14.33.1 Nematode's biology
 - 14.33.2 Mechanism of resistance
 - 14.33.3 Screening technique
 - 14.33.4 Breeding method
 - 14.34 Breeding for Tolerance
 - 14.34.1 Evaluation of tolerance
 - 14.34.2 Breeding method for tolerance
 - 14.34.3 Slow rusting or mildewing
 - 14.35 Sources of Resistance and Gene Transfer
 - 14.35.1 Problems with gene transfer
 - 14.35.2 Gene centre for pest resistance
- References*

15. Application of Tissue Culture

- 15.1 Tissue Culture
 - 15.2 Culture Medium
 - 15.3 Organ Culture
 - 15.4 Suspension and Cell Culture
 - 15.5 Protoplast Culture
 - 15.5.1 Hybridization of protoplast
 - 15.5.2 Isolation of hybrid calli
 - 15.5.3 Cybrids
 - 15.6 Regeneration
 - 15.7 Embryogenesis a Means of Mass Propagation
 - 15.8 Applications of Tissue Culture
- References*

16. Applications of Genetic Engineering

- 16.1 Genetic Engineering
- 16.2 Variation at DNA Sequence Level

16.3	Molecular Marker Technology	16.3
16.3.1	Molecular markers	16.3
16.3.2	Selection of marker	16.11
16.3.3	Applications of molecular marker technology	16.13
16.4	Genetic Engineering Methods of Cloning Genes	16.13
16.4.1	Transformation	16.13
16.4.2	Transduction	16.13
16.4.3	Introduction of specific genes	16.14
16.4.4	Methods of direct gene transfer	16.23
16.5	Applications of Recombinant DNA Technology	16.24
16.5.1	Application in development of resistant plant	16.24
16.5.2	Application of genetic engineering in development of hybrids	16.33
16.5.3	Molecular farming	16.36
16.6	Marker-Assisted Selection (MAS)	16.45
16.7	Application of Molecular Markers to Studies of Evolution, Population Genetics and Systematics	16.55
16.8	Germplasm Resources Management	16.57
	<i>References</i>	<i>16.58</i>

II. Genetic Resources **17.1**

17.1	Collection of Germplasm	17.1
17.2	Sampling Strategy	17.2
17.3	Estimation of Number of Alleles Per Locus	17.3
17.4	Sampling Theory of Alleles	17.3
17.5	Sampling of Sites	17.3
17.6	Points to be Considered during Collection of Germplasm	17.3
17.7	Collection of Genes for Resistance to Diseases	17.4
17.8	Collection of Rare Alleles	17.4
17.9	Evaluation of Germplasm	17.4
17.10	Estimation of Genetic Diversity	17.4
17.10.1	Shannon-Weaver information index	17.5
17.10.2	Estimates of the degree of similarity or differences between two populations	17.6
17.10.3	Wright's fixation index	17.7
17.11	Phenotypic Diversity	17.7
17.12	Conservation of Germplasm	17.8
17.12.1	<i>In situ</i> conservation	17.8
17.12.2	<i>Ex situ</i> conservation	17.9
17.13	Effective Population size	17.9

xx Contents

17.14 Storage of Seed

17.15 Gene Bank

References

18. Participatory Plant Breeding and Intellectual Property Rights

18.1 Participatory Plant Breeding

18.2 Intellectual Property Rights (IPR)

References

Index