

Contents

	Preface — v
	List of contributing authors — vii
	Contents — xiii
1	Optical spectroscopy and calorimetry — 1
1.1	Introduction — 1
1.2	Absorption spectroscopy — 1
1.3	Fluorescence — 8
1.4	Circular dichroism — 8
1.5	Transient electric birefringence — 13
1.6	Calorimetry — 17
1.6.1	Isothermal titration calorimetry — 18
1.6.2	Differential scanning calorimetry — 21
1.7	Acknowledgments — 24
	References — 24
2	Footprinting methods for mapping RNA-protein and RNA-RNA interactions — 29
2.1	Introduction — 29
2.2	Principles and applications of footprinting — 30
2.3	Tools for footprinting: what should we know about probes? — 32
2.3.1	RNases — 32
2.3.2	Chemicals — 35
2.3.2.1	Base-specific reagents — 35
2.3.2.2	Ribose-phosphate backbone-specific reagents — 35
2.4	Examples of RNP or RNA-RNA complexes analyzed by footprinting — 37
2.4.1	Determination of the mRNA-binding site of Crc by SHAPE footprinting — 37
2.4.2	Footprinting mapping of sRNA-mRNA interaction — 39
2.4.3	Footprinting reveals mimicry of mRNA and tRNA for regulation — 41
2.4.4	Difficulties in probing transient interactions by footprinting: the case of ribosomal protein S1-RNA complex — 43
2.5	Concluding remarks — 45
2.6	Acknowledgments — 46
	References — 46

3	Chemical approaches to the structural investigation of RNA in solution — 51
3.1	Introduction — 51
3.2	Similar chemistry in different concepts: sequencing, probing, and interference — 52
3.3	Sequencing and probing by Maxam and Gilbert chemistry — 53
3.4	Application of Sanger sequencing to probing — 57
3.5	Further electrophilic small molecule probes — 58
3.6	Probing agents with nuclease activity — 59
3.7	Probing agents involving radical chemistry — 61
3.8	Matching suitable probes to structural features — 61
3.9	Chemical modification interference — 62
3.10	Nucleotide analog interference mapping — 63
3.11	Combination and interplay with other methods — 65
3.12	Application to an artificial ribozyme — 66
3.13	Conclusion and outlook — 69
	References — 69
4	Bioorthogonal modifications and cycloaddition reactions for RNA chemical biology — 75
4.1	Introduction — 75
4.2	Bioorthogonal conjugation strategies — 76
4.2.1	1,3-dipolar cycloaddition reactions ([3+2] cycloaddition) — 76
4.2.1.1	Copper-catalyzed azide-alkyne cycloaddition — 76
4.2.1.2	Strain-promoted azide-alkyne cycloaddition — 77
4.2.1.3	Nitrile oxides as 1,3-dipoles for metal-free cycloadditions — 78
4.2.1.4	Photoactivated 1,3-dipolar cycloadditions — 80
4.2.2	Inverse electron demand Diels-Alder reaction ([4+2] cycloaddition) — 80
4.2.3	Staudinger reaction of azides and phosphines — 81
4.3	Synthetic strategies for RNA functionalization: installation of reactive groups for cycloadditions — 81
4.3.1	Chemical synthesis of modified RNA — 82
4.3.1.1	Alkyne-containing phosphoramidites for solid-phase synthesis — 82
4.3.1.2	Solid-phase synthesis of azide-containing RNA — 83
4.3.1.3	Postsynthetic modification of RNA with azides and alkynes — 83
4.3.1.4	Functionality transfer reaction using 5 ⁶ G-modified DNA — 84
4.3.2	Enzymatic incorporation of functional groups for click chemistry — 85
4.3.2.1	In vitro transcription using modified nucleotides — 86
4.3.2.2	Enzymatic posttranscriptional modification — 86
4.4	Case studies for applications of click chemistry in RNA chemical biology — 88

4.4.1	Synthesis of chemically modified ribozymes — 88
4.4.2	Monitoring RNA synthesis and turnover by metabolic labeling and click chemistry — 90
4.4.3	Bioorthogonal modification of siRNAs for detection, improved stability, and delivery — 91
4.5	Summary and conclusions — 93
4.6	Acknowledgments — 93
	References — 94
5	Analysis of RNA conformation using comparative gel electrophoresis — 101
5.1	The principle behind the analysis of the structure of branched nucleic acids by gel electrophoresis — 101
5.2	Helical discontinuities in duplex RNA — 103
5.3	The direction of a helical bend — 104
5.4	Comparative gel electrophoresis of branched nucleic acids — 104
5.5	Comparative gel electrophoresis of four-way DNA junctions — 108
5.6	Analysis of the structure of four-way RNA junctions — 111
5.7	The 4H junctions of the U1 snRNA and the hairpin ribozyme — 112
5.8	A more complex junction found in the HCV IRES — 112
5.9	Analysis of the structure of three-way RNA junctions — 115
5.9.1	A three-way junction of the HCV IRES element — 115
5.9.2	Three-way junctions are the key architectural elements of the VS ribozyme — 116
5.9.3	The hammerhead ribozyme is a complex three-way helical junction — 118
5.10	Some final thoughts — 118
5.11	Acknowledgments — 120
	References — 120
6	Virus RNA structure deduced by combining X-ray diffraction and atomic force microscopy — 125
6.1	Introduction — 125
6.2	Why don't we learn more about RNA from X-ray crystallography? — 125
6.3	X-ray studies revealing RNA — 126
6.4	Secondary structure prediction — 128
6.5	Generalized ssRNA secondary structural motifs — 129
6.6	The folding of RNA in STMV — 131
6.7	Atomic force microscopy — 133
6.8	Preparation of viral RNA samples for AFM — 136
6.9	Atomic force microscopy of viral ssRNAs — 137

6.10	AFM results for extended STMV RNA — 140
6.11	ssRNA in T = 3 icosahedral viruses — 144
6.12	A model for assembly of STMV inspired by crystallography and AFM — 147
6.13	AFM of large ssRNA viruses — 150
	References — 152
7	Investigating RNA structure and folding with optical tweezers — 157
7.1	Introduction — 157
7.2	Single-RNA force measurements with optical tweezers — 158
7.3	Probing RNA and RNA-protein interactions: selected examples — 160
7.3.1	Probing the structure and the folding dynamics of RNA hairpins — 160
7.3.2	Exploring the folding dynamics of complex RNA structures in presence of proteins — 172
7.4	Conclusion — 178
7.5	Acknowledgments — 178
	References — 178
8	Fluorescence resonance energy transfer as a tool to investigate RNA structure and folding — 181
8.1	An introduction to fluorescence resonance energy transfer — 181
8.2	Introduction of donor and acceptor fluorophores into RNAs and RNA/protein complexes — 183
8.3	Ensemble FRET — 184
8.3.1	Steady-state FRET — 184
8.3.2	Time-resolved FRET — 186
8.4	Single-molecule FRET — 189
8.4.1	Instrumentation and experimental procedure — 191
8.4.2	Data analysis — 193
8.4.2.1	Identifying single-molecule events — 193
8.4.2.2	Correction for instrument nonnonideality — 193
8.4.2.3	The Förster distance R_0 — 195
8.4.2.4	The orientation factor κ^2 — 196
8.4.2.5	Analysis of FRET histograms — 197
8.4.3	FRET data and RNA folding — 198
8.4.4	From FRET data to structural models of RNA and RNA/protein complexes — 198
8.5	Selected examples — 199
8.5.1	Steady-state FRET: ribozymes, rRNA, and RNA polymerase transcription complexes — 199
8.5.2	Time-resolved FRET: the hairpin ribozyme — 204

8.5.3	Single-molecule FRET: folding of large ribozymes and transcription by RNA polymerases —	206
8.5.4	Single-molecule FRET and modeling of complex structures —	207
8.6	Perspectives —	208
8.7	Acknowledgments —	209
	References —	209
9	RNA studies by small angle X-ray scattering in solution —	215
9.1	Introduction to SAXS —	215
9.2	SAXS experiment —	216
9.2.1	Sample preparation —	216
9.2.2	Form and structure factor: particle interactions —	217
9.3	Methods —	219
9.3.1	Distance distribution function —	219
9.3.2	Overall parameters: radius of gyration, molecular mass, and volume —	219
9.4	Modeling —	221
9.4.1	Ab initio modeling —	221
9.4.1.1	Bead models —	221
9.4.1.2	Dummy residue models —	222
9.4.1.3	Multiphase models —	222
9.4.1.4	Comparison of multiple models —	223
9.4.2	SAXS and complementary methods —	223
9.4.2.1	High-resolution models —	223
9.4.2.2	Rigid body modeling —	224
9.4.3	Flexible systems —	225
9.4.4	Mixtures —	225
9.5	Resolution and ambiguity of SAXS data interpretation —	226
9.6	Practical applications —	227
9.6.1	Ab initio shape determination —	227
9.6.2	Analysis of RNA flexibility —	229
9.6.3	Nonstoichiometric RNA-protein mixtures and complex formation —	231
9.6.4	Structural studies of spliceosome function assisted by SAXS measurements —	232
9.6.5	How SAXS helps elucidate riboswitch structure-function relationships —	233
9.6.6	Use of SAXS and ASAXS to study the influences of counterions on RNA folding —	236
9.6.7	Quantitation of free-energy changes estimated from SAXS 3-D reconstructions —	236
9.7	Conclusions and outlook —	237

9.8	Acknowledgments — 238
	References — 238
10	Integrative structure-function analysis of large nucleoprotein complexes — 243
10.1	Summary — 243
10.2	Integrative structure-function analysis of nucleoprotein complexes, example 1: translation complexes — 250
10.3	Integrative structure-function analysis of nucleoprotein complexes, example 2: transcription complexes — 253
10.4	Outlook — 255
10.5	Acknowledgments — 256
	References — 257
11	Structure and conformational dynamics of RNA determined by pulsed EPR — 261
11.1	Introduction — 261
11.2	Pulse EPR spectroscopy on RNA — 264
11.2.1	Spin labeling of nucleic acids — 264
11.2.2	Theoretical description of the PELDOR experiment — 266
11.2.3	Practical aspects of the PELDOR experiment — 270
11.2.4	PELDOR experiments with rigid spin labels — 271
11.2.5	Data analysis and interpretation — 274
11.3	Application examples — 276
11.3.1	Applications on dsRNA and DNA — 277
11.3.2	Application on RNA with more complex structure — 277
11.3.3	Applications on DNA with rigid spin labels — 279
11.4	Outlook and summary — 280
11.5	Acknowledgments — 281
	References — 282
12	NMR-based characterization of RNA structure and dynamics — 287
12.1	Introduction — 287
12.2	Part I: RNA structure — 288
12.2.1	Primary structure — 288
12.2.1.1	RNA sequence determinants on structure — 288
12.2.1.2	Unusual nucleotides — 288
12.2.1.3	Torsion angles in the polynucleotide sequence — 288
12.2.2	Secondary structure: base pairing and helices — 289
12.2.2.1	Regular structure and base pairing — 289
12.2.2.2	Helical secondary structure — 291

12.3	Part II: NMR studies of RNA — 291
12.3.1	NMR sample preparation and labeling — 291
12.3.1.1	Sample preparation — 291
12.3.1.2	Labeling schemes — 292
12.3.1.3	RNA purification — 292
12.3.2	NMR parameters to characterize RNA structure — 293
12.3.2.1	Sequence-specific assignment of NMR resonances — 293
12.3.2.2	NMR measurements for torsion angle restraints — 297
12.3.2.3	NMR measurements for distance restraints — 298
12.3.2.4	Scalar couplings across hydrogen bonds — 298
12.3.2.5	Residual dipolar couplings — 299
12.3.2.6	NMR-based structure calculation — 301
12.3.3	NMR parameters to characterize RNA dynamics — 301
12.3.3.1	NMR measurements for RNA dynamics — 302
12.3.3.2	Dynamics probed by relaxation parameters — 303
12.3.3.3	Dynamics probed by residual dipolar couplings — 303
12.4	Part III: examples of RNA tertiary structure — 304
12.4.1	Helix-helix interactions — 304
12.4.1.1	Coaxial stacking — 304
12.4.1.2	A-platform and A-C platform — 305
12.4.2	Helix-strand interactions — 305
12.4.2.1	Base triples and A-minor motifs — 305
12.4.2.2	Tetraloops — 306
12.4.3	Loop-loop interactions — 307
12.4.3.1	Kissing loop — 307
12.4.3.2	Pseudoknot — 307
12.5	Conclusion — 308
12.6	Acknowledgments — 308
	References — 308
13	Crystallization of RNA for structure determination by X-ray crystallography — 319
13.1	Introduction — 319
13.2	General strategy for crystallization — 319
13.2.1	Oligonucleotides and duplex termini — 320
13.2.2	Loop engineering and RNP formation and topological permutation — 322
13.2.3	An example of success through construct engineering — 323
13.3	Purity and monodispersity — 325
13.4	Postcrystallization treatments — 326
13.5	Construct design and structure determination — 328

13.6	Conclusion — 329
13.7	Acknowledgments — 330
	References — 330
14	RNA structure prediction — 335
14.1	The thermodynamic model of RNA folding — 336
14.1.1	Free energy and partition function — 336
14.1.2	Abstract shapes — 337
14.1.3	Free-energy computation of an RNA structure — 338
14.1.4	Influence of solvent — 340
14.2	MFE structure — 340
14.3	Partition folding — 341
14.3.1	Suboptimal structures — 343
14.3.2	Mean and sampled structures — 344
14.3.3	Shape representative structures and shape probabilities — 345
14.4	Structure prediction and multiple alignment — 345
14.5	Beyond secondary structure prediction — 349
14.5.1	Pseudoknots — 349
14.5.2	RNA-RNA hybridization — 353
14.6	Acknowledgments — 357
	References — 357
15	Analyzing, searching, and annotating recurrent RNA three-dimensional motifs — 363
15.1	Characteristics of structured RNAs — 363
15.1.1	RNA molecules are structurally diverse — 363
15.1.2	"Loops" in RNA secondary structures and RNA 3D motifs — 364
15.1.3	The 3D motifs and hierarchical organization of RNA — 366
15.1.4	Linker regions and 3D motifs — 366
15.2	Structural diversity of RNA 3D motifs — 368
15.2.1	Contribution of RNA chain flexibility to motif diversity — 368
15.2.2	Contribution of internucleotide interactions to motif diversity — 369
15.3	Pairwise nucleotide interactions that stabilize RNA 3D motifs — 370
15.3.1	Base-pairing interactions and 3D motifs — 370
15.3.1.1	Occurrence frequencies of base pairs is context dependent — 370
15.3.1.2	Base-pair isostericity and structure conservation during evolution — 371
15.3.2	Base-stacking interactions and 3D motifs — 372
15.3.3	Base-phosphate interactions and 3D motifs — 372
15.4	Defining RNA 3D motifs — 373
15.4.1	Role of induced fit in RNA motif structure — 373

15.4.2	Definition of “classic” RNA 3D motifs — 374
15.4.2.1	Definition of modular motifs — 374
15.4.2.2	Conservation of motif sequence and structure — 375
15.4.3	Recurrent RNA 3D motifs — 375
15.5	Tools for searching for RNA 3D motifs in atomic-resolution RNA structures — 375
15.5.1	MC-Search — 376
15.5.2	NASSAM — 376
15.5.3	PRIMOS — 376
15.5.4	FR3D and WebFR3D — 378
15.5.5	Apostolico et al., 2009 — 378
15.5.6	RNAmotifScan — 378
15.5.7	FRMF — 379
15.5.8	RNA FRABASE 2.0 — 379
15.5.9	FASTR3D — 379
15.5.10	FRASS — 380
15.5.11	R3D-BLAST — 380
15.5.12	Comparison of 3D search methods — 380
15.6	Classifying RNA 3D motifs — 381
15.6.1	Why classify RNA 3D motifs? — 381
15.6.2	How to classify RNA 3D motifs? — 381
15.6.3	Criteria for grouping motif instances in the same recurrent family — 382
15.6.4	Evaluating 3D motif similarity — 383
15.6.5	Application of motif classification criteria — 383
15.6.6	Automatic classification of RNA 3D motifs — 384
15.7	RNA 3D motif collections — 384
15.7.1	Motif-oriented collections — 384
15.7.1.1	SCOR — 384
15.7.1.2	Comparative RNA Web Site — 386
15.7.1.3	K-turn database — 386
15.7.1.4	RNAmotifScan — 386
15.7.1.5	FRMF — 386
15.7.1.6	RNA 3D Motif Atlas — 387
15.7.2	Loop-oriented collections — 387
15.7.2.1	RNAjunction — 387
15.7.2.2	RNA STRAND — 387
15.7.2.3	RLoom — 388
15.7.2.4	RNA CoSSMos — 388
15.7.3	Comparing RNA 3D motif collections — 388
15.8	RNA 3D motifs that “break the rules” — 390

15.8.1	The 3D motifs that contain isolated cWW base pairs —	390
15.8.2	Composite 3D motifs: 3D motifs composed of more than one loop —	392
15.8.3	Motifs comprising linker strands —	393
15.8.4	Motifs interacting with adjacent helices —	394
15.9	Conclusions —	395
15.10	Acknowledgments —	395
	References —	396
	Index —	399