

Table of Contents

Preface XIII

List of Contributors XV

1	The Molecular Basis of Touch Sensation as Modeled in <i>Caenorhabditis elegans</i>	1
	<i>Laura Bianchi and Monica Driscoll</i>	
	Abstract	1
1.1	Introduction	2
1.2	Features of the <i>C. elegans</i> Model System	3
1.3	Mechanosensation Is a Major Mechanism by Which <i>C. elegans</i> Senses Its Environment	4
1.4	Gentle Body Touch	5
1.4.1	The Touch Receptor Neurons	5
1.4.2	Ultrastructural Features of the Touch Receptor Neurons	5
1.4.2.1	Touch Cell-specific Microtubules	5
1.4.2.2	The Extracellular Mantle	6
1.4.3	Genetic and Molecular Analysis of Body Touch	7
1.4.3.1	<i>mec-4</i> and <i>mec-10</i> Ion Channel Subunits Form Na ⁺ Channels	7
1.4.3.2	MEC-4 at the Molecular Level	7
1.4.4	The Candidate Mechanotransducing Channel is a Heteromultimeric Complex	9
1.4.4.1	MEC-4 and MEC-10 Form a Functional Ion Channel	10
1.4.4.2	MEC-2 Is a Stomatin-like Protein That May Help Tether the MEC-4/MEC-10 Channel to the Membrane Bilayer and/or the Cytoskeleton	10
1.4.4.3	MEC-6 Is a Transmembrane Paraoxonase-like Protein That Controls MEC Channel Activity	11
1.4.5	Intracellular Proteins Needed for Touch Transduction	13
1.4.6	Extracellular Proteins Needed for Touch Transduction	14
1.4.6.1	MEC-1	14
1.4.6.2	MEC-5	15
1.4.6.3	MEC-9	15

1.4.7	The MEC Channel Functions Specifically in Neuronal Responses to Gentle Touch	16
1.4.7.1	Test of a Key Hypothesis	16
1.4.7.2	Additional Insights Revealed by Imaging In Vivo Ca^{2+} Changes in Responding Touch Neurons	18
1.4.8	Summary: A Molecular Model for Gentle-touch Sensation	19
1.4.8.1	How Touch Is Sensed to Elicit a Specific Behavioral Response	19
1.4.8.2	Notes on the Working Model	19
1.5	The <i>C. elegans</i> Degenerin Family: A Global Role of Degenerin Channels in Mechanotransduction?	20
1.5.1	<i>unc-105</i>	20
1.5.2	<i>unc-8</i> and <i>del-1</i>	21
1.5.2.1	A Stomatin Partner for the UNC-8 Channel Suggests a Common Composition of Degenerin Channels	21
1.5.2.2	Trp Channels May Also Contribute to Mechanosensory Functions in <i>C. elegans</i>	23
1.5.2.3	Fly and Mouse Neuronal DEG/ENaCs Influence Mechanotransduction, Supporting Conserved Roles for This Family of Proteins	24
1.6	Concluding Remarks	25
	Acknowledgments	26
	References	26
2	Transduction Channels in Hair Cells	31
	<i>Robert Fettiplace</i>	
2.1	Introduction	31
2.2	Gating Mechanism: Channel Kinetics	32
2.2.1	Tip Links and Gating Springs	34
2.2.2	Gating Compliance	36
2.2.3	Three-state Channel Schemes	36
2.3	Ionic Selectivity	38
2.3.1	Blocking Compounds	40
2.4	MET Channel Adaptation	41
2.4.1	Ca^{2+} Regulation of Adaptation	42
2.4.2	The Function of Adaptation	44
2.5	Single-channel Conductance	45
2.5.1	Number of MET Channels Per Stereocilium	47
2.6	The MET Channel as a Member of the TRP Family	48
2.6.1	Properties of TRPV Channels	49
2.7	Conclusions	49
	Acknowledgments	51
	References	51

3	Acid-sensing Ion Channels	57
	<i>Kenneth A. Cushman and Edwin W. McCleskey</i>	
3.1	Introduction	57
3.2	ASICs and the DEG/ENaC Superfamily	58
3.3	Amino Acid Structure	61
3.4	Assembly Into Channels	61
3.5	Pharmacology	62
3.6	Gating	63
3.7	Proposed Sensory Functions	65
3.7.1	Pain/Nociception	65
3.7.2	Mechanosensation	66
3.7.3	Taste	67
3.8	CNS ASICs	67
3.9	Stroke	68
3.10	Other pH-activated Channels	68
	References	69
4	Chemosensory Transduction in <i>Caenorhabditis elegans</i>	73
	<i>Noelle L'Etoile</i>	
4.1	Introduction	73
4.1.1	The organism <i>C. elegans</i>	73
4.1.2	Introduction to the Channels	75
4.2	The Chemosensory Organs	75
4.2.1	The Amphid Organ	75
4.2.2	Phasmid Organ	78
4.2.3	Inner Labial	79
4.2.4	The Sensory Signaling Circuit	79
4.3	Behavioral Assays	79
4.3.1	Chemotaxis	80
4.3.2	Repulsion	81
4.3.3	Thermotaxis	82
4.3.4	Social Feeding or Bordering	82
4.4	How Is The Response to Each Stimulus Generated?	83
4.4.1	The Chemotaxis Olfactory Response	83
4.4.2	Chemotaxis to Water-soluble Compounds	85
4.4.3	Repellents	85
4.4.3.1	The ASH Polymodal Sensory Neuron	85
4.4.4	Thermotaxis	86
4.4.5	Feeding Behavior	87
4.5	Structure of the TAX, Cyclic Nucleotide-gated Channels of the Worm	88
4.6	Channel Regulation	93
	References	94

5	Vertebrate Olfactory Signal Transduction and the Interplay of Excitatory Anionic and Cationic Currents	99
	<i>Johannes Reisert and Jonathan Bradley</i>	
	Abstract	99
5.1	Introduction	99
5.1.1	Tissue	99
5.1.2	Olfactory Receptor Neurons	100
5.1.3	Sustentacular Cells	101
5.1.4	Basal Cells	102
5.2	Recording Odor-induced Electrical Activity	102
5.2.1	The Electroolfactogram	102
5.3	Odorant Responses of Single Isolated Olfactory Receptor Neurons	103
5.4	Components of the Transduction Pathway	106
5.5	Cloning of G Proteins Expressed in the OE	108
5.5.1	G α olf	108
5.5.2	Adenylyl Cyclase	108
5.6	Odorant Receptors	109
5.7	Cyclic Nucleotide-gated Channel in OE	110
5.8	Cloning of a CNG Channel Expressed in the OE	114
5.9	Negative Feedback by Ca ²⁺ on the CNG Channel	115
5.10	The Olfactory Ca ²⁺ -activated Cl ⁻ Channel	118
5.11	Activation of the Cl ⁻ Conductance	119
5.12	Single Channel Properties and Channel Densities	121
5.13	Regulation of Cl ⁻ Channel Activity	122
5.14	Amplification of the CNG Current and Generation of the Cl ⁻ Current	123
5.15	Open Questions	126
	References	127
6	Transduction Channels in the Vomeronasal Organ	135
	<i>Emily R. Liman and Frank Zufall</i>	
6.1	Introduction	135
6.2	Anatomy of the Vomeronasal System	136
6.3	Sensory Responses Involve Generation of Action Potentials and Ca ²⁺ Entry	137
6.4	Two Families of G-protein-coupled Receptors Mediate VNO Transduction	139
6.5	Signaling Downstream of G Proteins May Involve a PLC	140
6.6	Second Messengers for VNO Transduction: Functional Studies	140
6.7	Identification of the TRPC2 Ion Channel as a Candidate Transduction Channel for VNO Sensory Signaling	141
6.8	TRPC2 Is Essential for Pheromone Transduction	144
6.9	Mechanism of TRPC2 Activation	144
6.10	TRPC2 Knockout Mice: Behavioral Defects	146
6.11	Loss of VNO Signaling Components in Human Evolution	147
6.12	Summary: Is TRPC2 the VNO Transduction Channel?	149
	Acknowledgements	150

7	Transduction Mechanisms in Taste Cells	153
	<i>Kathryn Medler and Sue C. Kinnamon</i>	
7.1	Introduction	153
7.2	Ionic Stimuli	155
7.2.1	Salt	155
7.2.1.1	Epithelial Sodium Channel	155
7.2.1.2	Amiloride-insensitive Pathway	158
7.2.2	Sour	159
7.2.2.1	Proton-permeable Channels	161
7.2.2.2	Proton-gated Channels	161
7.2.2.3	Proton-blocked Channels	162
7.3	Complex Stimuli	163
7.3.1	GPCR Signaling in Taste Cells	163
7.3.2	Store-operated Channels and TRPM5	164
7.3.3	Cyclic Nucleotide-regulated Channels	169
7.3.4	Ligand-gated Channels	171
7.3.5	Miscellaneous Channels	173
7.3.5.1	Fat-modulated Channels	173
7.3.5.2	Water-activated channels	173
7.4	Conclusions	174
8	Invertebrate Phototransduction: Multimolecular Signaling Complexes and the Role of TRP and TRPL Channels	179
	<i>Armin Huber</i>	
	Abstract	179
8.1	Introduction	180
8.2	Structure of the <i>Drosophila</i> Compound Eye and Its Visual Pigments	181
8.3	The <i>Drosophila</i> Phototransduction Cascade Is a Prototypical G-protein-coupled Signaling Pathway	184
8.4	Essential Components of the Transduction Pathway Are Organized into a Multimolecular Signaling Complex	186
8.5	TRP and TRPL, the Transduction Channels of <i>Drosophila</i> Photoreceptors	189
8.5.1	Identification and Characterization of TRP and TRPL	189
8.5.2	Possible Gating Mechanism	191
8.5.3	Transduction Channels in the Visual Systems of Other Invertebrates	193
8.5.4	<i>Drosophila</i> TRP Is the Founding Member of the TRP Family of Ion Channels	194
8.6	Light-dependent Relocation of TRPL Alters the Properties of the Photoreceptive Membrane	196
8.7	Concluding Remarks and Outlook	198
	Acknowledgments	199

9	The Transduction Channels of Rod and Cone Photoreceptors	207
	<i>U.B. Kaupp and D. Tränkner</i>	
9.1	Introduction	207
9.2	Brief Overview	207
9.2.1	Ligand Sensitivity	207
9.2.2	Ion selectivity	208
9.2.3	Modulation	208
9.3	Function of CNG Channels in Phototransduction and Adaptation	209
9.3.1	Rod and Cone Photoreceptors	209
9.3.2	CNG Channels in Pinealocyte Photoreceptors	212
9.3.3	CNG Channels in Parietal Eye Photoreceptors	213
9.3.4	CNG Channels in Hyperpolarizing Photoreceptors of Invertebrates	214
9.4	Structure of Subunits	215
9.5	Transmembrane Topology and Subunit Stoichiometry	215
9.6	Interaction of CNG Channels With Other Proteins	219
9.6.1	The Glutamic Acid-rich Part (GARP) of B1	219
9.6.2	Interaction with the $\text{Na}^+/\text{Ca}^{2+}\text{-K}^+$ Exchanger	220
9.7	Modulation	221
9.7.1	Modulation by Ca^{2+}	221
9.8	Phosphorylation	223
9.8.1	Retinal	223
9.9	Visual Dysfunction Caused by Mutant CNG Channel Genes	224
9.9.1	Mutations Associated with Retinitis Pigmentosa	225
9.9.2	Mutations Associated with Achromatopsia or Cone Dystrophy	227
	Appendix	229
10	Ion Channels and Thermotransduction	235
	<i>Michael J. Caterina</i>	
10.1	Introduction	235
10.2	Physiological Studies Provide Evidence for the Existence of Thermally Gated Ion Channels	236
10.3	Molecular Characterization of a Heat-gated Ion Channel, TRPV1	239
10.4	TRPV2 Is an Ion Channel Activated by Extremely Hot Temperatures	241
10.5	TRPV3 and TRPV4 Are Warmth-activated Channels	242
10.6	TRPM8 and ANKTM1 Are Activated by Cool and Cold Temperatures, Respectively	242
10.7	Non-TRP Channels Implicated in Mammalian Temperature Sensation	243
10.8	Temperature-sensing Proteins in Non-mammalian Species	244
10.9	Mechanisms of Temperature Transduction	245
10.10	Conclusions	246

11	Pain Transduction: Gating and Modulation of Ion Channels	251
	<i>Peter A. McNaughton</i>	
11.1	Introduction	251
11.2	Ion Channels Gated by Noxious Stimuli	253
11.2.1	Ion Channels Gated by Noxious Heat	253
11.2.2	Ion Channels Gated by Noxious Cold	254
11.2.3	Ion Channels Gated by Acid	254
11.2.4	ATP-gated Ion Channels	255
11.2.5	Ion Channels Gated by Mechanical Stimuli	256
11.2.6	Initiation of Action Potentials by Noxious Stimuli	256
11.2.7	Summary Diagram of a Nociceptive Terminal	257
11.3	Sensitization by Inflammatory Mediators	257
11.3.1	Short-term Sensitization: Mediators and Pathways	258
11.3.1.1	Bradykinin and the PKC Pathway	258
11.3.1.2	Prostaglandins and the PKA Pathway	260
11.3.2	Nerve Growth Factor	262
11.3.3	Direct Modulation of TRPV1 by Protons	263
11.3.4	Other Modulators of Nociceptor Sensitivity	264
11.3.4.1	ATP	264
11.3.4.2	Proteases	264
11.3.4.3	Bv8/Prokineticin	264
11.3.4.4	Glutamate	265
11.3.4.5	Norepinephrine	265
11.3.5	Long-term Sensitization	265
11.3.6	Gene Expression Regulated by NGF	266
11.3.7	Gene Expression Regulated by GDNF	266
11.4	Conclusions	267
12	Transduction and Transmission in Electoreceptor Organs	271
	<i>Robert C. Peters and Jean-Pierre Denizot</i>	
	Abstract	271
12.1	Introduction	272
12.1.1	Transduction at Electoreceptor Cells	272
12.1.2	Favorite Species	273
12.2	Types of Electoreceptor Organs	274
12.2.1	General	274
12.2.2	The Sensory Mucous Glands in Monotremes	274
12.2.3	The Microampullary Organs	275
12.2.4	The Tuberous Organs	275
12.2.5	The Ampullae of Lorenzini	275
12.3	How is Transduction at Electoreceptor Cells Studied?	276
12.4	Current Views on Transduction and Transmission in Electoreceptor Organs	276
12.4.1	Spontaneous Activity and Modulation of Afferent Activity	276

12.4.2	Monotreme Mucous Gland Electoreceptor Organs	277
12.4.3	Microampullary Organs in Freshwater Organisms	278
12.4.3.1	General	278
12.4.3.2	Patch-clamp Experiments	280
12.4.3.3	Indirect Pharmacological Evidence	281
12.4.3.4	The Synaptic Paradox	282
12.4.3.5	The Transduction Model Revisited	283
12.4.4	Tuberous Organs in Freshwater Fishes	285
12.4.5	Ampullae of Lorenzini in Marine Fish	286
12.4.5.1	General	286
12.4.5.2	Ampullae in <i>Plotosus</i>	287
12.4.5.3	Ampullae in Elasmobranchs	287
12.4.5.4	The Synaptic Paradox	287
12.5	Mucus and Transduction	290
12.6	Conclusions and Open Ends	291
	Acknowledgments	293