

Preface to the Series

Genetics, genomics and breeding has emerged as three overlapping and complimentary disciplines for comprehensive and fine-scale analysis of plant genomes and their precise and rapid improvement. While genetics and plant breeding have contributed enormously towards several new concepts and strategies for elucidation of plant genes and genomes as well as development of a huge number of crop varieties with desirable traits, genomics has depicted the chemical nature of genes, gene products and genomes and also provided additional resources for crop improvement.

In today's world, teaching, research, funding, regulation and utilization of plant genetics, genomics and breeding essentially require thorough understanding of their components including classical, biochemical, cytological and molecular genetics; and traditional, molecular, transgenic and genomics-assisted breeding. There are several book volumes and reviews available that cover individually or in combination of a few of these components for the major plants or plant groups; and also on the concepts and strategies for these individual components with examples drawn mainly from the major plants. Therefore, we planned to fill an existing gap with individual book volumes dedicated to the leading crop and model plants with comprehensive deliberations on all the classical, advanced and modern concepts of depiction and improvement of genomes. The success stories and limitations in the different plant species, crop or model, must vary; however, we have tried to include a more or less general outline of the contents of the chapters of the volumes to maintain uniformity as far as possible.

Often genetics, genomics and plant breeding and particularly their complimentary and supplementary disciplines are studied and practiced by people who do not have, and reasonably so, the basic understanding of biology of the plants for which they are contributing. A general description of the plants and their botany would surely instill more interest among them on the plant species they are working for and therefore we presented lucid details on the economic and/or academic importance of the plant(s); historical information on geographical origin and distribution; botanical origin and evolution; available germplasms and gene pools, and genetic and cytogenetic stocks as genetic, genomic and breeding resources; and

basic information on taxonomy, habit, habitat, morphology, karyotype, ploidy level and genome size, etc.

Classical genetics and traditional breeding have contributed enormously even by employing the phenotype-to-genotype approach. We included detailed descriptions on these classical efforts such as genetic mapping using morphological, cytological and isozyme markers; and achievements of conventional breeding for desirable and against undesirable traits. Employment of the *in vitro* culture techniques such as micro- and megaspore culture, and somatic mutation and hybridization, has also been enumerated. In addition, an assessment of the achievements and limitations of the basic genetics and conventional breeding efforts has been presented.

It is a hard truth that in many instances we depend too much on a few advanced technologies, we are trained in, for creating and using novel or alien genes but forget the infinite wealth of desirable genes in the indigenous cultivars and wild allied species besides the available germplasms in national and international institutes or centers. Exploring as broad as possible natural genetic diversity not only provides information on availability of target donor genes but also on genetically divergent genotypes, botanical varieties, subspecies, species and even genera to be used as potential parents in crosses to realize optimum genetic polymorphism required for mapping and breeding. Genetic divergence has been evaluated using the available tools at a particular point of time. We included discussions on phenotype-based strategies employing morphological markers, genotype-based strategies employing molecular markers; the statistical procedures utilized; their utilities for evaluation of genetic divergence among genotypes, local landraces, species and genera; and also on the effects of breeding pedigrees and geographical locations on the degree of genetic diversity.

Association mapping using molecular markers is a recent strategy to utilize the natural genetic variability to detect marker-trait association and to validate the genomic locations of genes, particularly those controlling the quantitative traits. Association mapping has been employed effectively in genetic studies in human and other animal models and those have inspired the plant scientists to take advantage of this tool. We included examples of its use and implication in some of the volumes that devote to the plants for which this technique has been successfully employed for assessment of the degree of linkage disequilibrium related to a particular gene or genome, and for germplasm enhancement.

Genetic linkage mapping using molecular markers have been discussed in many books, reviews and book series. However, in this series, genetic mapping has been discussed at length with more elaborations and examples on diverse markers including the anonymous type 2 markers such as RFLPs, RAPDs, AFLPs, etc. and the gene-specific type 1 markers such as EST-SSRs,

SNPs, etc.; various mapping populations including F_2 , backcross, recombinant inbred, doubled haploid, near-isogenic and pseudotestcross; computer software including MapMaker, JoinMap, etc. used; and different types of genetic maps including preliminary, high-resolution, high-density, saturated, reference, consensus and integrated developed so far.

Mapping of simply inherited traits and quantitative traits controlled by oligogenes and polygenes, respectively has been deliberated in the earlier literature crop-wise or crop group-wise. However, more detailed information on mapping or tagging oligogenes by linkage mapping or bulked segregant analysis, mapping polygenes by QTL analysis, and different computer software employed such as MapMaker, JoinMap, QTL Cartographer, Map Manager, etc. for these purposes have been discussed at more depth in the present volumes.

The strategies and achievements of marker-assisted or molecular breeding have been discussed in a few books and reviews earlier. However, those mostly deliberated on the general aspects with examples drawn mainly from major plants. In this series, we included comprehensive descriptions on the use of molecular markers for germplasm characterization, detection and maintenance of distinctiveness, uniformity and stability of genotypes, introgression and pyramiding of genes. We have also included elucidations on the strategies and achievements of transgenic breeding for developing genotypes particularly with resistance to herbicide, biotic and abiotic stresses; for biofuel production, biopharming, phytoremediation; and also for producing resources for functional genomics.

A number of desirable genes and QTLs have been cloned in plants since 1992 and 2000, respectively using different strategies, mainly positional cloning and transposon tagging. We included enumeration of these and other strategies for isolation of genes and QTLs, testing of their expression and their effective utilization in the relevant volumes.

Physical maps and integrated physical-genetic maps are now available in most of the leading crop and model plants owing mainly to the BAC, YAC, EST and cDNA libraries. Similar libraries and other required genomic resources have also been developed for the remaining crops. We have devoted a section on the library development and sequencing of these resources; detection, validation and utilization of gene-based molecular markers; and impact of new generation sequencing technologies on structural genomics.

As mentioned earlier, whole genome sequencing has been completed in one model plant (*Arabidopsis*) and seven economic plants (rice, poplar, peach, papaya, grapes, soybean and sorghum) and is progressing in an array of model and economic plants. Advent of massively parallel DNA sequencing using 454-pyrosequencing, Solexa Genome Analyzer, SOLiD system, Heliscope and SMRT have facilitated whole genome sequencing in many other plants more rapidly, cheaply and precisely. We have included

extensive coverage on the level (national or international) of collaboration and the strategies and status of whole genome sequencing in plants for which sequencing efforts have been completed or are progressing currently. We have also included critical assessment of the impact of these genome initiatives in the respective volumes.

Comparative genome mapping based on molecular markers and map positions of genes and QTLs practiced during the last two decades of the last century provided answers to many basic questions related to evolution, origin and phylogenetic relationship of close plant taxa. Enrichment of genomic resources has reinforced the study of genome homology and synteny of genes among plants not only in the same family but also of taxonomically distant families. Comparative genomics is not only delivering answers to the questions of academic interest but also providing many candidate genes for plant genetic improvement.

The 'central dogma' enunciated in 1958 provided a simple picture of gene function—gene to mRNA to transcripts to proteins (enzymes) to metabolites. The enormous amount of information generated on characterization of transcripts, proteins and metabolites now have led to the emergence of individual disciplines including functional genomics, transcriptomics, proteomics and metabolomics. Although all of them ultimately strengthen the analysis and improvement of a genome, they deserve individual deliberations for each plant species. For example, microarrays, SAGE, MPSS for transcriptome analysis; and 2D gel electrophoresis, MALDI, NMR, MS for proteomics and metabolomics studies require elaboration. Besides transcriptome, proteome or metabolome QTL mapping and application of transcriptomics, proteomics and metabolomics in genomics-assisted breeding are frontier fields now. We included discussions on them in the relevant volumes.

The databases for storage, search and utilization on the genomes, genes, gene products and their sequences are growing enormously in each second and they require robust bioinformatics tools plant-wise and purpose-wise. We included a section on databases on the gene and genomes, gene expression, comparative genomes, molecular marker and genetic maps, protein and metabolomes, and their integration.

Notwithstanding the progress made so far, each crop or model plant species requires more pragmatic retrospect. For the model plants we need to answer how much they have been utilized to answer the basic questions of genetics and genomics as compared to other wild and domesticated species. For the economic plants we need to answer as to whether they have been genetically tailored perfectly for expanded geographical regions and current requirements for green fuel, plant-based bioproducts and for improvements of ecology and environment. These futuristic explanations have been addressed finally in the volumes.

We are aware of exclusions of some plants for which we have comprehensive compilations on genetics, genomics and breeding in hard copy or digital format and also some other plants which will have enough achievements to claim for individual book volume only in distant future. However, we feel satisfied that we could present comprehensive deliberations on genetics, genomics and breeding of 30 model and economic plants, and their groups in a few cases, in this series. I personally feel also happy that I could work with many internationally celebrated scientists who edited the book volumes on the leading plants and plant groups and included chapters authored by many scientists reputed globally for their contributions on the concerned plant or plant group.

We paid serious attention to reviewing, revising and updating of the manuscripts of all the chapters of this book series, but some technical and formatting mistakes will remain for sure. As the series editor, I take complete responsibility for all these mistakes and will look forward to the readers for corrections of these mistakes and also for their suggestions for further improvement of the volumes and the series so that future editions can serve better the purposes of the students, scientists, industries, and the society of this and future generations.

Science publishers, Inc. has been serving the requirements of science and society for a long time with publications of books devoted to advanced concepts, strategies, tools, methodologies and achievements of various science disciplines. Myself as the editor and also on behalf of the volume editors, chapter authors and the ultimate beneficiaries of the volumes take this opportunity to acknowledge the publisher for presenting these books that could be useful for teaching, research and extension of genetics, genomics and breeding.

Chittaranjan Kole

Preface to the Volume

The sunflower has fascinated mankind for centuries and has served as an inspiration to artists, poets, photographers, and also for business promotions. Being one of the a few agricultural crops that originated from the New World, the conspicuous and showy sunflower is revered worldwide for its magnificence and versatility. The oilseed sunflower contributes approximately 10% of the world's plant-derived edible oil and the confection type sunflower holds a considerable share of the directly consumed snacks market. In addition, sunflower is also grown as an ornamental for cut flowers, as well as in home gardens. Improvement of the sunflower crop has been achieved through traditional breeding in terms of general productivity, profitability to the growers and processors, and nutritional benefits to the consumers. We are now embarking on the age of genomics which will expedite the process of genetic improvement of crops. During the last two decades, there has been an explosion of information on genetic markers, DNA sequences, and genomic resources for most major food crops including sunflower.

This volume is intended to bridge traditional research with modern molecular investigations on sunflower. It begins with basic information about the sunflower plant and germplasm diversity (Chapter 1), followed by classical genetics and traditional breeding (Chapter 2), history and achievement of genome mapping (Chapter 3). Four chapters review activities on mapping single-gene traits (Chapter 4), QTL mapping (Chapter 5), gene cloning (Chapter 6) and marker-assisted breeding (Chapter 7). Since sunflower is one of the most important oil crops, a chapter is devoted to the genetic regulation of seed oil content (Chapter 8). Transgenic sunflower, an interesting topic as old as the technology itself, is also discussed (Chapter 9). The book ends with a chapter on future prospects of the sunflower crop (Chapter 10). We hope that this book is useful to sunflower researchers as well as to people working with other crop species.

Each chapter has been written by one or more experts who have worked diligently in compiling information about their respective areas of expertise. We greatly appreciate their effort and time devoted to this book.

Jinguo Hu
Gerald Seiler
Chittaranjan Kole